

Fallon Medicare Plus™ Premier

2022 Formulary (List of Covered Drugs)

**PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION
ABOUT THE DRUGS WE COVER IN THIS PLAN**

Formulary ID: 00022433: Version: 8

This formulary was updated on 10/05/2021. For more recent information or other questions, please contact Fallon Medicare Plus Premier Customer Service at 1-800-325-5669 (TTY users should call TRS 711), 8 a.m.–8 p.m., Monday–Friday (Oct. 1–March 31, seven days a week), or visit fallonhealth.org/medicare.

Note to existing members: This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this drug list (formulary) refers to “we,” “us,” or “our,” it means Fallon Health. When it refers to “plan” or “our plan,” it means Fallon Medicare Plus.

This document includes a list of the drugs (formulary) for our plan which is current as of October 5, 2021. For an updated formulary, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, 2023, and from time to time during the year.

What is the Fallon Medicare Plus Premier Formulary?

A formulary is a list of covered drugs selected by Fallon Medicare Plus in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. Fallon Medicare Plus will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at a Fallon Medicare Plus network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your *Evidence of Coverage*.

Can the Formulary (drug list) change?

Most changes in drug coverage happen on January 1, but Fallon Medicare Plus may add or remove drugs on the Drug List during the year, move them to different cost-sharing tiers, or add new restrictions. We must follow the Medicare rules in making these changes.

Changes that can affect you this year: In the below cases, you will be affected by coverage changes during the year.

- **New generic drugs.** We may immediately remove a brand name drug on our Drug List if we are replacing it with a new generic drug that will appear on the same or lower cost-sharing tier and with the same or fewer restrictions. Also, when adding the new generic drug, we may decide to keep the brand name drug on our Drug List, but immediately move it to a different cost-sharing tier or add new restrictions. If you are currently taking that brand name drug, we may not tell you in advance before we make that change, but we will later provide you with information about the specific change(s) we have made.
 - If we make such a change, you or your prescriber can ask us to make an exception and continue to cover the brand name drug for you. The notice we provide you will also include information on how to request an exception, and you can find information in the section below titled “How do I request an exception to the Fallon Medicare Plus Premier Formulary?”
- **Drugs removed from the market.** If the Food and Drug Administration deems a drug on our formulary to be unsafe or the drug’s manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug.
- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may add a generic drug that is not new to market to replace a brand name drug currently on the formulary or add new restrictions to the brand name drug or move it to a different cost-sharing tier or both. Or we may make changes based on new clinical guidelines. If we remove drugs from our formulary, add prior authorization, quantity limits and/or step therapy restrictions on a drug or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 30 days before the change becomes effective, or at the time the member requests a refill of the drug, at which time the member will receive a 30-day supply of the drug.
 - If we make these other changes, you or your prescriber can ask us to make an exception and continue to cover the brand name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled “How do I request an exception to the Fallon Medicare Plus Premier Formulary?”

Changes that will not affect you if you are currently taking the drug. Generally, if you are taking a drug on our 2022 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2022 coverage year except as described above. This means that

these drugs will remain available at the same cost-sharing and with no new restrictions for those members taking them for the remainder of the coverage year. You will not get direct notice this year about changes that do not affect you. However, on January 1 of the next year, such changes would affect you, and it is important to check the Drug List for the new benefit year for any changes to drugs.

The enclosed formulary is current as of 10/05/2021. To get updated information about the drugs covered by Fallon Medicare Plus, please contact us. Our contact information appears on the front and back cover pages. All members will be mailed an update to their printed formulary that details all non-maintenance formulary changes when they occur. The formulary and any addenda will also be available online at fallonhealth.org/medicare.

How do I use the Formulary?

There are two ways to find your drug within the formulary:

Medical Condition

The formulary begins on page 3. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, Cardiovascular Agents. If you know what your drug is used for, look for the category name in the list that begins on page 3. Then look under the category name for your drug.

Alphabetical Listing

If you are not sure what category to look under, you should look for your drug in the Index that begins on page 91. The Index provides an alphabetical list of all of the drugs included in this document. Both brand name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

What are generic drugs?

Fallon Medicare Plus covers both brand name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand name drug. Generally, generic drugs cost less than brand name drugs.

Are there any restrictions on my coverage?

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** Fallon Medicare Plus requires you or your provider to get prior authorization for certain drugs. This means that you will need to get approval from Fallon Medicare Plus before you fill your prescriptions. If you don't get approval, Fallon Medicare Plus may not cover the drug.
- **Quantity Limits:** For certain drugs, Fallon Medicare Plus limits the amount of the drug that Fallon Medicare Plus will cover. For example, Fallon Medicare Plus provides one tablet a day per prescription for DESVENLAFAZINE. This may be in addition to a standard one-month or three-month supply.
- **Step Therapy:** In some cases, Fallon Medicare Plus requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, Fallon Medicare Plus may not cover Drug B unless you try Drug A first. If Drug A does not work for you, Fallon Medicare Plus will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 3. You can also get more information about the restrictions applied to specific covered drugs by visiting our website. We have posted online documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask Fallon Medicare Plus to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, “How do I request an exception to the Fallon Medicare Plus Premier formulary?” on page iv for information about how to request an exception.

What if my drug is not on the Formulary?

If your drug is not included in this formulary (list of covered drugs), you should first contact Customer Service and ask if your drug is covered.

If you learn that Fallon Medicare Plus does not cover your drug, you have two options:

- You can ask Customer Service for a list of similar drugs that are covered by Fallon Medicare Plus. When you receive the list, show it to your doctor and ask him or her to prescribe a similar drug that is covered by Fallon Medicare Plus.
- You can ask Fallon Medicare Plus to make an exception and cover your drug. See below for information about how to request an exception.

How do I request an exception to the Fallon Medicare Plus Premier Formulary?

You can ask Fallon Medicare Plus to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- You can ask us to cover a formulary drug at a lower cost-sharing level unless the drug is not on the specialty tier. If approved this would lower the amount you must pay for your drug.
- You can ask us to waive coverage restrictions or limits on your drug. For example, for certain drugs, Fallon Medicare Plus limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.

Generally, Fallon Medicare Plus will only approve your request for an exception if the alternative drugs included on the plan’s formulary, the lower cost-sharing drug or additional utilization restrictions would not be as effective in treating your condition and/or would cause you to have adverse medical effects.

You should contact us to ask us for an initial coverage decision for a formulary, tier, or utilization restriction exception. **When you request a formulary, tier, or utilization restriction exception you should submit a statement from your prescriber or physician supporting your request.** Generally, we must make our decision within 72 hours of getting your prescriber’s supporting statement. You can request an expedited (fast) exception if you or your doctor believe that your health could be seriously harmed by waiting up to 72 hours for a decision. If your request to expedite is granted, we must give you a decision no later than 24 hours after we get a supporting statement from your doctor or other prescriber.

What do I do before I can talk to my doctor about changing my drugs or requesting an exception?

As a new or continuing member in our plan you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but your ability to get it is limited. For example, you may need a prior authorization from us before you can fill your prescription. You should talk to your doctor to decide if you should switch to an appropriate drug that we cover or request a formulary exception so that we will cover the drug you take. While you talk to your doctor to determine the right course of action for you, we may cover your drug in certain cases during the first 108 days you are a member of our plan.

For each of your drugs that is not on our formulary or if your ability to get your drugs is limited, we will cover a temporary 30-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30-day supply of medication. After your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 108 days.

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 108 days of membership in our plan, we will cover a 31-day emergency supply of that drug while you pursue a formulary exception.

If you are a current member being admitted to or discharged from a long-term care facility, you will be able to get an early refill on your medications if needed.

For more information

For more detailed information about your Fallon Medicare Plus prescription drug coverage, please review your *Evidence of Coverage* and other plan materials.

If you have questions about Fallon Medicare Plus, please contact us. Our contact information, along with the last date we updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1-800-MEDICARE (1-800-633-4227) 24 hours a day/7 days a week. TTY users should call 1-877-486-2048. Or, visit <http://www.medicare.gov>.

Fallon Medicare Plus Premier Formulary

The formulary that begins on the next page provides coverage information about the drugs covered by Fallon Medicare Plus. If you have trouble finding your drug in the list, turn to the Index that begins on page 91.

The first column of the chart lists the drug name. Brand name drugs are capitalized (e.g., HUMIRA) and generic drugs are listed in lower-case italics (e.g., *amoxicillin*).

The information in the Requirements/Limits column tells you if Fallon Medicare Plus has any special requirements for coverage of your drug.

| Abbreviation | Explanation |
|--------------|--|
| B/D | This prescription drug has a Part B versus Part D administrative prior authorization requirement. This drug may be covered under Medicare Part B or Part D depending upon the circumstances. Information may need to be submitted describing the use and setting of the drug to make the determination. |
| HI | Home Infusion. This prescription drug is covered under our medical benefit. For more information, call Customer Service at 1-800-325-5669 (TTY users should call TRS 711), 8 a.m.–8 p.m., Monday–Friday (Oct. 1–March 31, seven days a week), or visit fallonhealth.org/medicare . |
| LA | Limited Access. This prescription may be available only at certain pharmacies. For more information consult your <i>Pharmacy Directory</i> or call Customer Service at 1-800-325-5669 (TRS 711), Monday–Friday, 8 a.m.–8 p.m. (Oct. 1–March 31, seven days a week). |
| MO | Mail-Order Drug. This prescription drug is available through our mail-order service. |
| NEDS | Non Extended Day Supply. This drug is limited to a 30-day supply per prescription fill. |
| NT | Non-Troop. Medicare does not consider this to be a Medicare Part D drug but Fallon Medicare Plus Premier covers this drug. Payments of these drugs are not included in your out-of-pocket costs. |
| PA | Prior Authorization. Fallon Medicare Plus requires your provider to get prior authorization for certain drugs. This means that you will need to get approval from Fallon Medicare Plus before you fill your prescriptions. If you don't get approval, Fallon Medicare Plus may not cover the drug. |
| PA NS | Prior Authorization for New Starts only. Fallon Medicare Plus requires a prior authorization for certain drugs for new prescriptions only. This means that if you are newly starting on this drug, you need to get approval from Fallon Medicare Plus before you fill your prescriptions. If you don't get approval, Fallon Medicare Plus may not cover the drug. Prior authorization is not required if you have been previously filling this drug with Fallon Medicare Plus. |
| QL | Quantity Limit. For certain drugs, Fallon Medicare Plus limits the amount of the drug that Fallon Medicare Plus will cover. For example, Fallon Medicare Plus provides one tablet a day per prescription for DESVENLAFAXINE. This may be in addition to a standard one-month or three-month supply. |
| ST | Step Therapy. In some cases, Fallon Medicare Plus requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, Fallon Medicare Plus may not cover Drug B unless you try Drug A first. If Drug A does not work for you, Fallon Medicare Plus will then cover Drug B. |

Table of Contents

| | |
|---|----|
| Analgesics | 3 |
| Anesthetics | 5 |
| Anti-Addiction/Substance Abuse Treatment Agents | 5 |
| Antibacterials | 6 |
| Anticonvulsants | 12 |
| Antidementia Agents | 15 |
| Antidepressants | 16 |
| Antiemetics | 18 |
| Antifungals | 18 |
| Antigout Agents | 20 |
| Anti-Inflammatory Agents | 20 |
| Antimigraine Agents | 20 |
| Antimyasthenic Agents | 21 |
| Antimycobacterials | 21 |
| Antineoplastics | 22 |
| Antiparasitics | 27 |
| Antiparkinson Agents | 28 |
| Antipsychotics | 29 |
| Antispasticity Agents | 31 |
| Antivirals | 31 |
| Anxiolytics | 35 |
| Bipolar Agents | 36 |
| Blood Glucose Regulators | 36 |
| Blood Glucose Supplies | 40 |
| Blood Products And Modifiers | 43 |
| Blood Products/Modifiers/Volume Expanders | 43 |
| Cardiovascular Agents | 44 |
| Central Nervous System Agents | 50 |
| Dental And Oral Agents | 52 |
| Dermatological Agents | 53 |
| Electrolytes/Minerals/Metals/Vitamins | 54 |
| Gastrointestinal Agents | 57 |
| Genetic Or Enzyme Disorder: Replacement, Modifiers, Treatment | 59 |
| Genitourinary Agents | 60 |
| Hormonal Agents, Stimulant/Replacement/Modifying (Adrenal) | 61 |
| Hormonal Agents, Stimulant/Replacement/Modifying (Pituitary) | 64 |
| Hormonal Agents, Stimulant/Replacement/Modifying (Prostaglandins) | 64 |
| Hormonal Agents, Stimulant/Replacement/Modifying (Sex Hormones/Modifiers) | 65 |
| Hormonal Agents, Stimulant/Replacement/Modifying (Thyroid) | 69 |
| Hormonal Agents, Suppressant (Adrenal) | 69 |
| Hormonal Agents, Suppressant (Pituitary) | 69 |
| Hormonal Agents, Suppressant (Thyroid) | 70 |
| Immunological Agents | 70 |
| Inflammatory Bowel Disease Agents | 77 |
| Metabolic Bone Disease Agents | 77 |
| Miscellaneous | 78 |
| Miscellaneous Therapeutic Agents | 79 |
| Ophthalmic Agents | 82 |
| Otic Agents | 85 |
| Respiratory Tract/Pulmonary Agents | 85 |

| | |
|--------------------------------|----|
| Skeletal Muscle Relaxants..... | 90 |
| Sleep Disorder Agents | 90 |

| Drug | Status | Requirements/Limits |
|--|---------------|----------------------------------|
| Analgesics | | |
| Nonsteroidal Anti-Inflammatory Drugs | | |
| <i>celecoxib oral capsule</i> | Tier 1 | MO |
| <i>diclofenac potassium oral tablet</i> | Tier 2 | MO |
| <i>diclofenac sodium er oral tablet extended release 24 hour</i> | Tier 2 | MO |
| <i>diclofenac sodium oral tablet delayed release</i> | Tier 1 | MO |
| <i>diclofenac-misoprostol oral tablet delayed release</i> | Tier 2 | MO |
| <i>diflunisal oral tablet</i> | Tier 2 | MO |
| <i>etodolac er oral tablet extended release 24 hour</i> | Tier 2 | MO |
| <i>fenoprofen calcium oral capsule 400 mg</i> | Tier 1 | MO |
| <i>fenoprofen calcium oral tablet</i> | Tier 1 | MO |
| <i>ibu oral tablet 600 mg, 800 mg</i> | Tier 1 | MO |
| <i>ibuprofen oral suspension</i> | Tier 2 | MO |
| <i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i> | Tier 1 | MO |
| <i>indomethacin er oral capsule extended release</i> | Tier 2 | MO |
| <i>indomethacin oral capsule 25 mg, 50 mg</i> | Tier 1 | MO |
| <i>ketoprofen er oral capsule extended release 24 hour</i> | Tier 1 | MO |
| <i>ketoprofen oral capsule</i> | Tier 2 | MO |
| <i>kеторолак трометаминовая таблетка</i> | Tier 2 | MO |
| <i>meclofenamate sodium oral capsule</i> | Tier 2 | MO |
| <i>meloxicam oral tablet</i> | Tier 1 | MO |
| <i>nabumetone oral tablet</i> | Tier 2 | MO |
| <i>naproxen oral suspension</i> | Tier 2 | MO |
| <i>naproxen oral tablet</i> | Tier 1 | MO |
| <i>naproxen oral tablet delayed release</i> | Tier 1 | MO |
| <i>naproxen sodium oral tablet 275 mg, 550 mg</i> | Tier 1 | MO |
| <i>oxaprozin oral tablet</i> | Tier 2 | MO |
| <i>piroxicam oral capsule</i> | Tier 2 | MO |
| <i>salsalate oral tablet</i> | Tier 2 | MO |
| <i>sulindac oral tablet</i> | Tier 2 | MO |
| <i>tolmetin sodium oral capsule</i> | Tier 2 | MO |
| <i>tolmetin sodium oral tablet 600 mg</i> | Tier 2 | MO |
| Opioid Analgesics, Long-Acting | | |
| BELBUCA BUCCAL FILM | Tier 4 | MO; QL (60 EA per 30 days); NEDS |
| <i>buprenorphine transdermal patch weekly</i> | Tier 2 | MO; NEDS |

| Drug | Status | Requirements/Limits |
|--|---------------|-----------------------------------|
| fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr | Tier 2 | MO; NEDS |
| hydrocodone-acetaminophen oral solution 7.5-325 mg/15ml | Tier 2 | MO; NEDS |
| levorphanol tartrate oral tablet | Tier 5 | MO; NEDS |
| methadone hcl injection solution | Tier 2 | MO; NEDS |
| methadone hcl oral solution | Tier 2 | MO; NEDS |
| methadone hcl oral tablet | Tier 2 | MO; NEDS |
| morphine sulfate er oral capsule extended release 24 hour | Tier 2 | MO; NEDS |
| morphine sulfate er oral tablet extended release | Tier 2 | MO; NEDS |
| oxycodone hcl er oral tablet er 12 hour abuse-deterrant 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 60 mg | Tier 2 | MO; QL (2 EA per 1 day); NEDS |
| oxycodone hcl er oral tablet er 12 hour abuse-deterrant 80 mg | Tier 5 | MO; QL (2 EA per 1 day); NEDS |
| OXYCONTIN ORAL TABLET ER 12 HOUR ABUSE-DETERRENT 10 MG, 15 MG, 20 MG, 30 MG, 40 MG | Tier 3 | MO; QL (2 EA per 1 day); NEDS |
| OXYCONTIN ORAL TABLET ER 12 HOUR ABUSE-DETERRENT 60 MG, 80 MG | Tier 5 | MO; QL (2 EA per 1 day); NEDS |
| Opioid Analgesics, Short-Acting | | |
| acetaminophen-codeine #3 oral tablet | Tier 1 | MO; NEDS |
| acetaminophen-codeine oral solution | Tier 2 | MO; NEDS |
| acetaminophen-codeine oral tablet 300-15 mg, 300-60 mg | Tier 1 | MO; NEDS |
| butorphanol tartrate nasal solution | Tier 2 | MO; NEDS |
| codeine sulfate oral tablet | Tier 2 | MO; NEDS |
| duramorph injection solution | Tier 2 | MO; NEDS |
| endocet oral tablet 10-325 mg, 5-325 mg, 7.5-325 mg | Tier 2 | MO; NEDS |
| fentanyl citrate buccal lozenge on a handle 1200 mcg, 1600 mcg, 400 mcg, 600 mcg, 800 mcg | Tier 5 | PA; MO; QL (4 EA per 1 day); NEDS |
| fentanyl citrate buccal lozenge on a handle 200 mcg | Tier 2 | PA; MO; QL (4 EA per 1 day); NEDS |
| hydrocodone-acetaminophen oral tablet 10-300 mg, 10-325 mg, 5-300 mg, 5-325 mg, 7.5-300 mg, 7.5-325 mg | Tier 1 | MO; NEDS |
| hydrocodone-ibuprofen oral tablet 7.5-200 mg | Tier 2 | MO; NEDS |
| hydromorphone hcl oral liquid | Tier 2 | MO; NEDS |
| hydromorphone hcl oral tablet | Tier 2 | MO; NEDS |

| Drug | Status | Requirements/Limits |
|--|---------------|----------------------------|
| <i>meperidine hcl injection solution 100 mg/ml, 25 mg/ml, 50 mg/ml</i> | Tier 2 | B/D; MO; NEDS |
| <i>meperidine hcl oral solution</i> | Tier 2 | MO; NEDS |
| <i>meperidine hcl oral tablet 50 mg</i> | Tier 2 | MO; NEDS |
| <i>morphine sulfate (concentrate) oral solution 100 mg/5ml</i> | Tier 2 | MO; NEDS |
| <i>morphine sulfate (pf) injection solution 1 mg/ml</i> | Tier 2 | MO; NEDS |
| <i>morphine sulfate oral solution</i> | Tier 2 | MO; NEDS |
| <i>morphine sulfate oral tablet</i> | Tier 2 | MO; NEDS |
| <i>oxycodone hcl oral capsule</i> | Tier 2 | MO; NEDS |
| <i>oxycodone hcl oral concentrate 100 mg/5ml</i> | Tier 2 | MO; NEDS |
| <i>oxycodone hcl oral solution</i> | Tier 2 | MO; NEDS |
| <i>oxycodone hcl oral tablet</i> | Tier 2 | MO; NEDS |
| <i>oxycodone-acetaminophen oral tablet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg</i> | Tier 2 | MO; NEDS |
| <i>oxycodone-aspirin oral tablet 4.8355-325 mg</i> | Tier 2 | MO; NEDS |
| <i>tramadol hcl oral tablet 50 mg</i> | Tier 1 | MO; NEDS |
| <i>tramadol-acetaminophen oral tablet</i> | Tier 2 | MO; NEDS |

Anesthetics

Local Anesthetics

| | | |
|--|--------|-----------------------------|
| ASPERCREME LIDOCAINE EXTERNAL PATCH | Tier 3 | MO; NT |
| <i>lidocaine external ointment 5 %</i> | Tier 1 | MO; QL (200 GM per 30 days) |
| <i>lidocaine external patch 4 %</i> | Tier 2 | MO; NT |
| <i>lidocaine external patch 5 %</i> | Tier 2 | PA; MO; QL (3 EA per 1 day) |
| <i>lidocaine hcl (pf) injection solution 1 %</i> | Tier 1 | MO |
| <i>lidocaine hcl external solution</i> | Tier 2 | MO |
| <i>lidocaine hcl injection solution 1 %, 2 %</i> | Tier 1 | MO |
| <i>lidocaine hcl urethral/mucosal external gel</i> | Tier 2 | MO |
| <i>lidocaine viscous hcl mouth/throat solution</i> | Tier 1 | MO |
| <i>lidocaine-prilocaine external cream</i> | Tier 2 | MO; QL (200 GM per 30 days) |

Anti-Addiction/Substance Abuse Treatment Agents

Alcohol Deterrents/Anti-Craving

| | | |
|--|--------|----|
| <i>acamprosate calcium oral tablet delayed release</i> | Tier 2 | MO |
| <i>disulfiram oral tablet</i> | Tier 2 | MO |

Opioid Dependence Treatments

| | | |
|---|--------|----|
| <i>buprenorphine hcl injection solution</i> | Tier 2 | MO |
| <i>buprenorphine hcl sublingual tablet sublingual</i> | Tier 6 | MO |

| Drug | Status | Requirements/Limits |
|---|---------------|----------------------------|
| <i>buprenorphine hcl-naloxone hcl sublingual film</i> | Tier 6 | MO |
| <i>buprenorphine hcl-naloxone hcl sublingual tablet sublingual</i> | Tier 6 | MO |
| LUCEMYRA ORAL TABLET | Tier 5 | MO; NEDS |
| <i>naltrexone hcl oral tablet</i> | Tier 1 | MO |
| VIVITROL INTRAMUSCULAR SUSPENSION RECONSTITUTED | Tier 5 | MO; NEDS |
| Opioid Reversal Agents | | |
| KLOXXADO NASAL LIQUID | Tier 6 | MO |
| <i>naloxone hcl injection solution 0.4 mg/ml</i> | Tier 6 | MO |
| <i>naloxone hcl injection solution cartridge</i> | Tier 6 | MO |
| <i>naloxone hcl injection solution prefilled syringe</i> | Tier 6 | MO |
| NARCAN NASAL LIQUID | Tier 6 | MO |
| Smoking Cessation Agents | | |
| <i>bupropion hcl er (smoking det) oral tablet extended release 12 hour</i> | Tier 2 | MO |
| CHANTIX CONTINUING MONTH PAK ORAL TABLET | Tier 4 | MO; QL (56 EA per 28 days) |
| CHANTIX ORAL TABLET | Tier 4 | MO; QL (56 EA per 28 days) |
| CHANTIX STARTING MONTH PAK ORAL TABLET | Tier 4 | MO; QL (53 EA per 28 days) |
| NICOTROL INHALATION INHALER | Tier 4 | MO |
| Antibacterials | | |
| Aminoglycosides | | |
| <i>amikacin sulfate injection solution 500 mg/2ml</i> | Tier 6 | MO; HI |
| <i>gentak ophthalmic ointment</i> | Tier 1 | MO |
| <i>gentamicin in saline intravenous solution 0.8-0.9 mg/ml-%, 1-0.9 mg/ml-%, 1.2-0.9 mg/ml-%, 1.6-0.9 mg/ml-%</i> | Tier 6 | MO; HI |
| <i>gentamicin sulfate external cream</i> | Tier 3 | MO |
| <i>gentamicin sulfate external ointment</i> | Tier 3 | MO |
| <i>gentamicin sulfate injection solution 10 mg/ml</i> | Tier 6 | MO |
| <i>gentamicin sulfate injection solution 40 mg/ml</i> | Tier 6 | MO; HI |
| <i>gentamicin sulfate ophthalmic solution</i> | Tier 1 | MO |
| <i>neomycin sulfate oral tablet</i> | Tier 2 | MO |
| <i>paromomycin sulfate oral capsule</i> | Tier 2 | MO |
| STREPTOMYCIN SULFATE INTRAMUSCULAR SOLUTION RECONSTITUTED | Tier 4 | MO |
| <i>tobramycin ophthalmic solution</i> | Tier 1 | MO |

| Drug | Status | Requirements/Limits |
|--|---------------|-----------------------------|
| <i>tobramycin sulfate injection solution 10 mg/ml, 80 mg/2ml</i> | Tier 6 | MO; HI |
| ZEMDRI INTRAVENOUS SOLUTION | Tier 6 | MO; HI |
| Antibacterials, Other | | |
| <i>bacitracin ophthalmic ointment</i> | Tier 2 | MO |
| <i>bacitra-neomycin-polymyxin-hc ophthalmic ointment</i> | Tier 2 | MO |
| CLEOCIN VAGINAL SUPPOSITORY | Tier 4 | MO |
| <i>clindamycin hcl oral capsule</i> | Tier 2 | MO |
| <i>clindamycin palmitate hcl oral solution reconstituted</i> | Tier 2 | MO |
| <i>clindamycin phosphate external gel</i> | Tier 2 | MO; QL (75 GM per 30 days) |
| <i>clindamycin phosphate external lotion</i> | Tier 2 | MO |
| <i>clindamycin phosphate external solution</i> | Tier 2 | MO; QL (60 ML per 30 days) |
| <i>clindamycin phosphate in d5w intravenous solution</i> | Tier 6 | MO; HI |
| <i>clindamycin phosphate injection solution 300 mg/2ml, 600 mg/4ml, 900 mg/6ml</i> | Tier 6 | MO; HI |
| <i>clindamycin phosphate vaginal cream</i> | Tier 2 | MO |
| <i>colistimethate sodium (cba) injection solution reconstituted</i> | Tier 6 | MO; HI |
| <i>dalvance intravenous solution reconstituted</i> | Tier 6 | MO; HI |
| <i>daptomycin intravenous solution reconstituted</i> | Tier 6 | MO; HI |
| <i>firvanq oral solution reconstituted 25 mg/ml</i> | Tier 1 | MO |
| <i>fosfomycin tromethamine oral packet</i> | Tier 2 | MO |
| GLOBAL ALCOHOL PREP EASE PAD | Tier 4 | MO |
| <i>linezolid intravenous solution 600 mg/300ml</i> | Tier 6 | MO; HI |
| <i>linezolid oral suspension reconstituted</i> | Tier 5 | MO; NEDS |
| <i>linezolid oral tablet</i> | Tier 2 | MO |
| <i>methenamine hippurate oral tablet</i> | Tier 2 | MO |
| <i>metronidazole external cream</i> | Tier 2 | MO |
| <i>metronidazole external gel</i> | Tier 2 | MO |
| <i>metronidazole external lotion</i> | Tier 4 | MO |
| <i>metronidazole in nacl intravenous solution 5-0.79 mg/ml-%</i> | Tier 6 | MO; HI |
| <i>metronidazole oral tablet</i> | Tier 1 | MO |
| <i>metronidazole vaginal gel</i> | Tier 2 | MO |
| <i>mupirocin external ointment</i> | Tier 2 | MO; QL (220 GM per 30 days) |
| <i>neomycin-polymyxin-hc ophthalmic suspension 3.5-10000-1</i> | Tier 2 | MO |

| Drug | Status | Requirements/Limits |
|--|---------------|---------------------------------|
| <i>nitrofurantoin macrocrystal oral capsule 100 mg</i> | Tier 2 | MO |
| <i>nitrofurantoin macrocrystal oral capsule 25 mg, 50 mg</i> | Tier 2 | MO; QL (56 EA per 14 days) |
| <i>nitrofurantoin monohyd macro oral capsule</i> | Tier 2 | MO |
| <i>nitrofurantoin oral suspension</i> | Tier 5 | MO; NEDS |
| <i>polymyxin b sulfate injection solution reconstituted</i> | Tier 6 | MO; HI |
| PRIMSOL ORAL SOLUTION | Tier 4 | MO |
| <i>rosadan external cream</i> | Tier 2 | MO |
| <i>rosadan external gel</i> | Tier 2 | MO |
| <i>silver sulfadiazine external cream</i> | Tier 2 | MO |
| SIVEXTRO INTRAVENOUS SOLUTION RECONSTITUTED | Tier 6 | MO; HI |
| <i>ssd external cream</i> | Tier 2 | MO |
| <i>tigecycline intravenous solution reconstituted</i> | Tier 6 | MO; HI |
| <i>tinidazole oral tablet</i> | Tier 2 | MO |
| <i>trimethoprim oral tablet</i> | Tier 2 | MO |
| VABOMERE INTRAVENOUS SOLUTION RECONSTITUTED | Tier 6 | MO; HI |
| <i>vancomycin hcl intravenous solution reconstituted 1 gm, 10 gm, 250 mg, 500 mg, 750 mg</i> | Tier 6 | MO; HI |
| VANCOMYCIN HCL ORAL CAPSULE 125 MG | Tier 3 | PA; MO; QL (120 EA per 30 days) |
| VANCOMYCIN HCL ORAL CAPSULE 250 MG | Tier 3 | PA; MO; QL (240 EA per 30 days) |
| <i>vancomycin hcl oral solution reconstituted</i> | Tier 1 | MO |
| <i>vandazole vaginal gel</i> | Tier 2 | MO |
| XIFAXAN ORAL TABLET 550 MG | Tier 5 | MO; QL (3 EA per 1 day); NEDS |
| Beta-Lactam, Cephalosporins | | |
| AVYCAZ INTRAVENOUS SOLUTION RECONSTITUTED | Tier 6 | MO; HI |
| <i>cefaclor er oral tablet extended release 12 hour</i> | Tier 2 | MO |
| <i>cefaclor oral capsule</i> | Tier 2 | MO |
| <i>cefadroxil oral capsule</i> | Tier 2 | MO |
| <i>cefadroxil oral suspension reconstituted</i> | Tier 2 | MO |
| <i>cefadroxil oral tablet</i> | Tier 2 | MO |
| <i>cefazolin sodium injection solution reconstituted 1 gm, 10 gm, 500 mg</i> | Tier 6 | MO; HI |
| <i>cefdinir oral capsule</i> | Tier 2 | MO |
| <i>cefdinir oral suspension reconstituted</i> | Tier 2 | MO |

| Drug | Status | Requirements/Limits |
|---|---------------|----------------------------|
| <i>cefepime hcl injection solution reconstituted</i> | Tier 6 | MO; HI |
| <i>cefixime oral capsule</i> | Tier 2 | MO |
| <i>cefixime oral suspension reconstituted</i> | Tier 2 | MO |
| <i>cefotaxime sodium injection solution reconstituted 1 gm</i> | Tier 2 | MO |
| <i>cefotetan disodium injection solution reconstituted 1 gm, 2 gm</i> | Tier 6 | MO; HI |
| <i>cefoxitin sodium injection solution reconstituted</i> | Tier 6 | MO; HI |
| <i>cefoxitin sodium intravenous solution reconstituted</i> | Tier 6 | MO; HI |
| <i>cefpodoxime proxetil oral suspension reconstituted</i> | Tier 2 | MO |
| <i>cefpodoxime proxetil oral tablet</i> | Tier 2 | MO |
| <i>ceprozil oral suspension reconstituted</i> | Tier 2 | MO |
| <i>ceprozil oral tablet</i> | Tier 2 | MO |
| <i>ceftazidime injection solution reconstituted 1 gm, 2 gm, 6 gm</i> | Tier 6 | MO; HI |
| <i>ceftriaxone sodium injection solution reconstituted 1 gm, 2 gm, 250 mg, 500 mg</i> | Tier 6 | MO; HI |
| <i>ceftriaxone sodium intravenous solution reconstituted 10 gm</i> | Tier 6 | MO; HI |
| <i>cefuroxime axetil oral tablet</i> | Tier 2 | MO |
| <i>cefuroxime sodium injection solution reconstituted 750 mg</i> | Tier 6 | MO; HI |
| <i>cefuroxime sodium intravenous solution reconstituted 1.5 gm</i> | Tier 6 | MO; HI |
| <i>cephalexin oral capsule 250 mg, 500 mg</i> | Tier 1 | MO |
| <i>cephalexin oral capsule 750 mg</i> | Tier 2 | MO |
| <i>cephalexin oral suspension reconstituted</i> | Tier 2 | MO |
| SUPRAX ORAL SUSPENSION RECONSTITUTED 500 MG/5ML | Tier 4 | MO |
| TAZICEF INJECTION SOLUTION RECONSTITUTED | Tier 6 | MO; HI |
| TEFLARO INTRAVENOUS SOLUTION RECONSTITUTED | Tier 6 | MO; HI |
| ZERBAXA INTRAVENOUS SOLUTION RECONSTITUTED | Tier 6 | MO; HI |
| Beta-Lactam, Other | | |
| <i>aztreonam injection solution reconstituted 1 gm</i> | Tier 6 | MO; HI |
| <i>aztreonam injection solution reconstituted 2 gm</i> | Tier 6 | MO |
| <i>ertapenem sodium injection solution reconstituted</i> | Tier 6 | MO; HI |

| Drug | Status | Requirements/Limits |
|--|---------------|----------------------------|
| <i>imipenem-cilastatin intravenous solution reconstituted</i> | Tier 6 | MO; HI |
| <i>meropenem intravenous solution reconstituted</i> | Tier 6 | MO; HI |
| Beta-Lactam, Penicillins | | |
| <i>amoxicillin oral capsule</i> | Tier 1 | MO |
| <i>amoxicillin oral suspension reconstituted</i> | Tier 1 | MO |
| <i>amoxicillin oral tablet</i> | Tier 1 | MO |
| <i>amoxicillin oral tablet chewable 125 mg, 250 mg</i> | Tier 1 | MO |
| <i>amoxicillin-pot clavulanate er oral tablet extended release 12 hour</i> | Tier 2 | MO |
| <i>amoxicillin-pot clavulanate oral suspension reconstituted</i> | Tier 2 | MO |
| <i>amoxicillin-pot clavulanate oral tablet</i> | Tier 2 | MO |
| <i>amoxicillin-pot clavulanate oral tablet chewable</i> | Tier 2 | MO |
| <i>ampicillin oral capsule 500 mg</i> | Tier 1 | MO |
| <i>ampicillin sodium injection solution reconstituted 1 gm, 125 mg</i> | Tier 6 | MO; HI |
| <i>ampicillin sodium intravenous solution reconstituted 10 gm</i> | Tier 6 | MO; HI |
| <i>ampicillin-sulbactam sodium injection solution reconstituted 1.5 (1-0.5) gm, 3 (2-1) gm</i> | Tier 6 | MO; HI |
| <i>ampicillin-sulbactam sodium intravenous solution reconstituted 15 (10-5) gm</i> | Tier 6 | MO; HI |
| BICILLIN C-R INTRAMUSCULAR SUSPENSION | Tier 4 | MO |
| <i>dicloxacillin sodium oral capsule</i> | Tier 2 | MO |
| <i>nafcillin sodium injection solution reconstituted 1 gm, 2 gm</i> | Tier 6 | MO; HI |
| <i>nafcillin sodium intravenous solution reconstituted 10 gm</i> | Tier 6 | MO; HI |
| <i>oxacillin sodium in dextrose intravenous solution</i> | Tier 6 | MO; HI |
| <i>oxacillin sodium injection solution reconstituted 1 gm, 2 gm</i> | Tier 6 | MO; HI |
| <i>oxacillin sodium intravenous solution reconstituted</i> | Tier 6 | MO; HI |
| <i>penicillin g pot in dextrose intravenous solution 40000 unit/ml, 60000 unit/ml</i> | Tier 6 | MO; HI |
| <i>penicillin g potassium injection solution reconstituted 20000000 unit</i> | Tier 6 | MO; HI |
| <i>penicillin g potassium injection solution reconstituted 5000000 unit</i> | Tier 6 | MO |

| Drug | Status | Requirements/Limits |
|---|---------------|----------------------------|
| <i>penicillin g sodium injection solution reconstituted</i> | Tier 6 | MO; HI |
| <i>penicillin v potassium oral solution reconstituted</i> | Tier 1 | MO |
| <i>penicillin v potassium oral tablet</i> | Tier 1 | MO |
| <i>piperacillin sod-tazobactam so intravenous solution reconstituted 2.25 (2-0.25) gm, 3.375 (3-0.375) gm, 4.5 (4-0.5) gm, 40.5 (36-4.5) gm</i> | Tier 6 | MO; HI |
| <i>zosyn intravenous solution 2-0.25 gm/50ml, 3-0.375 gm/50ml</i> | Tier 6 | MO; HI |
| Macrolides | | |
| AZASITE OPHTHALMIC SOLUTION | Tier 4 | MO |
| <i>azithromycin intravenous solution reconstituted</i> | Tier 6 | MO; HI |
| <i>azithromycin oral suspension reconstituted</i> | Tier 2 | MO |
| <i>azithromycin oral tablet</i> | Tier 1 | MO |
| <i>clarithromycin er oral tablet extended release 24 hour</i> | Tier 2 | MO |
| <i>clarithromycin oral suspension reconstituted</i> | Tier 2 | MO |
| <i>clarithromycin oral tablet</i> | Tier 2 | MO |
| <i>e.e.s. 400 oral tablet</i> | Tier 2 | MO |
| ERYTHROCIN LACTOBIONATE INTRAVENOUS SOLUTION RECONSTITUTED 500 MG | Tier 6 | MO; HI |
| <i>erythromycin base oral capsule delayed release particles</i> | Tier 2 | MO |
| <i>erythromycin base oral tablet</i> | Tier 2 | MO |
| <i>erythromycin base oral tablet delayed release</i> | Tier 1 | MO |
| <i>erythromycin ethylsuccinate oral suspension reconstituted</i> | Tier 1 | MO |
| <i>erythromycin ethylsuccinate oral tablet</i> | Tier 2 | MO |
| <i>erythromycin ophthalmic ointment</i> | Tier 1 | MO |
| <i>erythromycin stearate oral tablet 250 mg</i> | Tier 2 | MO |
| Quinolones | | |
| BAXDELA INTRAVENOUS SOLUTION RECONSTITUTED | Tier 6 | MO; HI |
| CILOXAN OPHTHALMIC OINTMENT | Tier 3 | MO |
| <i>ciprofloxacin hcl ophthalmic solution</i> | Tier 2 | MO |
| <i>ciprofloxacin hcl oral tablet 100 mg</i> | Tier 2 | MO |
| <i>ciprofloxacin hcl oral tablet 250 mg, 500 mg, 750 mg</i> | Tier 1 | MO |
| <i>ciprofloxacin in d5w intravenous solution 200 mg/100ml</i> | Tier 6 | MO; HI |

| Drug | Status | Requirements/Limits |
|--|---------------|----------------------------|
| <i>gatifloxacin ophthalmic solution</i> | Tier 2 | MO |
| <i>levofloxacin in d5w intravenous solution 500 mg/100ml, 750 mg/150ml</i> | Tier 6 | MO; HI |
| <i>levofloxacin intravenous solution</i> | Tier 6 | MO; HI |
| <i>levofloxacin ophthalmic solution</i> | Tier 2 | MO |
| <i>levofloxacin oral solution</i> | Tier 2 | MO |
| <i>levofloxacin oral tablet</i> | Tier 1 | MO |
| <i>moxifloxacin hcl in nacl intravenous solution</i> | Tier 6 | MO; HI |
| <i>moxifloxacin hcl ophthalmic solution</i> | Tier 2 | MO |
| <i>moxifloxacin hcl oral tablet</i> | Tier 2 | MO |
| <i>ofloxacin ophthalmic solution</i> | Tier 2 | MO |
| <i>ofloxacin oral tablet 300 mg, 400 mg</i> | Tier 2 | MO |
| <i>ofloxacin otic solution</i> | Tier 2 | MO |

Sulfonamides

| | | |
|--|--------|----|
| SULFACETAMIDE SODIUM OPHTHALMIC OINTMENT | Tier 4 | MO |
| <i>sulfacetamide sodium ophthalmic solution</i> | Tier 2 | MO |
| <i>sulfadiazine oral tablet</i> | Tier 2 | MO |
| <i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5ml</i> | Tier 2 | MO |
| <i>sulfamethoxazole-trimethoprim oral tablet</i> | Tier 1 | MO |

Tetracyclines

| | | |
|--|--------|--------|
| <i>doxy 100 intravenous solution reconstituted</i> | Tier 6 | MO; HI |
| <i>doxycycline hyclate oral capsule</i> | Tier 2 | ST; MO |
| <i>doxycycline hyclate oral tablet 100 mg, 20 mg</i> | Tier 2 | ST; MO |
| <i>doxycycline monohydrate oral capsule</i> | Tier 2 | MO |
| <i>doxycycline monohydrate oral suspension reconstituted</i> | Tier 2 | MO |
| <i>doxycycline monohydrate oral tablet</i> | Tier 2 | MO |
| <i>minocycline hcl oral capsule</i> | Tier 2 | MO |
| <i>minocycline hcl oral tablet</i> | Tier 2 | ST; MO |
| <i>monodoxine nl oral capsule 100 mg, 75 mg</i> | Tier 2 | MO |
| NUZYRA INTRAVENOUS SOLUTION RECONSTITUTED | Tier 6 | MO; HI |
| <i>tetracycline hcl oral capsule</i> | Tier 2 | MO |

Anticonvulsants

Anticonvulsants, Other

| | | |
|-------------------------------|--------|-----------------|
| BRIVIACT ORAL SOLUTION | Tier 5 | PA NS; MO; NEDS |
| BRIVIACT ORAL TABLET | Tier 5 | PA NS; MO; NEDS |

| Drug | Status | Requirements/Limits |
|--|---------------|----------------------------------|
| DIACOMIT ORAL CAPSULE | Tier 5 | PA NS; MO; NEDS |
| DIACOMIT ORAL PACKET | Tier 5 | PA NS; MO; NEDS |
| FINTEPLA ORAL SOLUTION | Tier 5 | PA NS; MO; NEDS |
| <i>levetiracetam er oral tablet extended release 24 hour</i> | Tier 2 | MO |
| <i>levetiracetam oral solution</i> | Tier 2 | MO |
| <i>levetiracetam oral tablet</i> | Tier 2 | MO |
| <i>roweepra oral tablet 500 mg</i> | Tier 2 | MO |
| SPRITAM ORAL TABLET DISINTEGRATING SOLUBLE | Tier 4 | MO |
| XCOPRI (250 MG DAILY DOSE) ORAL TABLET THERAPY PACK 100 & 150 MG | Tier 4 | MO; QL (56 EA per 28 days) |
| XCOPRI (250 MG DAILY DOSE) ORAL TABLET THERAPY PACK 50 & 200 MG | Tier 5 | MO; QL (56 EA per 28 days); NEDS |
| XCOPRI (350 MG DAILY DOSE) ORAL TABLET THERAPY PACK | Tier 5 | MO; QL (56 EA per 28 days); NEDS |
| XCOPRI ORAL TABLET 100 MG, 150 MG | Tier 4 | MO; QL (60 EA per 30 days) |
| XCOPRI ORAL TABLET 200 MG | Tier 5 | MO; QL (60 EA per 30 days); NEDS |
| XCOPRI ORAL TABLET 50 MG | Tier 4 | MO; QL (90 EA per 30 days) |
| XCOPRI ORAL TABLET THERAPY PACK 14 X 12.5 MG & 14 X 25 MG | Tier 4 | MO; QL (28 EA per 28 days) |
| XCOPRI ORAL TABLET THERAPY PACK 14 X 150 MG & 14 X200 MG, 14 X 50 MG & 14 X100 MG | Tier 5 | MO; QL (28 EA per 28 days); NEDS |
| Calcium Channel Modifying Agents | | |
| CELONTIN ORAL CAPSULE | Tier 4 | MO |
| <i>ethosuximide oral capsule</i> | Tier 2 | MO |
| <i>ethosuximide oral solution</i> | Tier 2 | MO |
| <i>zonisamide oral capsule</i> | Tier 2 | MO |
| Gamma-Aminobutyric Acid (Gaba) Augmenting Agents | | |
| <i>clobazam oral suspension</i> | Tier 2 | PA NS; MO |
| <i>clobazam oral tablet 10 mg</i> | Tier 3 | PA NS; MO |
| CLOBAZAM ORAL TABLET 20 MG | Tier 3 | PA NS; MO |
| <i>clonazepam oral tablet</i> | Tier 1 | MO |
| <i>clonazepam oral tablet dispersible</i> | Tier 2 | MO |
| <i>diazepam oral concentrate</i> | Tier 2 | MO; QL (1200 ML per 30 days) |
| <i>diazepam rectal gel</i> | Tier 2 | MO |

| Drug | Status | Requirements/Limits |
|--|---------------|----------------------------------|
| <i>divalproex sodium oral capsule delayed release sprinkle</i> | Tier 2 | MO |
| EPIDIOLEX ORAL SOLUTION | Tier 5 | PA NS; MO; NEDS |
| <i>gabapentin oral capsule</i> | Tier 2 | MO |
| <i>gabapentin oral solution 250 mg/5ml</i> | Tier 2 | MO |
| <i>gabapentin oral tablet</i> | Tier 2 | MO |
| NAYZILAM NASAL SOLUTION | Tier 5 | MO; QL (10 EA per 30 days); NEDS |
| <i>phenobarbital oral elixir</i> | Tier 2 | MO |
| <i>phenobarbital oral tablet</i> | Tier 2 | MO |
| <i>primidone oral tablet</i> | Tier 2 | MO |
| SYMPAZAN ORAL FILM | Tier 5 | PA NS; MO; NEDS |
| <i>tiagabine hcl oral tablet</i> | Tier 4 | MO |
| <i>valproic acid oral capsule</i> | Tier 2 | MO |
| <i>valproic acid oral solution</i> | Tier 2 | MO |
| VALTOCO 10 MG DOSE NASAL LIQUID | Tier 5 | MO; QL (10 EA per 30 days); NEDS |
| VALTOCO 15 MG DOSE NASAL LIQUID THERAPY PACK | Tier 5 | MO; QL (10 EA per 30 days); NEDS |
| VALTOCO 20 MG DOSE NASAL LIQUID THERAPY PACK | Tier 5 | MO; QL (10 EA per 30 days); NEDS |
| VALTOCO 5 MG DOSE NASAL LIQUID | Tier 5 | MO; QL (10 EA per 30 days); NEDS |
| <i>vigabatrin oral packet</i> | Tier 5 | PA NS; MO; NEDS |
| <i>vigabatrin oral tablet</i> | Tier 5 | PA NS; MO; NEDS |
| <i>vigadrone oral packet</i> | Tier 5 | PA NS; MO; NEDS |
| Glutamate Reducing Agents | | |
| <i>felbamate oral suspension</i> | Tier 5 | MO; NEDS |
| <i>felbamate oral tablet</i> | Tier 2 | MO |
| FYCOMPA ORAL SUSPENSION | Tier 4 | PA NS; MO |
| FYCOMPA ORAL TABLET 10 MG, 12 MG, 4 MG, 6 MG | Tier 5 | PA NS; MO; NEDS |
| FYCOMPA ORAL TABLET 2 MG, 8 MG | Tier 4 | PA NS; MO |
| <i>lamotrigine oral kit 25 & 50 & 100 mg</i> | Tier 2 | MO |
| <i>lamotrigine starter kit-blue oral kit</i> | Tier 2 | MO |
| <i>lamotrigine starter kit-green oral kit</i> | Tier 2 | MO |
| <i>lamotrigine starter kit-orange oral kit</i> | Tier 2 | MO |
| <i>topiramate er oral capsule er 24 hour sprinkle</i> | Tier 2 | MO |
| <i>topiramate oral capsule sprinkle</i> | Tier 2 | MO |
| <i>topiramate oral tablet</i> | Tier 1 | MO |

| Drug | Status | Requirements/Limits |
|--|---------------|----------------------------|
| Sodium Channel Agents | | |
| APTIOM ORAL TABLET | Tier 5 | PA NS; MO; NEDS |
| <i>carbamazepine er oral capsule extended release 12 hour</i> | Tier 2 | MO |
| <i>carbamazepine er oral tablet extended release 12 hour</i> | Tier 2 | MO |
| <i>carbamazepine oral suspension</i> | Tier 2 | MO |
| <i>carbamazepine oral tablet</i> | Tier 2 | MO |
| <i>carbamazepine oral tablet chewable</i> | Tier 2 | MO |
| DILANTIN ORAL CAPSULE 30 MG | Tier 3 | MO |
| <i>epitol oral tablet</i> | Tier 2 | MO |
| EQUETRO ORAL CAPSULE EXTENDED RELEASE 12 HOUR | Tier 4 | MO |
| <i>fosphenytoin sodium injection solution 100 mg pe/2ml</i> | Tier 2 | MO |
| <i>oxcarbazepine oral suspension</i> | Tier 2 | MO |
| <i>oxcarbazepine oral tablet</i> | Tier 2 | MO |
| <i>phenytoin oral suspension 125 mg/5ml</i> | Tier 2 | MO |
| <i>phenytoin oral tablet chewable</i> | Tier 2 | MO |
| <i>phenytoin sodium extended oral capsule</i> | Tier 2 | MO |
| <i>rufinamide oral suspension</i> | Tier 2 | PA NS; MO |
| <i>rufinamide oral tablet 200 mg</i> | Tier 2 | PA NS; MO |
| <i>rufinamide oral tablet 400 mg</i> | Tier 5 | PA NS; MO; NEDS |
| VIMPAT ORAL SOLUTION | Tier 4 | PA NS; MO |
| VIMPAT ORAL TABLET 100 MG, 150 MG, 200 MG | Tier 5 | PA NS; MO; NEDS |
| VIMPAT ORAL TABLET 50 MG | Tier 4 | PA NS; MO |
| Antidementia Agents | | |
| Antidementia Agents, Other | | |
| <i>ergoloid mesylates oral tablet</i> | Tier 2 | MO |
| NAMZARIC ORAL CAPSULE ER 24 HOUR THERAPY PACK | Tier 4 | MO |
| NAMZARIC ORAL CAPSULE EXTENDED RELEASE 24 HOUR | Tier 4 | MO |
| Cholinesterase Inhibitors | | |
| <i>donepezil hcl oral tablet</i> | Tier 2 | MO; QL (30 EA per 30 days) |
| <i>donepezil hcl oral tablet dispersible</i> | Tier 2 | MO; QL (30 EA per 30 days) |
| <i>galantamine hydrobromide er oral capsule extended release 24 hour</i> | Tier 2 | MO |
| <i>galantamine hydrobromide oral solution</i> | Tier 2 | MO |

| Drug | Status | Requirements/Limits |
|---|---------------|----------------------------|
| <i>galantamine hydrobromide oral tablet</i> | Tier 2 | MO |
| <i>rivastigmine tartrate oral capsule</i> | Tier 2 | MO; QL (60 EA per 30 days) |
| <i>rivastigmine transdermal patch 24 hour</i> | Tier 2 | MO; QL (1 EA per 1 day) |
| N-Methyl-D-Aspartate (Nmda) Receptor Antagonist | | |
| <i>memantine hcl er oral capsule extended release 24 hour</i> | Tier 2 | MO; QL (30 EA per 30 days) |
| <i>memantine hcl oral solution 2 mg/ml</i> | Tier 2 | MO |
| <i>memantine hcl oral tablet 10 mg, 5 mg</i> | Tier 2 | MO; QL (60 EA per 30 days) |
| <i>memantine hcl oral tablet 28 x 5 mg & 21 x 10 mg</i> | Tier 2 | MO |
| NAMENDA XR TITRATION PACK ORAL CAPSULE EXTENDED RELEASE 24 HOUR | Tier 4 | MO; QL (1 EA per 1 day) |
| Antidepressants | | |
| Antidepressants, Other | | |
| <i>bupropion hcl er (sr) oral tablet extended release 12 hour</i> | Tier 2 | MO |
| <i>bupropion hcl er (xl) oral tablet extended release 24 hour</i> | Tier 2 | MO |
| <i>bupropion hcl oral tablet</i> | Tier 2 | MO |
| <i>mirtazapine oral tablet</i> | Tier 2 | MO; QL (30 EA per 30 days) |
| <i>mirtazapine oral tablet dispersible</i> | Tier 2 | MO; QL (30 EA per 30 days) |
| TRINTELLIX ORAL TABLET | Tier 4 | PA NS; MO |
| Monoamine Oxidase Inhibitors | | |
| EMSAM TRANSDERMAL PATCH 24 HOUR | Tier 5 | PA NS; MO; NEDS |
| MARPLAN ORAL TABLET | Tier 3 | MO |
| <i>phenelzine sulfate oral tablet</i> | Tier 2 | MO |
| <i>tranylcypromine sulfate oral tablet</i> | Tier 2 | MO |
| Ssris/Snris (Selective Serotonin Reuptake Inhibitors/Serotonin And Norepinephrine Reuptake Inhibitor | | |
| <i>citalopram hydrobromide oral solution</i> | Tier 2 | MO |
| <i>citalopram hydrobromide oral tablet</i> | Tier 1 | MO |
| DESVENLAFAKINE ER ORAL TABLET EXTENDED RELEASE 24 HOUR | Tier 4 | MO; QL (1 EA per 1 day) |
| <i>desvenlafaxine succinate er oral tablet extended release 24 hour</i> | Tier 2 | MO |
| DRIZALMA SPRINKLE ORAL CAPSULE DELAYED RELEASE SPRINKLE 20 MG, 60 MG | Tier 4 | MO; QL (60 EA per 30 days) |

| Drug | Status | Requirements/Limits |
|--|---------------|----------------------------|
| DRIZALMA SPRINKLE ORAL CAPSULE DELAYED RELEASE SPRINKLE 30 MG, 40 MG | Tier 4 | MO; QL (90 EA per 30 days) |
| <i>duloxetine hcl oral capsule delayed release particles 20 mg, 30 mg, 60 mg</i> | Tier 2 | MO; QL (60 EA per 30 days) |
| <i>duloxetine hcl oral capsule delayed release particles 40 mg</i> | Tier 2 | MO; QL (90 EA per 30 days) |
| <i>escitalopram oxalate oral solution</i> | Tier 2 | MO |
| <i>escitalopram oxalate oral tablet</i> | Tier 1 | MO |
| FETZIMA ORAL CAPSULE EXTENDED RELEASE 24 HOUR | Tier 4 | PA NS; MO |
| FETZIMA TITRATION ORAL CAPSULE ER 24 HOUR THERAPY PACK | Tier 4 | PA NS; MO |
| <i>fluoxetine hcl (pmdd) oral tablet</i> | Tier 3 | MO |
| <i>fluoxetine hcl oral capsule</i> | Tier 1 | MO |
| <i>fluoxetine hcl oral capsule delayed release</i> | Tier 2 | MO; QL (4 EA per 28 days) |
| <i>fluoxetine hcl oral solution</i> | Tier 2 | MO |
| <i>fluoxetine hcl oral tablet</i> | Tier 2 | MO |
| <i>fluvoxamine maleate er oral capsule extended release 24 hour</i> | Tier 2 | MO |
| <i>fluvoxamine maleate oral tablet</i> | Tier 2 | MO |
| <i>maprotiline hcl oral tablet</i> | Tier 2 | MO |
| <i>nefazodone hcl oral tablet</i> | Tier 2 | MO |
| <i>paroxetine hcl er oral tablet extended release 24 hour</i> | Tier 2 | MO |
| PAXIL ORAL SUSPENSION | Tier 4 | MO |
| <i>sertraline hcl oral concentrate</i> | Tier 2 | MO |
| <i>sertraline hcl oral tablet</i> | Tier 1 | MO |
| <i>trazodone hcl oral tablet</i> | Tier 1 | MO |
| <i>venlafaxine hcl er oral capsule extended release 24 hour</i> | Tier 2 | MO |
| <i>venlafaxine hcl er oral tablet extended release 24 hour</i> | Tier 2 | MO |
| VIIBRYD ORAL TABLET | Tier 4 | PA NS; MO |
| VIIBRYD STARTER PACK ORAL KIT | Tier 4 | PA NS; MO |
| Tricyclics | | |
| <i>amitriptyline hcl oral tablet</i> | Tier 2 | PA NS; MO |
| <i>amoxapine oral tablet</i> | Tier 2 | MO |
| <i>chlordiazepoxide-amitriptyline oral tablet</i> | Tier 2 | MO |
| <i>clomipramine hcl oral capsule</i> | Tier 2 | MO |

| Drug | Status | Requirements/Limits |
|---|---------------|----------------------------|
| <i>desipramine hcl oral tablet</i> | Tier 2 | MO |
| <i>doxepin hcl oral capsule</i> | Tier 2 | PA NS; MO |
| <i>doxepin hcl oral concentrate</i> | Tier 2 | PA NS; MO |
| <i>imipramine hcl oral tablet</i> | Tier 2 | MO |
| <i>nortriptyline hcl oral capsule</i> | Tier 1 | MO |
| <i>nortriptyline hcl oral solution</i> | Tier 2 | MO |
| <i>perphenazine-amitriptyline oral tablet</i> | Tier 2 | MO |
| <i>protriptyline hcl oral tablet</i> | Tier 2 | MO |
| <i>trimipramine maleate oral capsule</i> | Tier 2 | MO |
| Antiemetics | | |
| Antiemetics, Other | | |
| <i>doxylamine-pyridoxine oral tablet delayed release</i> | Tier 2 | MO |
| <i>meclizine hcl oral tablet 12.5 mg, 25 mg</i> | Tier 1 | MO |
| <i>promethazine hcl injection solution</i> | Tier 2 | MO |
| <i>promethazine hcl oral syrup</i> | Tier 1 | MO |
| <i>promethazine hcl oral tablet</i> | Tier 1 | MO |
| <i>promethazine hcl rectal suppository 12.5 mg, 25 mg</i> | Tier 2 | MO |
| <i>promethegan rectal suppository 25 mg, 50 mg</i> | Tier 2 | MO |
| <i>scopolamine transdermal patch 72 hour</i> | Tier 2 | MO |
| Emetogenic Therapy Adjuncts | | |
| <i>aprepitant oral capsule</i> | Tier 2 | PA; MO |
| <i>dronabinol oral capsule</i> | Tier 3 | B/D; MO |
| EMEND ORAL SUSPENSION RECONSTITUTED | Tier 4 | PA; MO |
| <i>gransetron hcl oral tablet</i> | Tier 2 | B/D; MO |
| <i>ondansetron hcl injection solution 4 mg/2ml</i> | Tier 2 | MO |
| <i>ondansetron hcl oral solution</i> | Tier 2 | B/D; MO |
| <i>ondansetron hcl oral tablet</i> | Tier 2 | B/D; MO |
| <i>ondansetron oral tablet dispersible</i> | Tier 2 | B/D; MO |
| SYNDROS ORAL SOLUTION | Tier 5 | B/D; MO; NEDS |
| Antifungals | | |
| Antifungals | | |
| ABELCET INTRAVENOUS SUSPENSION | Tier 6 | B/D; MO; HI |
| AMBISOME INTRAVENOUS SUSPENSION RECONSTITUTED | Tier 6 | B/D; MO; HI |
| AMPHOTERICIN B INTRAVENOUS SOLUTION RECONSTITUTED | Tier 6 | B/D; MO; HI |

| Drug | Status | Requirements/Limits |
|---|---------------|-----------------------------|
| CASPOFUNGIN ACETATE INTRAVENOUS SOLUTION RECONSTITUTED | Tier 6 | MO; HI |
| <i>ciclodan external solution</i> | Tier 3 | MO |
| <i>ciclopirox external gel</i> | Tier 2 | MO; QL (100 GM per 30 days) |
| <i>ciclopirox external shampoo</i> | Tier 4 | MO |
| <i>ciclopirox external solution</i> | Tier 3 | MO |
| <i>ciclopirox olamine external cream</i> | Tier 2 | MO; QL (90 GM per 30 days) |
| <i>ciclopirox olamine external suspension</i> | Tier 2 | MO; QL (60 ML per 30 days) |
| <i>clotrimazole external cream</i> | Tier 2 | MO |
| <i>clotrimazole external solution</i> | Tier 2 | MO; QL (30 ML per 30 days) |
| <i>clotrimazole mouth/throat troche</i> | Tier 2 | MO |
| <i>econazole nitrate external cream</i> | Tier 3 | MO; QL (85 GM per 30 days) |
| ERAXIS INTRAVENOUS SOLUTION RECONSTITUTED | Tier 6 | MO; HI |
| EXELDERM EXTERNAL CREAM | Tier 3 | MO |
| <i>fluconazole in sodium chloride intravenous solution 200-0.9 mg/100ml-%, 400-0.9 mg/200ml-%</i> | Tier 6 | MO; HI |
| <i>fluconazole oral suspension reconstituted</i> | Tier 2 | MO |
| <i>fluconazole oral tablet</i> | Tier 1 | MO |
| <i>flucytosine oral capsule</i> | Tier 5 | MO; NEDS |
| <i>griseofulvin microsize oral suspension</i> | Tier 2 | MO |
| <i>griseofulvin microsize oral tablet</i> | Tier 2 | MO |
| <i>griseofulvin ultramicrosize oral tablet</i> | Tier 2 | MO |
| <i>itraconazole oral capsule</i> | Tier 2 | MO |
| <i>itraconazole oral solution</i> | Tier 2 | MO |
| <i>ketoconazole external cream</i> | Tier 2 | MO; QL (60 GM per 30 days) |
| <i>ketoconazole external shampoo 2 %</i> | Tier 2 | MO |
| <i>ketoconazole oral tablet</i> | Tier 2 | MO |
| <i>micafungin sodium intravenous solution reconstituted</i> | Tier 6 | MO; HI |
| <i>miconazole 3 vaginal suppository</i> | Tier 2 | MO |
| <i>naftifine hcl external gel</i> | Tier 2 | MO |
| NATACYN OPHTHALMIC SUSPENSION | Tier 4 | MO |
| NOXAFIL ORAL SUSPENSION | Tier 5 | PA; MO; NEDS |
| <i>nyamyc external powder</i> | Tier 2 | MO; QL (60 GM per 30 days) |
| <i>nystatin external cream</i> | Tier 2 | MO |
| <i>nystatin external ointment</i> | Tier 2 | MO |
| <i>nystatin external powder</i> | Tier 2 | MO; QL (60 GM per 30 days) |

| Drug | Status | Requirements/Limits |
|---|---------------|--------------------------------------|
| <i>nystatin mouth/throat suspension</i> | Tier 2 | MO |
| <i>nystatin oral tablet</i> | Tier 2 | MO |
| <i>nystatin-triamcinolone external cream</i> | Tier 3 | MO |
| <i>nystatin-triamcinolone external ointment</i> | Tier 3 | MO |
| <i>nystop external powder</i> | Tier 2 | MO; QL (60 GM per 30 days) |
| OXISTAT EXTERNAL LOTION | Tier 3 | MO |
| <i>posaconazole oral tablet delayed release</i> | Tier 5 | PA; MO; NEDS |
| <i>terbinafine hcl oral tablet</i> | Tier 1 | MO; QL (84 EA per 180 days) |
| <i>terconazole vaginal cream</i> | Tier 2 | MO |
| <i>terconazole vaginal suppository</i> | Tier 2 | MO |
| <i>voriconazole intravenous solution reconstituted</i> | Tier 6 | PA; MO; HI |
| <i>voriconazole oral suspension reconstituted</i> | Tier 5 | PA; MO; NEDS |
| <i>voriconazole oral tablet</i> | Tier 2 | PA; MO |
| Antigout Agents | | |
| Antigout Agents | | |
| <i>allopurinol oral tablet</i> | Tier 1 | MO |
| <i>colchicine oral capsule</i> | Tier 2 | MO |
| <i>colchicine oral tablet</i> | Tier 2 | MO |
| <i>colchicine-probenecid oral tablet</i> | Tier 2 | MO |
| <i>febuxostat oral tablet</i> | Tier 2 | MO |
| <i>probenecid oral tablet</i> | Tier 2 | MO |
| Anti-Inflammatory Agents | | |
| Glucocorticoids | | |
| <i>methylprednisolone acetate injection suspension 40 mg/ml</i> | Tier 2 | MO |
| Nonsteroidal Anti-Inflammatory Drugs | | |
| <i>etodolac oral capsule</i> | Tier 2 | MO |
| <i>etodolac oral tablet</i> | Tier 2 | MO |
| <i>flurbiprofen oral tablet</i> | Tier 2 | MO |
| Antimigraine Agents | | |
| Antimigraine Agents | | |
| UBRELVY ORAL TABLET | Tier 5 | PA; MO; QL (16 EA per 30 days); NEDS |
| Ergot Alkaloids | | |
| <i>dihydroergotamine mesylate injection solution</i> | Tier 5 | MO; QL (8 ML per 30 days); NEDS |
| <i>dihydroergotamine mesylate nasal solution</i> | Tier 5 | MO; NEDS |

| Drug | Status | Requirements/Limits |
|--|---------------|-------------------------------|
| ERGOMAR SUBLINGUAL TABLET SUBLINGUAL | Tier 3 | MO |
| <i>ergotamine-caffeine oral tablet</i> | Tier 2 | MO |
| Prophylactic | | |
| AIMOVIG SUBCUTANEOUS SOLUTION AUTO-Injector | Tier 3 | PA; MO; QL (1 ML per 30 days) |
| <i>divalproex sodium er oral tablet extended release 24 hour</i> | Tier 2 | MO |
| <i>timolol maleate oral tablet</i> | Tier 2 | MO |
| Serotonin 5-HT-Receptor Agonists | | |
| <i>rizatriptan benzoate oral tablet</i> | Tier 2 | MO; QL (36 EA per 30 days) |
| <i>rizatriptan benzoate oral tablet dispersible</i> | Tier 2 | MO; QL (36 EA per 30 days) |
| <i>sumatriptan succinate oral tablet</i> | Tier 2 | MO; QL (9 EA per 30 days) |
| <i>sumatriptan succinate subcutaneous solution 6 mg/0.5ml</i> | Tier 2 | MO; QL (8 ML per 30 days) |
| Antimyasthenic Agents | | |
| Parasympathomimetics | | |
| GUANIDINE HCL ORAL TABLET | Tier 4 | MO |
| <i>pyridostigmine bromide er oral tablet extended release</i> | Tier 3 | MO |
| <i>pyridostigmine bromide oral solution</i> | Tier 5 | MO; NEDS |
| <i>pyridostigmine bromide oral tablet</i> | Tier 2 | MO |
| Antimycobacterials | | |
| Antimycobacterials, Other | | |
| <i>dapsone oral tablet</i> | Tier 2 | MO |
| <i>rifabutin oral capsule</i> | Tier 2 | MO |
| Antituberculars | | |
| CAPASTAT SULFATE INJECTION SOLUTION RECONSTITUTED | Tier 4 | MO |
| <i>ethambutol hcl oral tablet</i> | Tier 2 | MO |
| ISONIAZID ORAL SYRUP | Tier 4 | MO |
| <i>isoniazid oral tablet</i> | Tier 1 | MO |
| PASER ORAL PACKET | Tier 4 | MO |
| <i>pretomanid oral tablet</i> | Tier 2 | MO |
| PRIFTIN ORAL TABLET | Tier 4 | MO |
| <i>pyrazinamide oral tablet</i> | Tier 2 | MO |
| <i>rifampin intravenous solution reconstituted</i> | Tier 6 | MO; HI |
| <i>rifampin oral capsule</i> | Tier 2 | MO |
| SIRTURO ORAL TABLET | Tier 5 | PA; MO; NEDS |

| Drug | Status | Requirements/Limits |
|---|---------------|--|
| TRECATOR ORAL TABLET | Tier 4 | MO |
| Antineoplastics | | |
| Alkylating Agents | | |
| cyclophosphamide oral capsule | Tier 2 | B/D; MO |
| cyclophosphamide oral tablet | Tier 2 | B/D; MO |
| GLEOSTINE ORAL CAPSULE 10 MG, 100 MG, 40 MG | Tier 4 | MO |
| LEUKERAN ORAL TABLET | Tier 5 | MO; NEDS |
| MATULANE ORAL CAPSULE | Tier 5 | MO; NEDS |
| thiotepa injection solution reconstituted 15 mg | Tier 2 | MO |
| VALCHLOR EXTERNAL GEL | Tier 5 | PA NS; MO; NEDS |
| Antiandrogens | | |
| abiraterone acetate oral tablet 250 mg | Tier 2 | PA NS; MO |
| abiraterone acetate oral tablet 500 mg | Tier 5 | PA NS; MO; NEDS |
| bicalutamide oral tablet | Tier 2 | MO |
| ERLEADA ORAL TABLET | Tier 5 | PA NS; MO; NEDS |
| flutamide oral capsule | Tier 2 | MO |
| nilutamide oral tablet | Tier 5 | MO; NEDS |
| NUBEQA ORAL TABLET | Tier 5 | PA NS; MO; NEDS |
| XTANDI ORAL CAPSULE | Tier 5 | PA NS; MO; NEDS |
| XTANDI ORAL TABLET | Tier 5 | PA NS; MO; NEDS |
| YONSA ORAL TABLET | Tier 5 | PA NS; MO; NEDS |
| Antiangiogenic Agents | | |
| POMALYST ORAL CAPSULE | Tier 5 | PA NS; MO; NEDS |
| REVLIMID ORAL CAPSULE | Tier 5 | PA NS; MO; NEDS |
| THALOMID ORAL CAPSULE | Tier 5 | PA NS; MO; NEDS |
| Antiestrogens/Modifiers | | |
| EMCYT ORAL CAPSULE | Tier 5 | MO; NEDS |
| fulvestrant intramuscular solution | Tier 5 | MO; NEDS |
| SOLTAMOX ORAL SOLUTION | Tier 5 | MO; NEDS |
| tamoxifen citrate oral tablet | Tier 2 | MO |
| toremifene citrate oral tablet | Tier 5 | MO; NEDS |
| Antimetabolites | | |
| hydroxyurea oral capsule | Tier 2 | MO |
| INQOVI ORAL TABLET | Tier 5 | PA NS; MO; QL (5 EA per 28 days); NEDS |
| LONSURF ORAL TABLET | Tier 5 | PA NS; MO; NEDS |
| mercaptopurine oral tablet | Tier 2 | MO |

| Drug | Status | Requirements/Limits |
|---|---------------|--------------------------------------|
| ONUREG ORAL TABLET | Tier 4 | PA NS; MO |
| PURIXAN ORAL SUSPENSION | Tier 5 | MO; NEDS |
| SIKLOS ORAL TABLET 100 MG | Tier 4 | PA; MO |
| SIKLOS ORAL TABLET 1000 MG | Tier 5 | PA; MO; NEDS |
| TABLOID ORAL TABLET | Tier 4 | MO |
| Antineoplastics, Other | | |
| <i>azacitidine injection suspension reconstituted</i> | Tier 5 | PA NS; MO; NEDS |
| <i>bleomycin sulfate injection solution reconstituted 30 unit</i> | Tier 2 | B/D; MO |
| COTELLIC ORAL TABLET | Tier 5 | PA NS; MO; NEDS |
| GAVRETO ORAL CAPSULE | Tier 5 | PA NS; MO; NEDS |
| GILOTRIF ORAL TABLET | Tier 5 | PA NS; MO; NEDS |
| IBRANCE ORAL CAPSULE | Tier 5 | PA NS; MO; NEDS |
| IBRANCE ORAL TABLET | Tier 5 | PA NS; MO; NEDS |
| KISQALI FEMARA (400 MG DOSE) ORAL TABLET THERAPY PACK | Tier 5 | PA NS; MO; NEDS |
| KISQALI FEMARA (600 MG DOSE) ORAL TABLET THERAPY PACK | Tier 5 | PA NS; MO; NEDS |
| KISQALI FEMARA(200 MG DOSE) ORAL TABLET THERAPY PACK | Tier 5 | PA NS; MO; NEDS |
| <i>leucovorin calcium injection solution reconstituted 100 mg, 350 mg</i> | Tier 2 | MO |
| LUMAKRAS ORAL TABLET | Tier 5 | PA NS; MO; QL (8 EA per 1 day); NEDS |
| NINLARO ORAL CAPSULE | Tier 5 | PA NS; MO; NEDS |
| ODOMZO ORAL CAPSULE | Tier 5 | PA NS; MO; NEDS |
| ONCASPAR INJECTION SOLUTION | Tier 5 | MO; NEDS |
| ORGOVYX ORAL TABLET | Tier 5 | PA NS; MO; NEDS |
| RETEVMO ORAL CAPSULE | Tier 5 | PA NS; MO; NEDS |
| SYNRIBO SUBCUTANEOUS SOLUTION RECONSTITUTED | Tier 5 | PA NS; MO; NEDS |
| TAGRISSO ORAL TABLET | Tier 5 | PA NS; MO; NEDS |
| TUKYSA ORAL TABLET | Tier 5 | PA NS; MO; NEDS |
| VELCADE INJECTION SOLUTION RECONSTITUTED | Tier 5 | MO; NEDS |
| VENCLEXTA ORAL TABLET 10 MG, 50 MG | Tier 4 | PA NS; MO |
| VENCLEXTA ORAL TABLET 100 MG | Tier 5 | PA NS; MO; NEDS |
| VENCLEXTA STARTING PACK ORAL TABLET THERAPY PACK | Tier 5 | PA NS; MO; NEDS |

| Drug | Status | Requirements/Limits |
|---|---------------|----------------------------|
| XPOVIO (100 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK | Tier 5 | PA NS; MO; NEDS |
| XPOVIO (40 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK | Tier 5 | PA NS; MO; NEDS |
| XPOVIO (40 MG TWICE WEEKLY) ORAL TABLET THERAPY PACK | Tier 5 | PA NS; MO; NEDS |
| XPOVIO (60 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK | Tier 5 | PA NS; MO; NEDS |
| XPOVIO (60 MG TWICE WEEKLY) ORAL TABLET THERAPY PACK | Tier 5 | PA NS; MO; NEDS |
| XPOVIO (80 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK | Tier 5 | PA NS; MO; NEDS |
| XPOVIO (80 MG TWICE WEEKLY) ORAL TABLET THERAPY PACK | Tier 5 | PA NS; MO; NEDS |
| ZOLINZA ORAL CAPSULE | Tier 5 | PA NS; MO; NEDS |
| Aromatase Inhibitors, 3Rd Generation | | |
| <i>anastrozole oral tablet</i> | Tier 2 | MO |
| <i>exemestane oral tablet</i> | Tier 2 | MO |
| <i>letrozole oral tablet</i> | Tier 2 | MO |
| Enzyme Inhibitors | | |
| COPIKTRA ORAL CAPSULE | Tier 5 | PA NS; MO; NEDS |
| IDHIFA ORAL TABLET | Tier 5 | PA NS; MO; NEDS |
| PIQRAY (200 MG DAILY DOSE) ORAL TABLET THERAPY PACK | Tier 5 | PA NS; MO; NEDS |
| PIQRAY (250 MG DAILY DOSE) ORAL TABLET THERAPY PACK | Tier 5 | PA NS; MO; NEDS |
| PIQRAY (300 MG DAILY DOSE) ORAL TABLET THERAPY PACK | Tier 5 | PA NS; MO; NEDS |
| TIBSOVO ORAL TABLET | Tier 5 | PA NS; MO; NEDS |
| VERZENIO ORAL TABLET | Tier 5 | PA NS; MO; NEDS |
| VITRAKVI ORAL CAPSULE | Tier 5 | PA NS; MO; NEDS |
| VITRAKVI ORAL SOLUTION | Tier 5 | PA NS; MO; NEDS |
| XOSPATA ORAL TABLET | Tier 5 | PA NS; MO; NEDS |
| ZYDELIG ORAL TABLET | Tier 5 | PA NS; MO; NEDS |
| Molecular Target Inhibitors | | |
| AFINITOR DISPERZ ORAL TABLET SOLUBLE | Tier 5 | PA NS; MO; NEDS |
| AFINITOR ORAL TABLET 10 MG | Tier 5 | PA NS; MO; NEDS |
| ALECensa ORAL CAPSULE | Tier 5 | PA NS; MO; NEDS |
| ALUNBRIG ORAL TABLET | Tier 5 | PA NS; MO; NEDS |

| Drug | Status | Requirements/Limits |
|--|---------------|--------------------------------------|
| ALUNBRIG ORAL TABLET THERAPY PACK | Tier 5 | PA NS; MO; NEDS |
| AYVAKIT ORAL TABLET | Tier 5 | PA NS; MO; QL (1 EA per 1 day); NEDS |
| BALVERSA ORAL TABLET | Tier 5 | PA NS; MO; NEDS |
| BOSULIF ORAL TABLET | Tier 5 | PA NS; MO; NEDS |
| BRAFTOVI ORAL CAPSULE 75 MG | Tier 5 | PA NS; MO; NEDS |
| BRUKINSA ORAL CAPSULE | Tier 5 | PA NS; MO; NEDS |
| CABOMETYX ORAL TABLET | Tier 5 | PA NS; MO; NEDS |
| CALQUENCE ORAL CAPSULE | Tier 5 | PA NS; MO; NEDS |
| CAPRELSA ORAL TABLET | Tier 5 | PA NS; MO; NEDS |
| COMETRIQ (100 MG DAILY DOSE) ORAL KIT 80 & 20 MG | Tier 5 | PA NS; MO; NEDS |
| COMETRIQ (140 MG DAILY DOSE) ORAL KIT 3 X 20 MG & 80 MG | Tier 5 | PA NS; MO; NEDS |
| COMETRIQ (60 MG DAILY DOSE) ORAL KIT | Tier 5 | PA NS; MO; NEDS |
| DAURISMO ORAL TABLET | Tier 5 | PA NS; MO; NEDS |
| ERIVEDGE ORAL CAPSULE | Tier 5 | PA NS; MO; NEDS |
| <i>erlotinib hcl oral tablet</i> | Tier 2 | PA NS; MO |
| <i>everolimus oral tablet 2.5 mg, 5 mg, 7.5 mg</i> | Tier 5 | PA NS; MO; NEDS |
| FARYDAK ORAL CAPSULE | Tier 5 | PA NS; MO; NEDS |
| FOTIVDA ORAL CAPSULE | Tier 5 | PA NS; MO; NEDS |
| ICLUSIG ORAL TABLET | Tier 5 | PA NS; MO; NEDS |
| <i>imatinib mesylate oral tablet</i> | Tier 2 | MO |
| IMBRUWICA ORAL CAPSULE | Tier 5 | PA NS; MO; NEDS |
| IMBRUWICA ORAL TABLET | Tier 5 | PA NS; MO; NEDS |
| INLYTA ORAL TABLET | Tier 5 | PA NS; MO; NEDS |
| INREBIC ORAL CAPSULE | Tier 5 | PA NS; MO; NEDS |
| IRESSA ORAL TABLET | Tier 5 | PA NS; MO; NEDS |
| JAKAFI ORAL TABLET | Tier 5 | PA NS; MO; NEDS |
| KISQALI (200 MG DOSE) ORAL TABLET THERAPY PACK | Tier 5 | PA NS; MO; NEDS |
| KISQALI (400 MG DOSE) ORAL TABLET THERAPY PACK | Tier 5 | PA NS; MO; NEDS |
| KISQALI (600 MG DOSE) ORAL TABLET THERAPY PACK | Tier 5 | PA NS; MO; NEDS |
| KOSELUGO ORAL CAPSULE 10 MG | Tier 5 | PA NS; MO; QL (8 EA per 1 day); NEDS |
| KOSELUGO ORAL CAPSULE 25 MG | Tier 5 | PA NS; MO; QL (4 EA per 1 day); NEDS |

| Drug | Status | Requirements/Limits |
|---|---------------|---|
| <i>lapatinib ditosylate oral tablet</i> | Tier 5 | PA NS; MO; NEDS |
| LENVIMA (10 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK | Tier 5 | PA NS; MO; NEDS |
| LENVIMA (12 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK | Tier 5 | PA NS; MO; NEDS |
| LENVIMA (14 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK | Tier 5 | PA NS; MO; NEDS |
| LENVIMA (18 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK | Tier 5 | PA NS; MO; NEDS |
| LENVIMA (20 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK | Tier 5 | PA NS; MO; NEDS |
| LENVIMA (24 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK | Tier 5 | PA NS; MO; NEDS |
| LENVIMA (4 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK | Tier 5 | PA NS; MO; NEDS |
| LENVIMA (8 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK | Tier 5 | PA NS; MO; NEDS |
| LORBRENA ORAL TABLET | Tier 5 | PA NS; MO; NEDS |
| LYNPARZA ORAL TABLET | Tier 5 | PA NS; MO; NEDS |
| MEKINIST ORAL TABLET | Tier 5 | PA NS; MO; NEDS |
| MEKTOVI ORAL TABLET | Tier 5 | PA NS; MO; NEDS |
| NERLYNX ORAL TABLET | Tier 5 | PA NS; MO; NEDS |
| NEXAVAR ORAL TABLET | Tier 5 | PA NS; MO; NEDS |
| PEMAZYRE ORAL TABLET | Tier 5 | PA NS; MO; NEDS |
| QINLOCK ORAL TABLET | Tier 5 | PA NS; MO; NEDS |
| ROZLYTREK ORAL CAPSULE | Tier 5 | PA NS; MO; NEDS |
| RUBRACA ORAL TABLET | Tier 5 | PA NS; MO; NEDS |
| RYDAPT ORAL CAPSULE | Tier 5 | PA NS; MO; NEDS |
| SPRYCEL ORAL TABLET | Tier 5 | PA NS; MO; NEDS |
| STIVARGA ORAL TABLET | Tier 5 | PA NS; MO; NEDS |
| <i>sunitinib malate oral capsule</i> | Tier 5 | PA NS; MO; NEDS |
| TABRECTA ORAL TABLET | Tier 5 | PA NS; MO; NEDS |
| TAFINLAR ORAL CAPSULE | Tier 5 | PA NS; MO; NEDS |
| TALZENNA ORAL CAPSULE | Tier 5 | PA NS; MO; NEDS |
| TASIGNA ORAL CAPSULE | Tier 5 | PA NS; MO; NEDS |
| TAZVERIK ORAL TABLET | Tier 5 | PA NS; MO; QL (8 EA per 1 day); NEDS |
| TEPMETKO ORAL TABLET | Tier 5 | PA NS; MO; NEDS |
| TRUSELTIQ (100MG DAILY DOSE) ORAL CAPSULE THERAPY PACK | Tier 5 | PA NS; MO; QL (21 EA per 28 days); NEDS |

| Drug | Status | Requirements/Limits |
|---|---------------|---|
| TRUSELTIQ (125MG DAILY DOSE) ORAL CAPSULE THERAPY PACK | Tier 5 | PA NS; MO; QL (42 EA per 28 days); NEDS |
| TRUSELTIQ (50MG DAILY DOSE) ORAL CAPSULE THERAPY PACK | Tier 5 | PA NS; MO; QL (42 EA per 28 days); NEDS |
| TRUSELTIQ (75MG DAILY DOSE) ORAL CAPSULE THERAPY PACK | Tier 5 | PA NS; MO; QL (63 EA per 28 days); NEDS |
| TURALIO ORAL CAPSULE | Tier 5 | PA NS; MO; NEDS |
| UKONIQ ORAL TABLET | Tier 5 | PA NS; MO; NEDS |
| VIZIMPRO ORAL TABLET | Tier 5 | PA NS; MO; NEDS |
| VOTRIENT ORAL TABLET | Tier 5 | PA NS; MO; NEDS |
| XALKORI ORAL CAPSULE | Tier 5 | PA NS; MO; NEDS |
| ZEJULA ORAL CAPSULE | Tier 5 | PA NS; MO; NEDS |
| ZELBORAFA ORAL TABLET | Tier 5 | PA NS; MO; NEDS |
| ZYKADIA ORAL TABLET | Tier 5 | PA NS; MO; NEDS |
| Retinoids | | |
| <i>bexarotene oral capsule</i> | Tier 5 | MO; NEDS |
| PANRETIN EXTERNAL GEL | Tier 5 | MO; NEDS |
| TARGETIN EXTERNAL GEL | Tier 5 | PA NS; MO; NEDS |
| <i>tretinoin oral capsule</i> | Tier 5 | MO; NEDS |
| Treatment Adjuncts | | |
| <i>leucovorin calcium oral tablet</i> | Tier 2 | MO |
| MESNEX ORAL TABLET | Tier 5 | MO; NEDS |
| Antiparasitics | | |
| Anthelmintics | | |
| <i>albendazole oral tablet</i> | Tier 5 | MO; NEDS |
| <i>ivermectin oral tablet</i> | Tier 2 | MO |
| <i>praziquantel oral tablet</i> | Tier 2 | MO |
| Antiprotozoals | | |
| ALINIA ORAL SUSPENSION RECONSTITUTED | Tier 5 | MO; NEDS |
| <i>atovaquone oral suspension</i> | Tier 2 | MO |
| <i>atovaquone-proguanil hcl oral tablet</i> | Tier 2 | MO |
| <i>chloroquine phosphate oral tablet</i> | Tier 2 | MO |
| COARTEM ORAL TABLET | Tier 4 | MO |
| <i>hydroxychloroquine sulfate oral tablet 200 mg</i> | Tier 2 | MO |
| IMPAVIDO ORAL CAPSULE | Tier 5 | MO; NEDS |
| KRINTAFEL ORAL TABLET | Tier 4 | MO |
| <i>mefloquine hcl oral tablet</i> | Tier 2 | MO |
| <i>nitazoxanide oral tablet</i> | Tier 2 | MO |

| Drug | Status | Requirements/Limits |
|--|---------------|----------------------------|
| <i>pentamidine isethionate inhalation solution reconstituted</i> | Tier 2 | B/D; MO |
| <i>pentamidine isethionate injection solution reconstituted</i> | Tier 2 | MO |
| <i>primaquine phosphate oral tablet 26.3 (15 base) mg</i> | Tier 2 | MO |
| <i>pyrimethamine oral tablet</i> | Tier 5 | MO; NEDS |
| <i>quinine sulfate oral capsule</i> | Tier 2 | PA; MO |
| Pediculicides/Scabicides | | |
| <i>lindane external shampoo</i> | Tier 2 | MO |
| <i>malathion external lotion</i> | Tier 2 | MO |
| <i>permethrin external cream</i> | Tier 3 | MO |
| Antiparkinson Agents | | |
| Anticholinergics | | |
| <i>benztropine mesylate oral tablet</i> | Tier 1 | PA NS; MO |
| <i>trihexyphenidyl hcl oral solution</i> | Tier 2 | MO |
| <i>trihexyphenidyl hcl oral tablet</i> | Tier 1 | MO |
| Antiparkinson Agents, Other | | |
| <i>entacapone oral tablet</i> | Tier 2 | MO |
| <i>tolcapone oral tablet</i> | Tier 5 | MO; NEDS |
| Dopamine Agonists | | |
| APOKYN SUBCUTANEOUS SOLUTION CARTRIDGE | Tier 5 | PA; MO; NEDS |
| <i>bromocriptine mesylate oral capsule</i> | Tier 2 | MO |
| <i>bromocriptine mesylate oral tablet</i> | Tier 2 | MO |
| KYNMOBI SUBLINGUAL FILM | Tier 5 | PA; MO; NEDS |
| NEUPRO TRANSDERMAL PATCH 24 HOUR | Tier 4 | MO |
| <i>pramipexole dihydrochloride oral tablet</i> | Tier 2 | MO |
| <i>ropinirole hcl er oral tablet extended release 24 hour</i> | Tier 2 | MO |
| <i>ropinirole hcl oral tablet</i> | Tier 2 | MO |
| Dopamine Precursors/L- Amino Acid Decarboxylase Inhibitors | | |
| <i>carbidopa oral tablet</i> | Tier 2 | MO |
| <i>carbidopa-levodopa er oral tablet extended release 25-100 mg, 50-200 mg</i> | Tier 2 | MO |
| <i>carbidopa-levodopa oral tablet</i> | Tier 2 | MO |
| <i>carbidopa-levodopa oral tablet dispersible</i> | Tier 2 | MO |

| Drug | Status | Requirements/Limits |
|---|---------------|------------------------------------|
| <i>carbidopa-levodopa-entacapone oral tablet</i> | Tier 2 | MO |
| INBRIJA INHALATION CAPSULE | Tier 5 | PA; MO; QL (10 EA per 1 day); NEDS |
| RYTARY ORAL CAPSULE EXTENDED RELEASE | Tier 4 | ST; MO |
| Monoamine Oxidase B (Mao-B) Inhibitors | | |
| <i>rasagiline mesylate oral tablet</i> | Tier 2 | MO |
| <i>selegiline hcl oral capsule</i> | Tier 2 | MO |
| <i>selegiline hcl oral tablet</i> | Tier 2 | MO |
| ZELAPAR ORAL TABLET DISPERSIBLE | Tier 5 | MO; NEDS |
| Antipsychotics | | |
| 1St Generation/Typical | | |
| CHLORPROMAZINE HCL INJECTION SOLUTION 50 MG/2ML | Tier 4 | MO |
| <i>chlorpromazine hcl oral concentrate</i> | Tier 2 | MO |
| <i>chlorpromazine hcl oral tablet</i> | Tier 2 | MO |
| <i>fluphenazine decanoate injection solution</i> | Tier 2 | MO |
| FLUPHENAZINE HCL INJECTION SOLUTION | Tier 4 | MO |
| FLUPHENAZINE HCL ORAL CONCENTRATE | Tier 4 | MO |
| FLUPHENAZINE HCL ORAL ELIXIR | Tier 4 | MO |
| <i>fluphenazine hcl oral tablet</i> | Tier 2 | MO |
| <i>haloperidol decanoate intramuscular solution 100 mg/ml, 100 mg/ml 1 ml, 50 mg/ml</i> | Tier 2 | MO |
| <i>haloperidol lactate injection solution</i> | Tier 2 | MO |
| <i>haloperidol lactate oral concentrate</i> | Tier 2 | MO |
| <i>haloperidol oral tablet</i> | Tier 1 | MO |
| <i>loxapine succinate oral capsule</i> | Tier 2 | MO |
| <i>molindone hcl oral tablet</i> | Tier 2 | MO |
| <i>perphenazine oral tablet</i> | Tier 2 | MO |
| <i>pimozide oral tablet</i> | Tier 2 | MO |
| <i>prochlorperazine maleate oral tablet</i> | Tier 1 | MO |
| <i>prochlorperazine rectal suppository</i> | Tier 2 | MO |
| <i>thioridazine hcl oral tablet</i> | Tier 1 | MO |
| <i>thiothixene oral capsule</i> | Tier 2 | MO |
| <i>trifluoperazine hcl oral tablet</i> | Tier 2 | MO |

| Drug | Status | Requirements/Limits |
|---|---------------|---|
| 2Nd Generation/Atypical | | |
| ABILIFY MAINTENA INTRAMUSCULAR PREFILLED SYRINGE | Tier 5 | MO; NEDS |
| ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION RECONSTITUTED ER | Tier 5 | MO; NEDS |
| <i>aripiprazole oral solution</i> | Tier 2 | MO |
| <i>aripiprazole oral tablet</i> | Tier 2 | MO |
| <i>aripiprazole oral tablet dispersible</i> | Tier 5 | MO; NEDS |
| <i>asenapine maleate sublingual tablet sublingual</i> | Tier 2 | PA NS; MO |
| CAPLYTA ORAL CAPSULE | Tier 5 | MO; QL (30 EA per 30 days); NEDS |
| FANAPT ORAL TABLET 1 MG, 2 MG, 4 MG | Tier 4 | PA NS; MO |
| FANAPT ORAL TABLET 10 MG, 12 MG, 6 MG, 8 MG | Tier 5 | PA NS; MO; NEDS |
| FANAPT TITRATION PACK ORAL TABLET | Tier 4 | PA NS; MO |
| INVEGA SUSTENNA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 117 MG/0.75ML, 156 MG/ML, 234 MG/1.5ML, 78 MG/0.5ML | Tier 5 | MO; NEDS |
| INVEGA SUSTENNA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 39 MG/0.25ML | Tier 4 | MO |
| INVEGA TRINZA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE | Tier 5 | MO; NEDS |
| LATUDA ORAL TABLET | Tier 5 | MO; NEDS |
| NUPLAZID ORAL CAPSULE | Tier 5 | PA NS; MO; QL (60 EA per 30 days); NEDS |
| NUPLAZID ORAL TABLET 10 MG | Tier 5 | PA NS; MO; QL (60 EA per 30 days); NEDS |
| <i>olanzapine intramuscular solution reconstituted</i> | Tier 2 | MO |
| <i>olanzapine oral tablet</i> | Tier 2 | MO |
| <i>olanzapine oral tablet dispersible</i> | Tier 2 | MO |
| <i>paliperidone er oral tablet extended release 24 hour</i> | Tier 2 | MO |
| PERSERIS SUBCUTANEOUS PREFILLED SYRINGE | Tier 5 | MO; NEDS |
| <i>quetiapine fumarate oral tablet</i> | Tier 2 | MO |
| REXULTI ORAL TABLET | Tier 5 | MO; NEDS |

| Drug | Status | Requirements/Limits |
|--|---------------|--------------------------------------|
| RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION RECONSTITUTED ER 12.5 MG, 25 MG | Tier 3 | MO |
| RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION RECONSTITUTED ER 37.5 MG, 50 MG | Tier 5 | MO; NEDS |
| <i>risperidone oral solution</i> | Tier 2 | MO; QL (8 ML per 1 day) |
| <i>risperidone oral tablet</i> | Tier 2 | MO; QL (2 EA per 1 day) |
| <i>risperidone oral tablet dispersible</i> | Tier 2 | MO; QL (2 EA per 1 day) |
| SECUADO TRANSDERMAL PATCH 24 HOUR | Tier 5 | MO; QL (30 EA per 30 days); NEDS |
| VRAYLAR ORAL CAPSULE | Tier 5 | PA NS; MO; QL (1 EA per 1 day); NEDS |
| VRAYLAR ORAL CAPSULE THERAPY PACK | Tier 4 | PA NS; MO |
| <i>ziprasidone mesylate intramuscular solution reconstituted</i> | Tier 2 | MO |
| ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION RECONSTITUTED 210 MG | Tier 4 | MO |
| Treatment-Resistant | | |
| <i>clozapine oral tablet</i> | Tier 2 | MO |
| <i>clozapine oral tablet dispersible 100 mg, 12.5 mg, 150 mg, 25 mg</i> | Tier 2 | MO |
| <i>clozapine oral tablet dispersible 200 mg</i> | Tier 5 | MO; NEDS |
| VERSACLOZ ORAL SUSPENSION | Tier 5 | MO; NEDS |
| Antispasticity Agents | | |
| Antispasticity Agents | | |
| <i>baclofen oral tablet</i> | Tier 2 | MO |
| <i>dantrolene sodium oral capsule</i> | Tier 2 | MO |
| <i>tizanidine hcl oral tablet</i> | Tier 2 | MO |
| Antivirals | | |
| Anti-Cytomegalovirus (Cmv) Agents | | |
| PREVYMIS ORAL TABLET | Tier 5 | PA; MO; NEDS |
| <i>valganciclovir hcl oral solution reconstituted</i> | Tier 5 | MO; NEDS |
| <i>valganciclovir hcl oral tablet</i> | Tier 2 | MO |
| ZIRGAN OPHTHALMIC GEL | Tier 4 | MO |
| Anti-Hepatitis B (Hbv) Agents | | |
| <i>adefovir dipivoxil oral tablet</i> | Tier 2 | PA; MO |
| BARACLUDÉ ORAL SOLUTION | Tier 5 | PA; MO; NEDS |
| <i>entecavir oral tablet</i> | Tier 2 | PA; MO |

| Drug | Status | Requirements/Limits |
|--|---------------|----------------------------|
| EPIVIR HBV ORAL SOLUTION | Tier 3 | MO |
| INTRON A INJECTION SOLUTION | Tier 5 | MO; NEDS |
| INTRON A INJECTION SOLUTION RECONSTITUTED | Tier 5 | MO; NEDS |
| <i>lamivudine oral tablet 100 mg</i> | Tier 2 | MO |
| Anti-Hepatitis C (Hcv) Agents | | |
| EPCLUSA ORAL TABLET | Tier 5 | PA; MO; NEDS |
| HARVONI ORAL PACKET | Tier 5 | PA; MO; NEDS |
| HARVONI ORAL TABLET 90-400 MG | Tier 5 | PA; MO; NEDS |
| <i>ledipasvir-sofosbuvir oral tablet</i> | Tier 5 | PA; MO; NEDS |
| <i>sofosbuvir-velpatasvir oral tablet</i> | Tier 5 | PA; MO; NEDS |
| Anti-Hepatitis C (Hcv) Agents, Direct Acting | | |
| MAVYRET ORAL TABLET | Tier 5 | PA; MO; NEDS |
| VOSEVI ORAL TABLET | Tier 5 | PA; MO; NEDS |
| Anti-Hepatitis C (Hcv) Agents, Other | | |
| PEGASYS SUBCUTANEOUS SOLUTION | Tier 5 | MO; NEDS |
| PEGINTRON SUBCUTANEOUS KIT 50 MCG/0.5ML | Tier 5 | MO; NEDS |
| RIBAVIRIN INHALATION SOLUTION RECONSTITUTED | Tier 5 | MO; NEDS |
| <i>ribavirin oral capsule</i> | Tier 2 | MO |
| <i>ribavirin oral tablet 200 mg</i> | Tier 2 | MO |
| Antiherpetic Agents | | |
| <i>acyclovir oral capsule</i> | Tier 1 | MO |
| <i>acyclovir oral suspension</i> | Tier 2 | MO |
| <i>acyclovir oral tablet</i> | Tier 1 | MO |
| <i>acyclovir sodium intravenous solution</i> | Tier 6 | B/D; MO; HI |
| <i>famciclovir oral tablet</i> | Tier 2 | MO |
| SITAVIG BUCCAL TABLET | Tier 4 | MO |
| <i>trifluridine ophthalmic solution</i> | Tier 2 | MO |
| <i>valacyclovir hcl oral tablet</i> | Tier 2 | MO |
| Anti-Hiv Agents, Integrase Inhibitors (Insti) | | |
| BIKTARVY ORAL TABLET | Tier 5 | MO; NEDS |
| GENVOYA ORAL TABLET | Tier 5 | MO; NEDS |
| ISENTRESS HD ORAL TABLET | Tier 5 | MO; NEDS |
| ISENTRESS ORAL PACKET | Tier 5 | MO; NEDS |
| ISENTRESS ORAL TABLET | Tier 5 | MO; NEDS |

| Drug | Status | Requirements/Limits |
|---|---------------|----------------------------|
| ISENTRESS ORAL TABLET CHEWABLE 100 MG | Tier 5 | MO; NEDS |
| ISENTRESS ORAL TABLET CHEWABLE 25 MG | Tier 3 | MO |
| STRIBILD ORAL TABLET | Tier 5 | MO; NEDS |
| SYMTUZA ORAL TABLET | Tier 5 | MO; NEDS |
| TIVICAY ORAL TABLET 10 MG | Tier 3 | MO |
| TIVICAY ORAL TABLET 25 MG, 50 MG | Tier 5 | MO; NEDS |
| TIVICAY PD ORAL TABLET SOLUBLE | Tier 3 | MO |
| Anti-Hiv Agents, Non-Nucleoside Reverse Transcriptase Inhibitors (Nnrti) | | |
| COMPLERA ORAL TABLET | Tier 5 | MO; NEDS |
| EDURANT ORAL TABLET | Tier 5 | MO; NEDS |
| <i>efavirenz oral capsule</i> | Tier 1 | MO |
| <i>efavirenz oral tablet</i> | Tier 1 | MO |
| <i>efavirenz-emtricitab-tenofovir oral tablet</i> | Tier 2 | MO |
| <i>etravirine oral tablet 100 mg</i> | Tier 2 | MO |
| <i>etravirine oral tablet 200 mg</i> | Tier 5 | MO; NEDS |
| INTELENCE ORAL TABLET 25 MG | Tier 4 | MO |
| <i>nevirapine er oral tablet extended release 24 hour</i> | Tier 2 | MO |
| <i>nevirapine oral suspension</i> | Tier 2 | MO |
| <i>nevirapine oral tablet</i> | Tier 2 | MO |
| ODEFSEY ORAL TABLET | Tier 5 | MO; NEDS |
| PIFELTRO ORAL TABLET | Tier 5 | MO; NEDS |
| Anti-Hiv Agents, Nucleoside And Nucleotide Reverse Transcriptase Inhibitors (Nrti) | | |
| <i>abacavir sulfate oral solution</i> | Tier 1 | MO |
| <i>abacavir sulfate oral tablet</i> | Tier 2 | MO |
| <i>abacavir sulfate-lamivudine oral tablet</i> | Tier 2 | MO |
| <i>abacavir-lamivudine-zidovudine oral tablet</i> | Tier 5 | MO; NEDS |
| CIMDUO ORAL TABLET | Tier 5 | MO; NEDS |
| DELSTRIGO ORAL TABLET | Tier 5 | MO; NEDS |
| DESCOVY ORAL TABLET | Tier 5 | MO; NEDS |
| DOVATO ORAL TABLET | Tier 5 | MO; NEDS |
| <i>efavirenz-lamivudine-tenofovir oral tablet</i> | Tier 5 | MO; NEDS |
| <i>emtricitabine oral capsule</i> | Tier 2 | MO |

| Drug | Status | Requirements/Limits |
|--|---------------|-------------------------------|
| <i>emtricitabine-tenofovir df oral tablet 100-150 mg, 133-200 mg, 167-250 mg</i> | Tier 5 | MO; NEDS |
| <i>emtricitabine-tenofovir df oral tablet 200-300 mg</i> | Tier 2 | MO |
| EMTRIVA ORAL SOLUTION | Tier 4 | MO |
| JULUCA ORAL TABLET | Tier 5 | MO; NEDS |
| <i>lamivudine oral solution</i> | Tier 2 | MO |
| <i>lamivudine oral tablet 150 mg, 300 mg</i> | Tier 2 | MO |
| <i>lamivudine-zidovudine oral tablet</i> | Tier 2 | MO |
| <i>stavudine oral capsule</i> | Tier 2 | MO |
| TEMIXYS ORAL TABLET | Tier 5 | MO; NEDS |
| <i>tenofovir disoproxil fumarate oral tablet</i> | Tier 2 | MO |
| TRIUMEQ ORAL TABLET | Tier 5 | MO; NEDS |
| VIREAD ORAL POWDER | Tier 5 | MO; NEDS |
| VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG | Tier 5 | MO; NEDS |
| <i>zidovudine oral capsule</i> | Tier 2 | MO |
| <i>zidovudine oral syrup</i> | Tier 2 | MO |
| <i>zidovudine oral tablet</i> | Tier 2 | MO |
| Anti-Hiv Agents, Other | | |
| FUZEON SUBCUTANEOUS SOLUTION RECONSTITUTED | Tier 5 | MO; NEDS |
| RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HOUR | Tier 5 | MO; QL (2 EA per 1 day); NEDS |
| SELZENTRY ORAL SOLUTION | Tier 5 | MO; NEDS |
| SELZENTRY ORAL TABLET 150 MG, 300 MG, 75 MG | Tier 5 | MO; NEDS |
| SELZENTRY ORAL TABLET 25 MG | Tier 3 | MO |
| TYBOST ORAL TABLET | Tier 3 | MO |
| Anti-Hiv Agents, Protease Inhibitors | | |
| APTIVUS ORAL CAPSULE | Tier 5 | MO; NEDS |
| APTIVUS ORAL SOLUTION | Tier 5 | MO; NEDS |
| <i>atazanavir sulfate oral capsule</i> | Tier 2 | MO |
| CRIXIVAN ORAL CAPSULE 400 MG | Tier 3 | MO |
| EVOTAZ ORAL TABLET | Tier 5 | MO; NEDS |
| FOSAMPRENAVIR CALCIUM ORAL TABLET | Tier 5 | MO; NEDS |
| INVIRASE ORAL TABLET | Tier 5 | MO; NEDS |
| LEXIVA ORAL SUSPENSION | Tier 4 | MO |
| <i>lopinavir-ritonavir oral solution</i> | Tier 2 | MO |

| Drug | Status | Requirements/Limits |
|---|---------------|----------------------------|
| <i>lopinavir-ritonavir oral tablet</i> | Tier 2 | MO |
| NORVIR ORAL PACKET | Tier 3 | MO |
| NORVIR ORAL SOLUTION | Tier 3 | MO |
| PREZCOBIX ORAL TABLET | Tier 5 | MO; NEDS |
| PREZISTA ORAL SUSPENSION | Tier 5 | MO; NEDS |
| PREZISTA ORAL TABLET 150 MG, 75 MG | Tier 4 | MO |
| PREZISTA ORAL TABLET 600 MG, 800 MG | Tier 5 | MO; NEDS |
| REYATAZ ORAL PACKET | Tier 5 | MO; NEDS |
| <i>ritonavir oral tablet</i> | Tier 2 | MO |
| VIRACEPT ORAL TABLET | Tier 5 | MO; NEDS |
| Anti-Influenza Agents | | |
| <i>amantadine hcl oral capsule</i> | Tier 2 | MO |
| <i>amantadine hcl oral syrup</i> | Tier 2 | MO |
| <i>amantadine hcl oral tablet</i> | Tier 2 | MO |
| <i>oseltamivir phosphate oral capsule 30 mg</i> | Tier 2 | MO; QL (4 EA per 1 day) |
| <i>oseltamivir phosphate oral capsule 45 mg, 75 mg</i> | Tier 2 | MO; QL (2 EA per 1 day) |
| <i>oseltamivir phosphate oral suspension reconstituted</i> | Tier 2 | MO |
| RELENZA DISKHALER INHALATION AEROSOL POWDER BREATH ACTIVATED | Tier 4 | MO |
| <i>rimantadine hcl oral tablet</i> | Tier 2 | MO |
| XOFLUZA (40 MG DOSE) ORAL TABLET THERAPY PACK | Tier 3 | MO |
| XOFLUZA (80 MG DOSE) ORAL TABLET THERAPY PACK 2 X 40 MG | Tier 3 | MO |
| Anxiolytics | | |
| Anxiolytics, Other | | |
| <i>buspirone hcl oral tablet</i> | Tier 2 | MO |
| <i>doxepin hcl oral tablet</i> | Tier 2 | MO; QL (30 EA per 30 days) |
| <i>hydroxyzine hcl oral syrup</i> | Tier 2 | PA NS; MO |
| <i>hydroxyzine hcl oral tablet</i> | Tier 2 | PA NS; MO |
| Benzodiazepines | | |
| <i>alprazolam er oral tablet extended release 24 hour 0.5 mg</i> | Tier 2 | MO |
| <i>alprazolam oral tablet</i> | Tier 1 | MO |
| <i>alprazolam xr oral tablet extended release 24 hour 0.5 mg</i> | Tier 2 | MO |
| <i>chlordiazepoxide hcl oral capsule</i> | Tier 1 | MO |

| Drug | Status | Requirements/Limits |
|---|---------------|------------------------------|
| <i>clorazepate dipotassium oral tablet</i> | Tier 2 | MO |
| <i>diazepam oral concentrate</i> | Tier 2 | MO; QL (1200 ML per 30 days) |
| <i>diazepam oral solution 5 mg/5ml</i> | Tier 2 | MO |
| <i>diazepam oral tablet 10 mg</i> | Tier 1 | MO; QL (120 EA per 30 days) |
| <i>diazepam oral tablet 2 mg, 5 mg</i> | Tier 1 | MO; QL (90 EA per 30 days) |
| <i>estazolam oral tablet</i> | Tier 2 | MO; QL (1 EA per 1 day) |
| <i>lorazepam injection solution 2 mg/ml</i> | Tier 2 | MO |
| <i>lorazepam intensol oral concentrate</i> | Tier 2 | MO; QL (150 ML per 30 days) |
| <i>lorazepam oral concentrate</i> | Tier 2 | MO; QL (150 ML per 30 days) |
| <i>lorazepam oral tablet 0.5 mg, 1 mg</i> | Tier 1 | MO; QL (90 EA per 30 days) |
| <i>lorazepam oral tablet 2 mg</i> | Tier 1 | MO; QL (150 EA per 30 days) |
| <i>oxazepam oral capsule</i> | Tier 2 | MO |
| Ssris/Snris (Selective Serotonin Reuptake Inhibitors/Serotonin And Norepinephrine Reuptake Inhibitor | | |
| <i>paroxetine hcl oral tablet</i> | Tier 1 | MO |
| <i>venlafaxine hcl oral tablet</i> | Tier 2 | MO |
| Bipolar Agents | | |
| Bipolar Agents, Other | | |
| <i>olanzapine-fluoxetine hcl oral capsule</i> | Tier 2 | MO |
| <i>ziprasidone hcl oral capsule</i> | Tier 2 | MO |
| Mood Stabilizers | | |
| <i>divalproex sodium oral tablet delayed release</i> | Tier 2 | MO |
| <i>lamotrigine oral tablet</i> | Tier 1 | MO |
| <i>lamotrigine oral tablet chewable</i> | Tier 2 | MO |
| <i>lithium carbonate er oral tablet extended release</i> | Tier 2 | MO |
| <i>lithium carbonate oral capsule</i> | Tier 1 | MO |
| <i>lithium carbonate oral tablet</i> | Tier 2 | MO |
| LITHIUM ORAL SOLUTION | Tier 4 | MO |
| Blood Glucose Regulators | | |
| Antidiabetic Agents | | |
| <i>acarbose oral tablet</i> | Tier 2 | MO; QL (3 EA per 1 day) |
| <i>alogliptin benzoate oral tablet</i> | Tier 2 | MO |
| BYDUREON BCISE SUBCUTANEOUS AUTO-INJECTOR | Tier 3 | MO |
| BYETTA 10 MCG PEN SUBCUTANEOUS SOLUTION PEN-INJECTOR | Tier 4 | MO |

| Drug | Status | Requirements/Limits |
|---|---------------|----------------------------|
| BYETTA 5 MCG PEN SUBCUTANEOUS SOLUTION PEN-INJECTOR | Tier 4 | MO |
| <i>colesevelam hcl oral tablet</i> | Tier 2 | MO |
| CYCLOSET ORAL TABLET | Tier 4 | MO |
| FARXIGA ORAL TABLET | Tier 3 | MO |
| <i>glimepiride oral tablet</i> | Tier 1 | MO |
| <i>glipizide er oral tablet extended release 24 hour</i> | Tier 1 | MO |
| <i>glipizide oral tablet</i> | Tier 1 | MO |
| <i>glyburide micronized oral tablet</i> | Tier 2 | PA NS; MO |
| <i>glyburide oral tablet</i> | Tier 2 | PA NS; MO |
| GLYXAMBI ORAL TABLET | Tier 3 | MO |
| JANUVIA ORAL TABLET | Tier 3 | MO; QL (1 EA per 1 day) |
| JARDIANCE ORAL TABLET | Tier 3 | MO |
| <i>metformin hcl er oral tablet extended release 24 hour</i> | Tier 1 | MO |
| <i>metformin hcl oral solution</i> | Tier 2 | MO |
| <i>metformin hcl oral tablet</i> | Tier 1 | MO |
| <i>miglitol oral tablet</i> | Tier 1 | MO |
| <i>nateglinide oral tablet</i> | Tier 2 | MO |
| OZEMPIC (0.25 OR 0.5 MG/DOSE) SUBCUTANEOUS SOLUTION PEN-INJECTOR | Tier 3 | MO |
| OZEMPIC (1 MG/DOSE) SUBCUTANEOUS SOLUTION PEN-INJECTOR | Tier 3 | MO |
| <i>pioglitazone hcl oral tablet</i> | Tier 1 | MO |
| <i>repaglinide oral tablet 0.5 mg, 1 mg</i> | Tier 2 | MO; QL (4 EA per 1 day) |
| <i>repaglinide oral tablet 2 mg</i> | Tier 2 | MO; QL (8 EA per 1 day) |
| SYMLINPEN 120 SUBCUTANEOUS SOLUTION PEN-INJECTOR | Tier 5 | PA; MO; NEDS |
| SYMLINPEN 60 SUBCUTANEOUS SOLUTION PEN-INJECTOR | Tier 5 | PA; MO; NEDS |
| SYNJARDY ORAL TABLET | Tier 3 | MO |
| SYNJARDY XR ORAL TABLET EXTENDED RELEASE 24 HOUR | Tier 3 | MO |
| TOLBUTAMIDE ORAL TABLET | Tier 4 | MO |
| TRADJENTA ORAL TABLET | Tier 3 | MO; QL (1 EA per 1 day) |
| TRIJARDY XR ORAL TABLET EXTENDED RELEASE 24 HOUR | Tier 3 | MO |
| TRULICITY SUBCUTANEOUS SOLUTION PEN-INJECTOR | Tier 3 | MO |

| Drug | Status | Requirements/Limits |
|---|---------------|--------------------------------|
| VICTOZA SUBCUTANEOUS SOLUTION PEN-INJECTOR | Tier 3 | MO |
| XIGDUO XR ORAL TABLET EXTENDED RELEASE 24 HOUR | Tier 3 | MO |
| Blood Glucose Regulators | | |
| <i>glipizide-metformin hcl oral tablet</i> | Tier 2 | MO |
| <i>glyburide-metformin oral tablet</i> | Tier 2 | PA NS; MO; QL (4 EA per 1 day) |
| GVOKE HYPOOPEN 2-PACK SUBCUTANEOUS SOLUTION AUTO-Injector 0.5 MG/0.1ML | Tier 3 | MO; QL (0.4 ML per 1 day) |
| GVOKE HYPOOPEN 2-PACK SUBCUTANEOUS SOLUTION AUTO-Injector 1 MG/0.2ML | Tier 3 | MO; QL (0.8 ML per 1 day) |
| GVOKE PFS SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 0.5 MG/0.1ML | Tier 3 | MO; QL (0.4 ML per 1 day) |
| GVOKE PFS SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 1 MG/0.2ML | Tier 3 | MO; QL (0.8 ML per 1 day) |
| JANUMET ORAL TABLET | Tier 3 | MO; QL (2 EA per 1 day) |
| JANUMET XR ORAL TABLET EXTENDED RELEASE 24 HOUR | Tier 3 | MO; QL (2 EA per 1 day) |
| JENTADUETO ORAL TABLET | Tier 3 | MO; QL (2 EA per 1 day) |
| JENTADUETO XR ORAL TABLET EXTENDED RELEASE 24 HOUR | Tier 3 | MO; QL (2 EA per 1 day) |
| <i>pioglitazone hcl-glimepiride oral tablet</i> | Tier 2 | MO |
| <i>pioglitazone hcl-metformin hcl oral tablet</i> | Tier 2 | MO |
| Glycemic Agents | | |
| <i>diazoxide oral suspension</i> | Tier 2 | MO |
| GLUCAGEN HYPOKIT INJECTION SOLUTION RECONSTITUTED | Tier 3 | MO |
| GLUCAGON EMERGENCY INJECTION KIT | Tier 3 | MO |
| Insulins | | |
| CVS GAUZE STERILE PAD 2"X2" | Tier 4 | MO |
| HUMALOG JUNIOR KWIKPEN SUBCUTANEOUS SOLUTION PEN-INJECTOR | Tier 3 | MO |
| HUMALOG KWIKPEN SUBCUTANEOUS SOLUTION PEN-INJECTOR | Tier 3 | MO |
| HUMALOG MIX 50/50 KWIKPEN SUBCUTANEOUS SUSPENSION PEN-INJECTOR | Tier 3 | MO |

| Drug | Status | Requirements/Limits |
|--|---------------|----------------------------|
| HUMALOG MIX 50/50 SUBCUTANEOUS SUSPENSION | Tier 3 | MO |
| HUMALOG MIX 75/25 KWIKPEN SUBCUTANEOUS SUSPENSION PEN-INJECTOR | Tier 3 | MO |
| HUMALOG MIX 75/25 SUBCUTANEOUS SUSPENSION | Tier 3 | MO |
| HUMALOG SUBCUTANEOUS SOLUTION | Tier 3 | MO |
| HUMALOG SUBCUTANEOUS SOLUTION CARTRIDGE | Tier 3 | MO |
| HUMULIN 70/30 KWIKPEN SUBCUTANEOUS SUSPENSION PEN-INJECTOR | Tier 3 | MO |
| HUMULIN 70/30 SUBCUTANEOUS SUSPENSION | Tier 3 | MO |
| HUMULIN N KWIKPEN SUBCUTANEOUS SUSPENSION PEN-INJECTOR | Tier 3 | MO |
| HUMULIN N SUBCUTANEOUS SUSPENSION | Tier 3 | MO |
| HUMULIN R INJECTION SOLUTION | Tier 3 | MO |
| HUMULIN R U-500 (CONCENTRATED) SUBCUTANEOUS SOLUTION | Tier 3 | MO |
| HUMULIN R U-500 KWIKPEN SUBCUTANEOUS SOLUTION PEN-INJECTOR | Tier 3 | MO |
| INSULIN LISPRO (1 UNIT DIAL) SUBCUTANEOUS SOLUTION PEN-INJECTOR | Tier 3 | MO |
| <i>insulin lispro junior kwikpen subcutaneous solution pen-injector</i> | Tier 3 | MO |
| <i>insulin lispro prot & lispro subcutaneous suspension pen-injector</i> | Tier 3 | MO |
| INSULIN LISPRO SUBCUTANEOUS SOLUTION | Tier 3 | MO |
| LANTUS SOLOSTAR SUBCUTANEOUS SOLUTION PEN-INJECTOR | Tier 3 | MO |
| LANTUS SUBCUTANEOUS SOLUTION | Tier 3 | MO |
| RELI-ON INSULIN SYRINGE 29G 0.3 ML | Tier 4 | MO |
| TOUJEO MAX SOLOSTAR SUBCUTANEOUS SOLUTION PEN-INJECTOR | Tier 3 | MO |
| TOUJEO SOLOSTAR SUBCUTANEOUS SOLUTION PEN-INJECTOR | Tier 3 | MO |

| Drug | Status | Requirements/Limits |
|--|---------------|-----------------------------|
| Blood Glucose Supplies | | |
| Glucose Monitoring Test Supplies | | |
| ACCU-CHEK AVIVA PLUS IN VITRO STRIP | Tier 4 | PA; MO; QL (5 EA per 1 day) |
| ACCU-CHEK COMPACT PLUS IN VITRO STRIP | Tier 4 | PA; MO; QL (5 EA per 1 day) |
| ACCU-CHEK GUIDE IN VITRO STRIP | Tier 4 | PA; MO; QL (5 EA per 1 day) |
| ACCU-CHEK SMARTVIEW IN VITRO STRIP | Tier 4 | PA; MO; QL (5 EA per 1 day) |
| ACCUTREND GLUCOSE IN VITRO STRIP | Tier 4 | PA; MO; QL (5 EA per 1 day) |
| ADVANCE INTUITION TEST IN VITRO STRIP | Tier 4 | PA; MO; QL (5 EA per 1 day) |
| ADVANCE MICRO-DRAW TEST IN VITRO STRIP | Tier 4 | PA; MO; QL (5 EA per 1 day) |
| ADVOCATE REDI-CODE IN VITRO STRIP | Tier 4 | PA; MO; QL (5 EA per 1 day) |
| ADVOCATE REDI-CODE+ TEST IN VITRO STRIP | Tier 4 | PA; MO; QL (5 EA per 1 day) |
| ADVOCATE TEST IN VITRO STRIP | Tier 4 | PA; MO; QL (5 EA per 1 day) |
| AGAMATRIX AMP TEST IN VITRO STRIP | Tier 4 | PA; MO; QL (5 EA per 1 day) |
| AGAMATRIX JAZZ TEST IN VITRO STRIP | Tier 4 | PA; MO; QL (5 EA per 1 day) |
| AGAMATRIX KEYNOTE TEST IN VITRO STRIP | Tier 4 | PA; MO; QL (5 EA per 1 day) |
| AGAMATRIX PRESTO TEST IN VITRO STRIP | Tier 4 | PA; MO; QL (5 EA per 1 day) |
| ASSURE 3 TEST IN VITRO STRIP | Tier 4 | PA; MO; QL (5 EA per 1 day) |
| ASSURE 4 TEST IN VITRO STRIP | Tier 4 | PA; MO; QL (5 EA per 1 day) |
| ASSURE II CHECK IN VITRO STRIP | Tier 4 | PA; MO; QL (5 EA per 1 day) |
| ASSURE II IN VITRO STRIP | Tier 4 | PA; MO; QL (5 EA per 1 day) |
| ASSURE PLATINUM IN VITRO STRIP | Tier 4 | PA; MO |
| ASSURE PRISM MULTI TEST IN VITRO STRIP | Tier 4 | PA; MO; QL (5 EA per 1 day) |
| ASSURE PRO TEST IN VITRO STRIP | Tier 4 | PA; MO; QL (5 EA per 1 day) |
| BIOSCANNER GLUCOSE TEST IN VITRO STRIP | Tier 4 | PA; MO; QL (5 EA per 1 day) |
| BLOOD GLUCOSE TEST IN VITRO STRIP | Tier 4 | PA; MO; QL (5 EA per 1 day) |
| CAREONE BLOOD GLUCOSE TEST IN VITRO STRIP | Tier 4 | PA; MO; QL (5 EA per 1 day) |
| CARESENS N GLUCOSE TEST IN VITRO STRIP | Tier 4 | PA; MO; QL (5 EA per 1 day) |
| CARETOUCH TEST IN VITRO STRIP | Tier 4 | PA; MO; QL (5 EA per 1 day) |

| Drug | Status | Requirements/Limits |
|--|---------------|-----------------------------|
| CLEVER CHEK AUTO-CODE TEST IN VITRO STRIP | Tier 4 | PA; MO; QL (5 EA per 1 day) |
| CLEVER CHEK AUTO-CODE VOICE IN VITRO STRIP | Tier 4 | PA; MO; QL (5 EA per 1 day) |
| CLEVER CHEK TEST IN VITRO STRIP | Tier 4 | PA; MO; QL (5 EA per 1 day) |
| CLEVER CHOICE AUTO-CODE TEST IN VITRO STRIP | Tier 4 | PA; MO; QL (5 EA per 1 day) |
| CLEVER CHOICE MICRO TEST IN VITRO STRIP | Tier 4 | PA; MO; QL (5 EA per 1 day) |
| CLEVER CHOICE NO CODING IN VITRO STRIP | Tier 4 | PA; MO; QL (5 EA per 1 day) |
| CLEVER CHOICE TALK SYSTEM IN VITRO STRIP | Tier 4 | PA; MO; QL (5 EA per 1 day) |
| CONTOUR NEXT TEST IN VITRO STRIP | Tier 4 | PA; MO; QL (5 EA per 1 day) |
| CONTOUR TEST IN VITRO STRIP | Tier 4 | PA; MO; QL (5 EA per 1 day) |
| DEXCOM G4 PLAT PED RCV/SHARE DEVICE | Tier 4 | PA; MO |
| DEXCOM G4 PLAT PED RECEIVER DEVICE | Tier 4 | PA; MO |
| DEXCOM G4 PLATINUM RCV/SHARE DEVICE | Tier 4 | PA; MO |
| DEXCOM G4 PLATINUM RECEIVER DEVICE | Tier 4 | PA; MO |
| DEXCOM G4 PLATINUM TRANSMITTER | Tier 4 | PA; MO |
| DEXCOM G4 SENSOR | Tier 4 | PA; MO |
| DEXCOM G5 MOB/G4 PLAT SENSOR | Tier 4 | PA; MO |
| DEXCOM G5 MOBILE RECEIVER DEVICE | Tier 4 | PA; MO |
| DEXCOM G5 MOBILE TRANSMITTER | Tier 4 | PA; MO |
| DEXCOM G6 RECEIVER DEVICE | Tier 4 | PA; MO |
| DEXCOM G6 SENSOR | Tier 4 | PA; MO |
| DEXCOM G6 TRANSMITTER | Tier 4 | PA; MO |
| EASY PLUS II GLUCOSE TEST IN VITRO STRIP | Tier 4 | PA; MO; QL (5 EA per 1 day) |
| EASY STEP TEST IN VITRO STRIP | Tier 4 | PA; MO; QL (5 EA per 1 day) |
| EASY TALK BLOOD GLUCOSE TEST IN VITRO STRIP | Tier 4 | PA; MO; QL (5 EA per 1 day) |
| EASY TOUCH TEST IN VITRO STRIP | Tier 4 | PA; MO; QL (5 EA per 1 day) |
| EASY TRAK BLOOD GLUCOSE TEST IN VITRO STRIP | Tier 4 | PA; MO; QL (5 EA per 1 day) |
| EASYGLUCO IN VITRO STRIP | Tier 4 | PA; MO; QL (5 EA per 1 day) |
| EASymax 15 TEST IN VITRO STRIP | Tier 4 | PA; MO; QL (5 EA per 1 day) |

| Drug | Status | Requirements/Limits |
|--|---------------|-----------------------------|
| ENLITE GLUCOSE SENSOR | Tier 4 | PA; MO |
| EVERSENSE SENSOR/HOLDER | Tier 4 | PA; MO |
| EVERSENSE SMART TRANSMITTER | Tier 4 | PA; MO |
| EXACTECH R-S-G TEST IN VITRO STRIP | Tier 4 | PA; MO; QL (5 EA per 1 day) |
| EXACTECH TEST IN VITRO STRIP | Tier 4 | PA; MO; QL (5 EA per 1 day) |
| FREESTYLE INSULINX TEST IN VITRO STRIP | Tier 4 | PA; MO; QL (5 EA per 1 day) |
| FREESTYLE LIBRE 14 DAY READER DEVICE | Tier 4 | PA; MO |
| FREESTYLE LIBRE 14 DAY SENSOR | Tier 4 | PA; MO |
| FREESTYLE LIBRE READER DEVICE | Tier 4 | PA; MO |
| FREESTYLE LIBRE SENSOR SYSTEM | Tier 4 | PA; MO |
| FREESTYLE LITE TEST IN VITRO STRIP | Tier 4 | PA; MO; QL (5 EA per 1 day) |
| FREESTYLE PRECISION NEO TEST IN VITRO STRIP | Tier 4 | PA; MO; QL (5 EA per 1 day) |
| FREESTYLE TEST IN VITRO STRIP | Tier 4 | PA; MO; QL (5 EA per 1 day) |
| GUARDIAN CONNECT TRANSMITTER | Tier 4 | PA; MO |
| GUARDIAN LINK 3 TRANSMITTER | Tier 4 | PA; MO |
| GUARDIAN REAL-TIME REPLACE PED DEVICE | Tier 4 | PA; MO |
| GUARDIAN SENSOR (3) | Tier 4 | PA; MO |
| ONETOUCH ULTRA 2 KIT | Tier 3 | MO; QL (1 EA per 365 days) |
| ONETOUCH ULTRA MINI KIT | Tier 3 | MO; QL (1 EA per 365 days) |
| ONETOUCH ULTRALINK KIT | Tier 3 | MO; QL (1 EA per 365 days) |
| ONETOUCH VERIO FLEX SYSTEM KIT | Tier 3 | MO; QL (1 EA per 365 days) |
| ONETOUCH VERIO IN VITRO STRIP | Tier 3 | MO; QL (5 EA per 1 day) |
| ONETOUCH VERIO IQ SYSTEM KIT | Tier 3 | MO; QL (1 EA per 365 days) |
| ONETOUCH VERIO KIT | Tier 3 | MO; QL (1 EA per 365 days) |
| OPTIUM TEST IN VITRO STRIP | Tier 4 | PA; MO; QL (5 EA per 1 day) |
| OPTIUMEZ TEST IN VITRO STRIP | Tier 4 | PA; MO; QL (5 EA per 1 day) |
| PRECISION PCX IN VITRO STRIP | Tier 4 | PA; MO; QL (5 EA per 1 day) |
| PRECISION PCX PLUS TEST IN VITRO STRIP | Tier 4 | PA; MO; QL (5 EA per 1 day) |
| PRECISION POINT OF CARE TEST IN VITRO STRIP | Tier 4 | PA; MO; QL (5 EA per 1 day) |
| PRECISION QID TEST IN VITRO STRIP | Tier 4 | PA; MO; QL (5 EA per 1 day) |
| PRECISION SOF-TACT TEST IN VITRO STRIP | Tier 4 | PA; MO; QL (5 EA per 1 day) |
| PRECISION XTRA BLOOD GLUCOSE IN VITRO STRIP | Tier 4 | PA; MO; QL (5 EA per 1 day) |

| Drug | Status | Requirements/Limits |
|---|---------------|-----------------------------|
| PRODIGY NO CODING BLOOD GLUC IN VITRO STRIP | Tier 4 | PA; MO; QL (5 EA per 1 day) |
| PTS PANELS GLUCOSE TEST IN VITRO STRIP | Tier 4 | PA; MO; QL (5 EA per 1 day) |
| QUICKTEK TEST IN VITRO STRIP | Tier 4 | PA; MO; QL (5 EA per 1 day) |
| RELION BLOOD GLUCOSE TEST IN VITRO STRIP | Tier 4 | PA; MO; QL (5 EA per 1 day) |
| RELION CONFIRM/MICRO TEST IN VITRO STRIP | Tier 4 | PA; MO; QL (5 EA per 1 day) |
| RELION PRIME TEST IN VITRO STRIP | Tier 4 | PA; MO; QL (5 EA per 1 day) |
| RELION ULTIMA TEST IN VITRO STRIP | Tier 4 | PA; MO; QL (5 EA per 1 day) |
| Blood Products And Modifiers | | |
| Anticoagulants | | |
| ELIQUIS DVT/PE STARTER PACK ORAL TABLET THERAPY PACK | Tier 3 | MO |
| ELIQUIS ORAL TABLET | Tier 3 | MO |
| PRADAXA ORAL CAPSULE | Tier 4 | MO |
| XARELTO ORAL TABLET | Tier 3 | MO |
| XARELTO STARTER PACK ORAL TABLET THERAPY PACK | Tier 3 | MO |
| Platelet Modifying Agents | | |
| DOPTELET ORAL TABLET | Tier 5 | PA; MO; NEDS |
| <i>prasugrel hcl oral tablet</i> | Tier 2 | MO |
| TAVALISSE ORAL TABLET | Tier 5 | PA; MO; NEDS |
| Blood Products/Modifiers/Volume Expanders | | |
| Anticoagulants | | |
| <i>enoxaparin sodium injection solution</i> | Tier 2 | MO |
| <i>enoxaparin sodium subcutaneous solution</i> | Tier 2 | MO |
| <i>fondaparinux sodium subcutaneous solution 10 mg/0.8ml, 5 mg/0.4ml, 7.5 mg/0.6ml</i> | Tier 5 | MO; NEDS |
| <i>fondaparinux sodium subcutaneous solution 2.5 mg/0.5ml</i> | Tier 2 | MO |
| FRAGMIN SUBCUTANEOUS SOLUTION 10000 UNIT/ML, 12500 UNIT/0.5ML, 15000 UNIT/0.6ML, 18000 UNT/0.72ML, 7500 UNIT/0.3ML, 95000 UNIT/3.8ML | Tier 5 | MO; NEDS |
| FRAGMIN SUBCUTANEOUS SOLUTION 2500 UNIT/0.2ML, 5000 UNIT/0.2ML | Tier 3 | MO |
| <i>heparin sodium (porcine) injection solution 1000 unit/ml, 20000 unit/ml, 5000 unit/ml</i> | Tier 2 | MO |

| Drug | Status | Requirements/Limits |
|--|---------------|-----------------------------------|
| <i>jantoven oral tablet</i> | Tier 1 | MO |
| <i>warfarin sodium oral tablet</i> | Tier 1 | MO |
| Blood Formation Modifiers | | |
| <i>anagrelide hcl oral capsule</i> | Tier 2 | MO |
| CABLIVI INJECTION KIT | Tier 5 | PA; MO; NEDS |
| LEUKINE INJECTION SOLUTION RECONSTITUTED | Tier 5 | MO; NEDS |
| MOZOBIL SUBCUTANEOUS SOLUTION | Tier 5 | PA; MO; NEDS |
| MULPLETA ORAL TABLET | Tier 5 | PA; MO; NEDS |
| OXBRYTA ORAL TABLET | Tier 5 | PA; MO; QL (5 EA per 1 day); NEDS |
| PROMACTA ORAL PACKET | Tier 5 | PA; MO; NEDS |
| PROMACTA ORAL TABLET | Tier 5 | PA; MO; NEDS |
| RETACRIT INJECTION SOLUTION 10000 UNIT/ML, 10000 UNIT/ML(1ML), 2000 UNIT/ML, 3000 UNIT/ML, 4000 UNIT/ML | Tier 4 | PA; MO |
| RETACRIT INJECTION SOLUTION 20000 UNIT/ML, 40000 UNIT/ML | Tier 5 | PA; MO; NEDS |
| ZARXIO INJECTION SOLUTION PREFILLED SYRINGE | Tier 6 | MO |
| Hemostasis Agents | | |
| <i>tranexamic acid oral tablet</i> | Tier 2 | MO |
| Platelet Modifying Agents | | |
| <i>aspirin-dipyridamole er oral capsule extended release 12 hour</i> | Tier 2 | MO |
| BRILINTA ORAL TABLET | Tier 3 | MO |
| <i>cilostazol oral tablet</i> | Tier 2 | MO |
| <i>clopidogrel bisulfate oral tablet 300 mg</i> | Tier 1 | MO; QL (1 EA per 30 days) |
| <i>clopidogrel bisulfate oral tablet 75 mg</i> | Tier 1 | MO |
| <i>dipyridamole oral tablet</i> | Tier 2 | MO |
| Cardiovascular Agents | | |
| Alpha-Adrenergic Agonists | | |
| <i>clonidine hcl oral tablet</i> | Tier 1 | MO |
| <i>clonidine transdermal patch weekly</i> | Tier 2 | MO |
| <i>guanfacine hcl oral tablet</i> | Tier 2 | MO |
| <i>methyldopa oral tablet</i> | Tier 2 | MO |
| <i>midodrine hcl oral tablet</i> | Tier 2 | MO |
| Alpha-Adrenergic Blocking Agents | | |
| <i>phenoxybenzamine hcl oral capsule</i> | Tier 5 | MO; NEDS |

| Drug | Status | Requirements/Limits |
|---|---------------|----------------------------|
| <i>prazosin hcl oral capsule</i> | Tier 2 | MO |
| Angiotensin II Receptor Antagonists | | |
| <i>amlodipine-olmesartan oral tablet</i> | Tier 2 | MO |
| <i>candesartan cilexetil oral tablet</i> | Tier 2 | MO |
| <i>candesartan cilexetil-hctz oral tablet</i> | Tier 2 | MO |
| ENTRESTO ORAL TABLET | Tier 3 | MO |
| <i>irbesartan oral tablet</i> | Tier 1 | MO |
| <i>irbesartan-hydrochlorothiazide oral tablet</i> | Tier 1 | MO |
| <i>losartan potassium oral tablet</i> | Tier 1 | MO |
| <i>losartan potassium-hctz oral tablet</i> | Tier 1 | MO; QL (1 EA per 1 day) |
| <i>olmesartan medoxomil oral tablet</i> | Tier 2 | MO |
| <i>olmesartan medoxomil-hctz oral tablet</i> | Tier 2 | MO |
| <i>telmisartan oral tablet</i> | Tier 2 | MO |
| <i>telmisartan-hctz oral tablet</i> | Tier 2 | MO |
| <i>valsartan oral tablet</i> | Tier 1 | MO |
| <i>valsartan-hydrochlorothiazide oral tablet</i> | Tier 1 | MO |
| Angiotensin-Converting Enzyme (Ace) Inhibitors | | |
| <i>benazepril hcl oral tablet</i> | Tier 1 | MO |
| <i>benazepril-hydrochlorothiazide oral tablet</i> | Tier 2 | MO |
| <i>captopril oral tablet</i> | Tier 2 | MO |
| <i>captopril-hydrochlorothiazide oral tablet</i> | Tier 2 | MO |
| <i>enalapril maleate oral tablet</i> | Tier 1 | MO |
| <i>enalapril-hydrochlorothiazide oral tablet</i> | Tier 2 | MO |
| <i>fosinopril sodium oral tablet</i> | Tier 1 | MO |
| <i>fosinopril sodium-hctz oral tablet</i> | Tier 2 | MO |
| <i>lisinopril oral tablet</i> | Tier 1 | MO |
| <i>lisinopril-hydrochlorothiazide oral tablet</i> | Tier 1 | MO |
| <i>moexipril hcl oral tablet</i> | Tier 2 | MO |
| <i>perindopril erbumine oral tablet</i> | Tier 2 | MO |
| <i>quinapril hcl oral tablet</i> | Tier 1 | MO; QL (2 EA per 1 day) |
| <i>quinapril-hydrochlorothiazide oral tablet</i> | Tier 2 | MO; QL (1 EA per 1 day) |
| <i>ramipril oral capsule</i> | Tier 1 | MO |
| <i>trandolapril oral tablet</i> | Tier 2 | MO |
| <i>trandolapril-verapamil hcl er oral tablet extended release</i> | Tier 2 | MO |
| Antiarrhythmics | | |
| <i>amiodarone hcl oral tablet</i> | Tier 2 | MO |

| Drug | Status | Requirements/Limits |
|--|---------------|----------------------------|
| <i>disopyramide phosphate oral capsule</i> | Tier 2 | MO |
| <i>dofetilide oral capsule</i> | Tier 2 | MO |
| <i>flecainide acetate oral tablet</i> | Tier 2 | MO |
| <i>mexiletine hcl oral capsule</i> | Tier 2 | MO |
| MULTAQ ORAL TABLET | Tier 3 | MO |
| NORPACE CR ORAL CAPSULE EXTENDED RELEASE 12 HOUR | Tier 3 | MO |
| <i>propafenone hcl er oral capsule extended release 12 hour</i> | Tier 2 | MO |
| <i>propafenone hcl oral tablet</i> | Tier 2 | MO |
| <i>quinidine gluconate er oral tablet extended release</i> | Tier 2 | MO |
| <i>quinidine sulfate oral tablet</i> | Tier 2 | MO |
| <i>sorine oral tablet</i> | Tier 2 | MO |
| <i>sotalol hcl (af) oral tablet</i> | Tier 2 | MO |
| <i>sotalol hcl oral tablet</i> | Tier 2 | MO |
| Beta-Adrenergic Blocking Agents | | |
| <i>acebutolol hcl oral capsule</i> | Tier 2 | MO |
| <i>atenolol oral tablet</i> | Tier 1 | MO |
| <i>atenolol-chlorthalidone oral tablet</i> | Tier 1 | MO |
| <i>betaxolol hcl oral tablet</i> | Tier 2 | MO |
| <i>bisoprolol fumarate oral tablet</i> | Tier 2 | MO |
| <i>bisoprolol-hydrochlorothiazide oral tablet</i> | Tier 1 | MO |
| <i>carvedilol oral tablet</i> | Tier 1 | MO |
| <i>carvedilol phosphate er oral capsule extended release 24 hour</i> | Tier 1 | MO |
| <i>labetalol hcl oral tablet</i> | Tier 2 | MO |
| <i>metoprolol succinate er oral tablet extended release 24 hour</i> | Tier 2 | MO |
| <i>metoprolol tartrate oral tablet</i> | Tier 1 | MO |
| <i>metoprolol-hydrochlorothiazide oral tablet</i> | Tier 2 | MO |
| <i>nadolol oral tablet 20 mg, 40 mg, 80 mg</i> | Tier 2 | MO |
| <i>pindolol oral tablet</i> | Tier 2 | MO |
| <i>propranolol hcl er oral capsule extended release 24 hour</i> | Tier 2 | MO |
| <i>propranolol hcl oral solution</i> | Tier 2 | MO |
| <i>propranolol hcl oral tablet</i> | Tier 2 | MO |
| <i>propranolol-hctz oral tablet</i> | Tier 2 | MO |

| Drug | Status | Requirements/Limits |
|--|---------------|----------------------------|
| Calcium Channel Blocking Agents | | |
| <i>amlodipine besy-benazepril hcl oral capsule</i> | Tier 2 | MO |
| <i>amlodipine besylate oral tablet</i> | Tier 1 | MO |
| <i>amlodipine besylate-valsartan oral tablet</i> | Tier 2 | MO; QL (1 EA per 1 day) |
| <i>amlodipine-valsartan-hctz oral tablet</i> | Tier 2 | MO; QL (1 EA per 1 day) |
| CARDIZEM LA ORAL TABLET EXTENDED RELEASE 24 HOUR 120 MG | Tier 4 | MO |
| <i>cartia xt oral capsule extended release 24 hour</i> | Tier 2 | MO |
| <i>diltiazem hcl er beads oral capsule extended release 24 hour 120 mg, 180 mg, 360 mg, 420 mg</i> | Tier 2 | MO |
| <i>diltiazem hcl er coated beads oral capsule extended release 24 hour</i> | Tier 2 | MO |
| <i>diltiazem hcl er coated beads oral tablet extended release 24 hour 180 mg, 240 mg, 300 mg, 360 mg</i> | Tier 2 | MO |
| <i>diltiazem hcl er oral capsule extended release 12 hour</i> | Tier 2 | MO |
| <i>diltiazem hcl er oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg</i> | Tier 2 | MO |
| <i>diltiazem hcl oral tablet</i> | Tier 1 | MO |
| <i>dilt-xr oral capsule extended release 24 hour 180 mg, 240 mg</i> | Tier 2 | MO |
| <i>felodipine er oral tablet extended release 24 hour</i> | Tier 2 | MO |
| <i>isradipine oral capsule</i> | Tier 2 | MO |
| <i>matzim la oral tablet extended release 24 hour</i> | Tier 2 | MO |
| <i>nicardipine hcl oral capsule</i> | Tier 2 | MO |
| <i>nifedipine er oral tablet extended release 24 hour</i> | Tier 2 | MO |
| <i>nifedipine er osmotic release oral tablet extended release 24 hour</i> | Tier 2 | MO |
| <i>nifedipine oral capsule</i> | Tier 2 | MO |
| <i>taztia xt oral capsule extended release 24 hour</i> | Tier 2 | MO |
| <i>tiadylt er oral capsule extended release 24 hour</i> | Tier 2 | MO |
| <i>verapamil hcl er oral capsule extended release 24 hour</i> | Tier 2 | MO |
| <i>verapamil hcl er oral tablet extended release</i> | Tier 2 | MO |
| <i>verapamil hcl oral tablet</i> | Tier 1 | MO |
| Cardiovascular Agents, Other | | |
| <i>aliskiren fumarate oral tablet</i> | Tier 2 | MO |
| CORLANOR ORAL SOLUTION | Tier 4 | PA; MO |
| CORLANOR ORAL TABLET | Tier 4 | PA; MO |
| <i>digitek oral tablet</i> | Tier 2 | MO |

| Drug | Status | Requirements/Limits |
|---|---------------|-----------------------------------|
| <i>digox oral tablet</i> | Tier 2 | MO |
| <i>digoxin oral solution</i> | Tier 2 | MO |
| <i>digoxin oral tablet</i> | Tier 2 | MO |
| <i>droxidopa oral capsule</i> | Tier 5 | PA; MO; NEDS |
| <i>metyrosine oral capsule</i> | Tier 5 | MO; NEDS |
| NEXLETOL ORAL TABLET | Tier 4 | PA; MO; QL (1 EA per 1 day) |
| NEXLIZET ORAL TABLET | Tier 4 | PA; MO; QL (1 EA per 1 day) |
| ORLADEYO ORAL CAPSULE | Tier 5 | PA; MO; QL (1 EA per 1 day); NEDS |
| <i>pentoxifylline er oral tablet extended release</i> | Tier 2 | MO |
| <i>ranolazine er oral tablet extended release 12 hour</i> | Tier 2 | MO |
| <i>telmisartan-amlodipine oral tablet</i> | Tier 2 | MO |
| VERQUVO ORAL TABLET | Tier 4 | PA; MO; QL (1 EA per 1 day) |
| Diuretics, Carbonic Anhydrase Inhibitors | | |
| <i>acetazolamide oral tablet</i> | Tier 2 | MO |
| <i>methazolamide oral tablet</i> | Tier 2 | MO |
| Diuretics, Loop | | |
| <i>bumetanide oral tablet</i> | Tier 2 | MO |
| <i>ethacrynic acid oral tablet</i> | Tier 2 | MO |
| <i>furosemide injection solution</i> | Tier 6 | MO; HI |
| <i>furosemide oral solution 10 mg/ml, 8 mg/ml</i> | Tier 2 | MO |
| <i>furosemide oral tablet</i> | Tier 1 | MO |
| <i>torsemide oral tablet</i> | Tier 2 | MO |
| Diuretics, Potassium-Sparing | | |
| <i>amiloride hcl oral tablet</i> | Tier 2 | MO |
| <i>amiloride-hydrochlorothiazide oral tablet</i> | Tier 2 | MO |
| <i>eplerenone oral tablet</i> | Tier 2 | MO |
| <i>spironolactone oral tablet</i> | Tier 1 | MO |
| <i>spironolactone-hctz oral tablet</i> | Tier 2 | MO |
| <i>triamterene oral capsule</i> | Tier 2 | MO |
| <i>triamterene-hctz oral capsule 37.5-25 mg</i> | Tier 2 | MO |
| <i>triamterene-hctz oral tablet</i> | Tier 2 | MO |
| Diuretics, Thiazide | | |
| <i>chlorthalidone oral tablet 25 mg, 50 mg</i> | Tier 2 | MO |
| <i>hydrochlorothiazide oral capsule</i> | Tier 1 | MO |
| <i>hydrochlorothiazide oral tablet</i> | Tier 1 | MO |
| <i>indapamide oral tablet</i> | Tier 1 | MO |

| Drug | Status | Requirements/Limits |
|--|---------------|----------------------------|
| <i>metolazone oral tablet</i> | Tier 2 | MO |
| Dyslipidemics, Fibric Acid Derivatives | | |
| <i>fenofibrate micronized oral capsule 134 mg, 200 mg, 67 mg</i> | Tier 2 | MO |
| <i>fenofibrate oral tablet 145 mg, 160 mg, 48 mg, 54 mg</i> | Tier 2 | MO |
| <i>gemfibrozil oral tablet</i> | Tier 2 | MO |
| Dyslipidemics, Hmg Coa Reductase Inhibitors | | |
| <i>atorvastatin calcium oral tablet</i> | Tier 1 | MO |
| <i>fluvastatin sodium er oral tablet extended release 24 hour</i> | Tier 2 | MO |
| <i>fluvastatin sodium oral capsule</i> | Tier 2 | MO |
| <i>lovastatin oral tablet</i> | Tier 1 | MO |
| <i>pravastatin sodium oral tablet 10 mg, 20 mg, 40 mg</i> | Tier 1 | MO; QL (1.5 EA per 1 day) |
| <i>pravastatin sodium oral tablet 80 mg</i> | Tier 1 | MO; QL (1 EA per 1 day) |
| <i>rosuvastatin calcium oral tablet</i> | Tier 2 | MO |
| <i>simvastatin oral tablet</i> | Tier 1 | MO; QL (1.5 EA per 1 day) |
| Dyslipidemics, Other | | |
| <i>cholestyramine light oral packet</i> | Tier 2 | MO |
| <i>cholestyramine light oral powder</i> | Tier 2 | MO |
| <i>cholestyramine oral packet</i> | Tier 2 | MO |
| <i>cholestyramine oral powder</i> | Tier 2 | MO |
| <i>colesevelam hcl oral packet</i> | Tier 2 | MO |
| <i>colestipol hcl oral packet</i> | Tier 2 | MO |
| <i>colestipol hcl oral tablet</i> | Tier 2 | MO |
| <i>ezetimibe oral tablet</i> | Tier 2 | MO |
| <i>ezetimibe-simvastatin oral tablet</i> | Tier 2 | MO |
| <i>icosapent ethyl oral capsule</i> | Tier 2 | MO |
| JUXTAPID ORAL CAPSULE 10 MG, 20 MG, 30 MG, 5 MG | Tier 5 | PA; MO; NEDS |
| <i>niacin er (antihyperlipidemic) oral tablet extended release</i> | Tier 2 | MO |
| <i>niacor oral tablet</i> | Tier 2 | MO |
| <i>omega-3-acid ethyl esters oral capsule</i> | Tier 2 | MO |
| PRALUENT SUBCUTANEOUS SOLUTION AUTO-INJECTOR | Tier 3 | PA; MO |
| REPATHA PUSHTRONEX SYSTEM SUBCUTANEOUS SOLUTION CARTRIDGE | Tier 3 | PA; MO |

| Drug | Status | Requirements/Limits |
|--|---------------|-----------------------------|
| REPATHA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | Tier 3 | PA; MO |
| REPATHA SURECLICK SUBCUTANEOUS SOLUTION AUTO-INJECTOR | Tier 3 | PA; MO |
| VASCEPA ORAL CAPSULE 0.5 GM | Tier 4 | MO |
| Vasodilators, Direct-Acting Arterial | | |
| <i>hydralazine hcl oral tablet</i> | Tier 2 | MO |
| <i>minoxidil oral tablet</i> | Tier 2 | MO |
| Vasodilators, Direct-Acting Arterial/Venous | | |
| <i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg, 5 mg</i> | Tier 2 | MO |
| <i>isosorbide dinitrate oral tablet 40 mg</i> | Tier 5 | MO; NEDS |
| <i>isosorbide mononitrate er oral tablet extended release 24 hour</i> | Tier 2 | MO |
| <i>isosorbide mononitrate oral tablet</i> | Tier 2 | MO |
| <i>minitran transdermal patch 24 hour</i> | Tier 2 | MO |
| NITRO-BID TRANSDERMAL OINTMENT | Tier 4 | MO |
| <i>nitroglycerin sublingual tablet sublingual</i> | Tier 2 | MO |
| <i>nitroglycerin transdermal patch 24 hour</i> | Tier 2 | MO |
| <i>nitroglycerin translingual solution</i> | Tier 2 | MO |
| RECTIV RECTAL OINTMENT | Tier 4 | MO |
| Central Nervous System Agents | | |
| Attention Deficit Hyperactivity Disorder Agents, Amphetamines | | |
| <i>amphetamine-dextroamphetamine oral capsule extended release 24 hour 10 mg, 15 mg, 5 mg</i> | Tier 2 | MO; QL (30 EA per 30 days) |
| <i>amphetamine-dextroamphetamine oral capsule extended release 24 hour 20 mg, 25 mg, 30 mg</i> | Tier 2 | MO; QL (60 EA per 30 days) |
| <i>amphetamine-dextroamphetamine oral tablet</i> | Tier 2 | MO; QL (60 EA per 30 days) |
| <i>dextroamphetamine sulfate er oral capsule extended release 24 hour</i> | Tier 2 | MO; QL (120 EA per 30 days) |
| <i>dextroamphetamine sulfate oral solution</i> | Tier 2 | MO |
| <i>dextroamphetamine sulfate oral tablet 10 mg, 5 mg</i> | Tier 2 | MO; QL (180 EA per 30 days) |
| Attention Deficit Hyperactivity Disorder Agents, Non-Amphetamines | | |
| <i>atomoxetine hcl oral capsule</i> | Tier 2 | MO |
| <i>dexamphetamine hcl er oral capsule extended release 24 hour 10 mg, 15 mg, 20 mg, 5 mg</i> | Tier 2 | MO; QL (60 EA per 30 days) |

| Drug | Status | Requirements/Limits |
|--|---------------|----------------------------|
| <i>dexamethylphenidate hcl er oral capsule extended release 24 hour 25 mg, 30 mg, 35 mg, 40 mg</i> | Tier 2 | MO; QL (30 EA per 30 days) |
| <i>dexamethylphenidate hcl oral tablet</i> | Tier 2 | MO; QL (60 EA per 30 days) |
| <i>guanfacine hcl er oral tablet extended release 24 hour</i> | Tier 2 | PA; MO |
| <i>methylphenidate hcl er (cd) oral capsule extended release 10 mg, 20 mg, 30 mg, 40 mg</i> | Tier 2 | MO; QL (60 EA per 30 days) |
| <i>methylphenidate hcl er (cd) oral capsule extended release 50 mg, 60 mg</i> | Tier 2 | MO; QL (30 EA per 30 days) |
| <i>methylphenidate hcl er (la) oral capsule extended release 24 hour 10 mg, 20 mg, 30 mg</i> | Tier 2 | MO; QL (60 EA per 30 days) |
| <i>methylphenidate hcl er (la) oral capsule extended release 24 hour 40 mg, 60 mg</i> | Tier 2 | MO; QL (30 EA per 30 days) |
| <i>methylphenidate hcl er oral tablet extended release 10 mg, 20 mg</i> | Tier 2 | MO; QL (90 EA per 30 days) |
| <i>methylphenidate hcl er oral tablet extended release 18 mg, 27 mg, 54 mg, 72 mg</i> | Tier 2 | MO; QL (30 EA per 30 days) |
| <i>methylphenidate hcl er oral tablet extended release 24 hour 18 mg, 27 mg, 54 mg</i> | Tier 2 | MO; QL (30 EA per 30 days) |
| <i>methylphenidate hcl er oral tablet extended release 24 hour 36 mg</i> | Tier 2 | MO; QL (60 EA per 30 days) |
| <i>methylphenidate hcl er oral tablet extended release 36 mg</i> | Tier 2 | MO; QL (60 EA per 30 days) |
| <i>methylphenidate hcl oral solution</i> | Tier 2 | MO |
| <i>methylphenidate hcl oral tablet</i> | Tier 2 | MO; QL (90 EA per 30 days) |
| <i>methylphenidate hcl oral tablet chewable</i> | Tier 2 | MO |
| <i>relexxii oral tablet extended release</i> | Tier 2 | MO; QL (30 EA per 30 days) |

Central Nervous System, Other

| | | |
|--|--------|-------------------------------|
| AUSTEDO ORAL TABLET | Tier 5 | PA; MO; NEDS |
| EVRYSDI ORAL SOLUTION RECONSTITUTED | Tier 5 | PA; MO; NEDS |
| EXSERVAN ORAL FILM | Tier 5 | MO; QL (2 EA per 1 day); NEDS |
| FIRDAPSE ORAL TABLET | Tier 5 | PA; MO; NEDS |
| HETLIOZ LQ ORAL SUSPENSION | Tier 5 | PA; MO; NEDS |
| HETLIOZ ORAL CAPSULE | Tier 5 | PA; MO; NEDS |
| INGREZZA ORAL CAPSULE | Tier 5 | PA; MO; NEDS |
| INGREZZA ORAL CAPSULE THERAPY PACK | Tier 5 | PA; MO; NEDS |
| NUEDEXTA ORAL CAPSULE | Tier 5 | PA; MO; NEDS |
| <i>riluzole oral tablet</i> | Tier 2 | MO |
| <i>tetrabenazine oral tablet</i> | Tier 5 | PA; MO; NEDS |

| Drug | Status | Requirements/Limits |
|---|---------------|---------------------------------------|
| TIGLUTIK ORAL SUSPENSION | Tier 5 | MO; QL (20 ML per 1 day); NEDS |
| Fibromyalgia Agents | | |
| <i>pregabalin oral capsule</i> | Tier 2 | PA NS; MO |
| <i>pregabalin oral solution</i> | Tier 2 | PA NS; MO |
| SAVELLA ORAL TABLET | Tier 3 | MO; QL (60 EA per 30 days) |
| SAVELLA TITRATION PACK ORAL | Tier 3 | MO |
| Multiple Sclerosis Agents | | |
| AUBAGIO ORAL TABLET | Tier 5 | PA; MO; NEDS |
| AVONEX PEN INTRAMUSCULAR AUTO-INJECTOR KIT | Tier 5 | MO; NEDS |
| AVONEX PREFILLED INTRAMUSCULAR PREFILLED SYRINGE KIT | Tier 5 | MO; NEDS |
| BETASERON SUBCUTANEOUS KIT | Tier 5 | MO; NEDS |
| <i>dalfampridine er oral tablet extended release 12 hour</i> | Tier 5 | PA; MO; NEDS |
| <i>dimethyl fumarate oral capsule delayed release</i> | Tier 5 | PA; MO; NEDS |
| <i>dimethyl fumarate starter pack oral</i> | Tier 5 | PA; MO; NEDS |
| GILENYA ORAL CAPSULE 0.5 MG | Tier 5 | PA; MO; NEDS |
| GLATIRAMER ACETATE SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | Tier 5 | MO; NEDS |
| <i>glatopa subcutaneous solution prefilled syringe 20 mg/ml</i> | Tier 5 | MO; NEDS |
| GLATOPA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 40 MG/ML | Tier 5 | MO; NEDS |
| KESIMPTA SUBCUTANEOUS SOLUTION AUTO-INJECTOR | Tier 5 | PA; MO; QL (1.6 ML per 30 days); NEDS |
| Dental And Oral Agents | | |
| Dental And Oral Agent | | |
| PREVIDENT 5000 PLUS DENTAL CREAM | Tier 3 | MO; NT |
| Dental And Oral Agents | | |
| <i>cevimeline hcl oral capsule</i> | Tier 2 | MO |
| <i>chlorhexidine gluconate mouth/throat solution</i> | Tier 1 | MO |
| <i>periogard mouth/throat solution</i> | Tier 1 | MO |
| <i>pilocarpine hcl oral tablet</i> | Tier 2 | MO |
| PREVIDENT 5000 BOOSTER PLUS DENTAL PASTE | Tier 3 | MO; NT |
| PREVIDENT DENTAL GEL | Tier 3 | MO; NT |
| <i>triamcinolone acetonide mouth/throat paste</i> | Tier 2 | MO |

| Drug | Status | Requirements/Limits |
|--|---------------|-----------------------------|
| Dermatological Agents | | |
| Dermatological Agents | | |
| ABREVA EXTERNAL CREAM | Tier 3 | MO; NT |
| <i>acitretin oral capsule</i> | Tier 2 | MO |
| <i>acyclovir external ointment</i> | Tier 2 | MO; QL (15 GM per 14 days) |
| <i>adapalene external gel 0.1 %</i> | Tier 2 | MO |
| <i>adapalene external solution</i> | Tier 5 | MO; NEDS |
| ALA-QUIN EXTERNAL CREAM | Tier 3 | MO; NT |
| <i>ammonium lactate external cream</i> | Tier 3 | MO |
| <i>ammonium lactate external lotion</i> | Tier 2 | MO |
| <i>azelaic acid external gel</i> | Tier 3 | MO |
| <i>calcipotriene external cream</i> | Tier 3 | MO; QL (120 GM per 30 days) |
| <i>calcipotriene external ointment</i> | Tier 4 | MO; QL (120 GM per 30 days) |
| <i>calcipotriene external solution</i> | Tier 4 | MO; QL (120 ML per 30 days) |
| <i>claravis oral capsule 10 mg, 20 mg, 40 mg</i> | Tier 2 | MO |
| <i>clobetasol prop emollient base external cream</i> | Tier 4 | MO; QL (60 GM per 30 days) |
| <i>clobetasol propionate e external cream</i> | Tier 4 | MO; QL (60 GM per 30 days) |
| <i>clobetasol propionate emulsion external foam</i> | Tier 4 | MO |
| <i>clobetasol propionate external foam</i> | Tier 4 | MO |
| <i>clobetasol propionate external lotion</i> | Tier 4 | MO |
| <i>clobetasol propionate external shampoo</i> | Tier 4 | MO |
| <i>clocortolone pivalate external cream</i> | Tier 2 | MO |
| CLODAN EXTERNAL SHAMPOO | Tier 4 | MO |
| <i>clotrimazole-betamethasone external cream</i> | Tier 2 | MO |
| <i>clotrimazole-betamethasone external lotion</i> | Tier 3 | MO |
| CONDYLOX EXTERNAL GEL | Tier 4 | MO |
| CORTANE-B EXTERNAL LOTION | Tier 3 | MO; NT |
| DERMAZENE EXTERNAL CREAM | Tier 3 | MO; NT |
| <i>diclofenac sodium external gel 1 %</i> | Tier 2 | MO; QL (960 GM per 30 days) |
| <i>diclofenac sodium external gel 3 %</i> | Tier 3 | MO; QL (200 GM per 30 days) |
| <i>doxepin hcl external cream</i> | Tier 2 | MO; QL (90 GM per 30 days) |
| <i>doxycycline oral capsule delayed release</i> | Tier 2 | ST; MO |
| DUOBRII EXTERNAL LOTION | Tier 5 | PA; MO; NEDS |
| <i>erythromycin external gel</i> | Tier 2 | MO |
| <i>erythromycin external solution</i> | Tier 2 | MO |
| <i>fluorouracil external cream 0.5 %</i> | Tier 5 | MO; NEDS |
| <i>fluorouracil external cream 5 %</i> | Tier 2 | MO |
| <i>fluorouracil external solution</i> | Tier 4 | MO |

| Drug | Status | Requirements/Limits |
|--|---------------|-----------------------------|
| <i>hydrocortisone (perianal) external cream</i> | Tier 2 | MO |
| <i>hydrocortisone ace-pramoxine external cream 2.5-1 %</i> | Tier 2 | MO; NT |
| <i>hydrocortisone-iodoquinol external cream 1-1 %</i> | Tier 2 | MO; NT |
| <i>hydrocort-pramoxine (perianal) external cream</i> | Tier 2 | MO; NT |
| <i>imiquimod external cream 5 %</i> | Tier 4 | MO |
| <i>iodoquinol-hc-aloe polysacch external gel</i> | Tier 2 | MO; NT |
| <i>iodoquinol-hydrocortisone-aloe external cream</i> | Tier 2 | MO; NT |
| <i>methoxsalen rapid oral capsule</i> | Tier 5 | MO; NEDS |
| <i>mupirocin calcium external cream</i> | Tier 2 | MO |
| OTEZLA ORAL TABLET | Tier 5 | PA; MO; NEDS |
| <i>pimecrolimus external cream</i> | Tier 3 | MO |
| <i>podofilox external solution</i> | Tier 2 | MO |
| PRAMOSONE EXTERNAL CREAM | Tier 3 | MO; NT |
| PRAMOSONE EXTERNAL OINTMENT | Tier 3 | MO; NT |
| <i>procto-med hc external cream</i> | Tier 2 | MO |
| <i>procto-pak external cream</i> | Tier 2 | MO |
| <i>proctosol hc external cream</i> | Tier 2 | MO |
| <i>proctozone-hc external cream</i> | Tier 2 | MO |
| REGRANEX EXTERNAL GEL | Tier 5 | MO; NEDS |
| SANTYL EXTERNAL OINTMENT | Tier 3 | MO; QL (100 GM per 30 days) |
| <i>selenium sulfide external lotion</i> | Tier 2 | MO |
| <i>sulfacetamide sodium (acne) external lotion</i> | Tier 2 | MO |
| <i>sulfacetamide sodium-sulfur external emulsion</i> | Tier 2 | MO |
| <i>tacrolimus external ointment</i> | Tier 3 | MO |
| <i>tazarotene external cream</i> | Tier 3 | MO |
| TAZORAC EXTERNAL CREAM 0.05 % | Tier 4 | MO |
| TAZORAC EXTERNAL GEL | Tier 4 | MO |
| TOVET EXTERNAL FOAM | Tier 4 | MO |
| <i>tretinoin external cream</i> | Tier 2 | MO |
| <i>tretinoin external gel</i> | Tier 2 | MO |
| VYTONE EXTERNAL CREAM | Tier 3 | MO; NT |
| Electrolytes/Minerals/Metals/Vitamins | | |
| Electrolyte/Mineral Replacement | | |
| <i>aminosyn ii intravenous solution 15 %</i> | Tier 6 | B/D; MO; HI |
| AMINOSYN-PF INTRAVENOUS SOLUTION 7 % | Tier 6 | B/D; MO; HI |
| CLINISOL SF INTRAVENOUS SOLUTION | Tier 6 | B/D; MO; HI |

| Drug | Status | Requirements/Limits |
|---|---------------|----------------------------|
| ISOLYTE-S PH 7.4 INTRAVENOUS SOLUTION | Tier 6 | MO; HI |
| <i>kcl in dextrose-nacl intravenous solution 10-5-0.45 meq/l-%-%, 20-5-0.2 meq/l-%-%, 20-5-0.45 meq/l-%-%, 20-5-0.9 meq/l-%-%, 30-5-0.45 meq/l-%-%, 40-5-0.45 meq/l-%-%, 40-5-0.9 meq/l-%-%</i> | Tier 6 | MO; HI |
| KCL-LACTATED RINGERS-D5W INTRAVENOUS SOLUTION | Tier 6 | MO; HI |
| <i>klor-con 10 oral tablet extended release</i> | Tier 2 | MO |
| <i>klor-con m10 oral tablet extended release</i> | Tier 2 | MO |
| <i>klor-con m15 oral tablet extended release</i> | Tier 2 | MO |
| <i>klor-con m20 oral tablet extended release</i> | Tier 2 | MO |
| <i>klor-con oral packet 20 meq</i> | Tier 2 | MO |
| <i>klor-con oral tablet extended release</i> | Tier 2 | MO |
| K-PHOS NO 2 ORAL TABLET | Tier 4 | MO |
| <i>magnesium sulfate injection solution 50 %, 50 % (10ml syringe)</i> | Tier 6 | MO; HI |
| ORACIT ORAL SOLUTION | Tier 4 | MO |
| PLASMA-LYTE 148 INTRAVENOUS SOLUTION | Tier 6 | MO; HI |
| PLASMA-LYTE A INTRAVENOUS SOLUTION | Tier 6 | MO; HI |
| PLENAMINE INTRAVENOUS SOLUTION | Tier 6 | B/D; MO; HI |
| <i>potassium chloride crys er oral tablet extended release</i> | Tier 2 | MO |
| <i>potassium chloride er oral capsule extended release</i> | Tier 2 | MO |
| <i>potassium chloride er oral tablet extended release</i> | Tier 2 | MO |
| <i>potassium chloride in dextrose intravenous solution 20-5 meq/l-%</i> | Tier 6 | MO; HI |
| <i>potassium chloride in nacl intravenous solution 20-0.45 meq/l-%, 20-0.9 meq/l-%, 40-0.9 meq/l-%</i> | Tier 6 | MO; HI |
| <i>potassium chloride intravenous solution 10 meq/100ml, 2 meq/ml, 2 meq/ml (20 ml), 20 meq/100ml, 40 meq/100ml</i> | Tier 6 | MO; HI |
| <i>potassium chloride oral packet</i> | Tier 2 | MO |
| <i>potassium chloride oral solution 20 meq/15ml (10%), 40 meq/15ml (20%)</i> | Tier 2 | MO |
| <i>potassium citrate er oral tablet extended release</i> | Tier 2 | MO |
| PREMASOL INTRAVENOUS SOLUTION 10 % | Tier 6 | B/D; MO; HI |

| Drug | Status | Requirements/Limits |
|---|---------------|----------------------------|
| PROSOL INTRAVENOUS SOLUTION | Tier 6 | B/D; MO; HI |
| <i>sodium chloride intravenous solution 0.45 %, 0.9 %, 3 %, 5 %</i> | Tier 6 | MO; HI |
| <i>sodium chloride irrigation solution 0.9 %</i> | Tier 2 | MO |
| <i>sodium fluoride oral tablet 2.2 (1 f) mg</i> | Tier 1 | MO |
| SUPREP BOWEL PREP KIT ORAL SOLUTION | Tier 4 | MO |
| TRAVASOL INTRAVENOUS SOLUTION | Tier 6 | B/D; MO; HI |
| TROPHAMINE INTRAVENOUS SOLUTION 10 % | Tier 6 | B/D; MO; HI |
| Electrolyte/Mineral/Metal Modifiers | | |
| CARBAGLU ORAL TABLET | Tier 5 | PA; MO; NEDS |
| <i>clovique oral capsule</i> | Tier 5 | MO; NEDS |
| <i>deferasirox oral tablet soluble</i> | Tier 5 | MO; NEDS |
| <i>deferiprone oral tablet</i> | Tier 5 | PA; MO; NEDS |
| DOJOLVI ORAL LIQUID | Tier 5 | PA; MO; NEDS |
| FERRIPROX ORAL TABLET 1000 MG | Tier 5 | PA; MO; NEDS |
| JYNARQUE ORAL TABLET | Tier 5 | PA; MO; NEDS |
| JYNARQUE ORAL TABLET THERAPY PACK | Tier 5 | PA; MO; NEDS |
| <i>penicillamine oral tablet</i> | Tier 5 | MO; NEDS |
| <i>sodium polystyrene sulfonate oral powder</i> | Tier 2 | MO |
| TOLVAPTAN ORAL TABLET 15 MG | Tier 5 | PA; MO; NEDS |
| <i>tolvaptan oral tablet 30 mg</i> | Tier 5 | PA; MO; NEDS |
| TRIENTINE HCL ORAL CAPSULE | Tier 5 | MO; NEDS |
| VELTASSA ORAL PACKET | Tier 5 | MO; NEDS |
| Electrolytes/Minerals/Metals/Vitamins | | |
| CLINIMIX E/DEXTROSE (2.75/5) INTRAVENOUS SOLUTION | Tier 6 | B/D; MO; HI |
| CLINIMIX E/DEXTROSE (4.25/10) INTRAVENOUS SOLUTION | Tier 6 | B/D; MO; HI |
| CLINIMIX E/DEXTROSE (4.25/5) INTRAVENOUS SOLUTION | Tier 6 | B/D; MO; HI |
| CLINIMIX E/DEXTROSE (5/15) INTRAVENOUS SOLUTION | Tier 6 | B/D; MO; HI |
| CLINIMIX E/DEXTROSE (5/20) INTRAVENOUS SOLUTION | Tier 6 | B/D; MO; HI |
| CLINIMIX/DEXTROSE (4.25/10) INTRAVENOUS SOLUTION | Tier 6 | B/D; MO; HI |
| CLINIMIX/DEXTROSE (4.25/5) INTRAVENOUS SOLUTION | Tier 6 | B/D; MO; HI |

| Drug | Status | Requirements/Limits |
|---|---------------|----------------------------|
| CLINIMIX/DEXTROSE (5/15) INTRAVENOUS SOLUTION | Tier 6 | B/D; MO; HI |
| CLINIMIX/DEXTROSE (5/20) INTRAVENOUS SOLUTION | Tier 6 | B/D; MO; HI |
| <i>dextrose intravenous solution 10 %, 5 %</i> | Tier 6 | MO; HI |
| DEXTROSE-NACL INTRAVENOUS SOLUTION 10-0.2 % | Tier 6 | MO; HI |
| <i>dextrose-nacl intravenous solution 10-0.45 %, 2.5-0.45 %, 5-0.2 %, 5-0.45 %, 5-0.9 %</i> | Tier 6 | MO; HI |
| <i>intralipid intravenous emulsion 20 %</i> | Tier 6 | B/D; MO; HI |
| INTRALIPID INTRAVENOUS EMULSION 30 % | Tier 6 | B/D; MO; HI |
| ISOLYTE-P IN D5W INTRAVENOUS SOLUTION | Tier 6 | MO; HI |
| NUTRILIPID INTRAVENOUS EMULSION | Tier 6 | B/D; MO; HI |
| PROCALAMINE INTRAVENOUS SOLUTION | Tier 6 | B/D; MO; HI |
| TPN ELECTROLYTES INTRAVENOUS CONCENTRATE | Tier 6 | MO; HI |
| Vitamins | | |
| <i>doxercalciferol oral capsule</i> | Tier 3 | MO |
| PNV-DHA ORAL CAPSULE | Tier 4 | MO |
| <i>prenatal oral tablet 27-1 mg</i> | Tier 2 | MO |
| PRENATAL PLUS IRON ORAL TABLET | Tier 4 | MO |
| <i>vp-pnv-dha oral capsule</i> | Tier 2 | MO |
| Gastrointestinal Agents | | |
| Antispasmodics, Gastrointestinal | | |
| <i>dicyclomine hcl oral capsule</i> | Tier 1 | MO |
| <i>dicyclomine hcl oral solution</i> | Tier 2 | MO |
| <i>dicyclomine hcl oral tablet</i> | Tier 2 | MO |
| <i>glycopyrrolate oral tablet 1 mg, 2 mg</i> | Tier 2 | MO |
| <i>methscopolamine bromide oral tablet</i> | Tier 4 | MO |
| Gastrointestinal Agents, Other | | |
| <i>diphenoxylate-atropine oral liquid</i> | Tier 2 | MO |
| <i>diphenoxylate-atropine oral tablet 2.5-0.025 mg</i> | Tier 2 | MO |
| GATTEX SUBCUTANEOUS KIT | Tier 5 | PA; MO; NEDS |
| <i>loperamide hcl oral capsule</i> | Tier 2 | MO |
| <i>metoclopramide hcl injection solution</i> | Tier 2 | MO |
| <i>metoclopramide hcl oral solution 5 mg/5ml</i> | Tier 2 | MO |
| <i>metoclopramide hcl oral tablet</i> | Tier 1 | MO |

| Drug | Status | Requirements/Limits |
|---------------------------------------|---------------|--------------------------------------|
| MOTOFEN ORAL TABLET | Tier 4 | MO |
| MOVANTIK ORAL TABLET | Tier 3 | PA; MO |
| OCALIVA ORAL TABLET | Tier 5 | PA; MO; QL (30 EA per 30 days); NEDS |
| OSMOPREP ORAL TABLET | Tier 4 | MO |
| RELISTOR ORAL TABLET | Tier 5 | PA; MO; NEDS |
| RELISTOR SUBCUTANEOUS SOLUTION | Tier 5 | PA; MO; NEDS |
| <i>ursodiol oral capsule 300 mg</i> | Tier 2 | MO |
| <i>ursodiol oral tablet</i> | Tier 4 | MO |
| XERMELO ORAL TABLET | Tier 5 | PA; MO; QL (90 EA per 30 days); NEDS |

Histamine2 (H2) Receptor Antagonists

| | | |
|---|--------|----|
| <i>cimetidine hcl oral solution 300 mg/5ml</i> | Tier 2 | MO |
| <i>cimetidine oral tablet</i> | Tier 2 | MO |
| <i>famotidine oral suspension reconstituted</i> | Tier 2 | MO |
| <i>famotidine oral tablet 20 mg, 40 mg</i> | Tier 2 | MO |

Irritable Bowel Syndrome Agents

| | | |
|----------------------------------|--------|-----------------------------------|
| <i>alosetron hcl oral tablet</i> | Tier 5 | PA; MO; QL (2 EA per 1 day); NEDS |
| LINZESS ORAL CAPSULE | Tier 3 | MO |
| <i>lubiprostone oral capsule</i> | Tier 3 | MO |

Laxatives

| | | |
|---|--------|----|
| <i>constulose oral solution</i> | Tier 2 | MO |
| <i>enulose oral solution</i> | Tier 2 | MO |
| <i>gavilyte-c oral solution reconstituted</i> | Tier 2 | MO |
| <i>gavilyte-g oral solution reconstituted</i> | Tier 2 | MO |
| <i>gavilyte-n with flavor pack oral solution reconstituted</i> | Tier 2 | MO |
| <i>generlac oral solution</i> | Tier 2 | MO |
| <i>lactulose oral solution 10 gm/15ml</i> | Tier 2 | MO |
| <i>peg 3350-kcl-na bicarb-nacl oral solution reconstituted</i> | Tier 2 | MO |
| <i>peg-3350/electrolytes oral solution reconstituted</i> | Tier 2 | MO |
| <i>peg-3350/electrolytes/ascorbat oral solution reconstituted</i> | Tier 2 | MO |
| <i>peg-kcl-nacl-nasulf-na asc-c oral solution reconstituted</i> | Tier 2 | MO |
| <i>trilyte oral solution reconstituted</i> | Tier 2 | MO |

| Drug | Status | Requirements/Limits |
|--|---------------|--------------------------------|
| Protectants | | |
| <i>misoprostol oral tablet</i> | Tier 2 | MO |
| <i>sucralfate oral suspension</i> | Tier 2 | MO |
| <i>sucralfate oral tablet</i> | Tier 2 | MO |
| Proton Pump Inhibitors | | |
| DEXILANT ORAL CAPSULE DELAYED RELEASE | Tier 3 | MO |
| <i>esomeprazole magnesium oral capsule delayed release</i> | Tier 3 | MO |
| <i>lansoprazole oral capsule delayed release</i> | Tier 3 | MO |
| <i>omeprazole oral capsule delayed release 10 mg</i> | Tier 2 | MO; QL (1 EA per 1 day) |
| <i>omeprazole oral capsule delayed release 20 mg, 40 mg</i> | Tier 2 | MO; QL (2 EA per 1 day) |
| <i>pantoprazole sodium oral tablet delayed release</i> | Tier 2 | MO; QL (2 EA per 1 day) |
| PREVACID 24HR ORAL CAPSULE DELAYED RELEASE | Tier 3 | MO; NT; QL (60 EA per 30 days) |
| Genetic Or Enzyme Disorder: Replacement, Modifiers, Treatment | | |
| Genetic Or Enzyme Disorder: Replacement, Modifiers, Treatment | | |
| ARALAST NP INTRAVENOUS SOLUTION RECONSTITUTED 1000 MG | Tier 6 | MO; HI |
| CERDELGA ORAL CAPSULE | Tier 5 | PA; MO; NEDS |
| CREON ORAL CAPSULE DELAYED RELEASE PARTICLES | Tier 3 | MO |
| CYSTADANE ORAL POWDER | Tier 5 | MO; NEDS |
| CYSTAGON ORAL CAPSULE | Tier 4 | MO |
| ENDARI ORAL PACKET | Tier 5 | PA; MO; NEDS |
| GALAFOLD ORAL CAPSULE | Tier 5 | PA; MO; NEDS |
| GLASSIA INTRAVENOUS SOLUTION | Tier 6 | MO; HI |
| <i>miglustat oral capsule</i> | Tier 5 | PA; MO; NEDS |
| <i>nitisinone oral capsule</i> | Tier 5 | PA; MO; NEDS |
| ORFADIN ORAL CAPSULE 20 MG | Tier 5 | PA; MO; NEDS |
| ORFADIN ORAL SUSPENSION | Tier 5 | PA; MO; NEDS |
| PROLASTIN-C INTRAVENOUS SOLUTION RECONSTITUTED | Tier 6 | MO; HI |
| RAVICTI ORAL LIQUID | Tier 5 | MO; NEDS |
| RUZURGI ORAL TABLET | Tier 5 | PA; MO; NEDS |
| <i>sapropterin dihydrochloride oral packet 100 mg</i> | Tier 2 | PA; MO |
| <i>sapropterin dihydrochloride oral packet 500 mg</i> | Tier 5 | PA; MO; NEDS |

| Drug | Status | Requirements/Limits |
|--|---------------|--------------------------------|
| SODIUM PHENYLBUTYRATE ORAL TABLET | Tier 5 | MO; NEDS |
| TEGSEDI SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | Tier 5 | PA; MO; NEDS |
| ZEMAIRA INTRAVENOUS SOLUTION RECONSTITUTED | Tier 6 | MO; HI |
| ZENPEP ORAL CAPSULE DELAYED RELEASE PARTICLES 10000-32000 UNIT, 15000-47000 UNIT, 20000-63000 UNIT, 25000-79000 UNIT, 3000-10000 UNIT, 40000-126000 UNIT, 5000-24000 UNIT | Tier 4 | MO |
| Genitourinary Agents | | |
| Antispasmodics, Urinary | | |
| <i>darifenacin hydrobromide er oral tablet extended release 24 hour</i> | Tier 2 | MO |
| <i>flavoxate hcl oral tablet</i> | Tier 2 | MO |
| MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HOUR | Tier 4 | MO |
| <i>oxybutynin chloride er oral tablet extended release 24 hour</i> | Tier 2 | MO |
| <i>oxybutynin chloride oral syrup</i> | Tier 1 | MO |
| <i>oxybutynin chloride oral tablet</i> | Tier 1 | MO |
| <i>solifenacin succinate oral tablet</i> | Tier 2 | MO |
| <i>tolterodine tartrate er oral capsule extended release 24 hour</i> | Tier 2 | MO |
| <i>tolterodine tartrate oral tablet</i> | Tier 2 | MO |
| <i>trospium chloride er oral capsule extended release 24 hour</i> | Tier 2 | MO |
| <i>trospium chloride oral tablet</i> | Tier 2 | MO |
| Benign Prostatic Hypertrophy Agents | | |
| <i>alfuzosin hcl er oral tablet extended release 24 hour</i> | Tier 2 | MO; QL (1 EA per 1 day) |
| CARDURA XL ORAL TABLET EXTENDED RELEASE 24 HOUR | Tier 4 | MO |
| <i>doxazosin mesylate oral tablet</i> | Tier 2 | MO |
| <i>dutasteride oral capsule</i> | Tier 2 | MO |
| <i>dutasteride-tamsulosin hcl oral capsule</i> | Tier 2 | MO |
| <i>finasteride oral tablet 5 mg</i> | Tier 2 | MO; QL (1 EA per 1 day) |
| <i>silodosin oral capsule</i> | Tier 2 | MO |
| <i>tadalafil oral tablet 2.5 mg, 5 mg</i> | Tier 2 | PA; MO; QL (30 EA per 30 days) |
| <i>tamsulosin hcl oral capsule</i> | Tier 2 | MO |

| Drug | Status | Requirements/Limits |
|---|---------------|-----------------------------|
| <i>terazosin hcl oral capsule</i> | Tier 1 | MO |
| Genitourinary Agents, Other | | |
| <i>bethanechol chloride oral tablet</i> | Tier 2 | MO |
| ELMIRON ORAL CAPSULE | Tier 4 | MO |
| Phosphate Binders | | |
| AURYXIA ORAL TABLET | Tier 5 | PA; MO; NEDS |
| <i>calcium acetate (phos binder) oral capsule</i> | Tier 2 | MO |
| <i>calcium acetate (phos binder) oral tablet</i> | Tier 2 | MO |
| <i>calcium acetate oral tablet 667 mg</i> | Tier 2 | MO |
| <i>sevelamer carbonate oral packet</i> | Tier 5 | MO; NEDS |
| <i>sevelamer carbonate oral tablet</i> | Tier 2 | MO |
| <i>sevelamer hcl oral tablet</i> | Tier 2 | MO |
| Hormonal Agents, Stimulant/Replacement/Modifying (Adrenal) | | |
| Hormonal Agents, Stimulant/Replacement/Modifying (Adrenal) | | |
| ACTHAR INJECTION GEL | Tier 5 | PA; MO; NEDS |
| <i>ala-cort external cream</i> | Tier 2 | MO; QL (240 GM per 30 days) |
| <i>alclometasone dipropionate external cream</i> | Tier 2 | MO; QL (240 GM per 30 days) |
| <i>alclometasone dipropionate external ointment</i> | Tier 2 | MO; QL (240 GM per 30 days) |
| <i>amcinonide external cream</i> | Tier 2 | MO |
| <i>amcinonide external lotion</i> | Tier 2 | MO; QL (180 ML per 30 days) |
| AMCINONIDE EXTERNAL OINTMENT | Tier 4 | MO |
| BESER EXTERNAL LOTION | Tier 4 | MO; QL (240 ML per 30 days) |
| <i>betamethasone dipropionate aug external cream</i> | Tier 2 | MO; QL (150 GM per 30 days) |
| <i>betamethasone dipropionate aug external gel</i> | Tier 4 | MO; QL (150 GM per 30 days) |
| <i>betamethasone dipropionate aug external lotion</i> | Tier 4 | MO; QL (180 ML per 30 days) |
| <i>betamethasone dipropionate aug external ointment</i> | Tier 2 | MO; QL (150 GM per 30 days) |
| <i>betamethasone dipropionate external cream</i> | Tier 2 | MO; QL (150 GM per 30 days) |
| <i>betamethasone dipropionate external lotion</i> | Tier 4 | MO; QL (150 ML per 30 days) |
| <i>betamethasone dipropionate external ointment</i> | Tier 4 | MO; QL (150 GM per 30 days) |
| <i>betamethasone valerate external cream</i> | Tier 2 | MO; QL (150 GM per 30 days) |
| <i>betamethasone valerate external lotion</i> | Tier 2 | MO; QL (180 ML per 30 days) |
| <i>betamethasone valerate external ointment</i> | Tier 2 | MO; QL (150 GM per 30 days) |
| CAPEX EXTERNAL SHAMPOO | Tier 4 | MO |

| Drug | Status | Requirements/Limits |
|--|---------------|-----------------------------|
| <i>clobetasol propionate external cream</i> | Tier 2 | MO; QL (60 GM per 30 days) |
| <i>clobetasol propionate external gel</i> | Tier 3 | MO; QL (60 GM per 30 days) |
| <i>clobetasol propionate external ointment</i> | Tier 2 | MO; QL (60 GM per 30 days) |
| <i>clobetasol propionate external solution</i> | Tier 3 | MO; QL (59 ML per 30 days) |
| <i>desonide external cream</i> | Tier 4 | MO; QL (240 GM per 30 days) |
| <i>desonide external lotion</i> | Tier 4 | MO; QL (240 ML per 30 days) |
| <i>desonide external ointment</i> | Tier 4 | MO; QL (240 GM per 30 days) |
| <i>desoximetasone external cream</i> | Tier 4 | MO; QL (180 GM per 30 days) |
| <i>desoximetasone external gel</i> | Tier 4 | MO; QL (180 GM per 30 days) |
| <i>desoximetasone external ointment</i> | Tier 4 | MO; QL (180 GM per 30 days) |
| DEXAMETHASONE INTENSOL ORAL CONCENTRATE | Tier 4 | MO |
| <i>dexamethasone oral elixir</i> | Tier 2 | MO |
| <i>dexamethasone oral solution</i> | Tier 2 | MO |
| <i>dexamethasone oral tablet</i> | Tier 1 | MO |
| <i>dexamethasone oral tablet therapy pack</i> | Tier 2 | MO |
| <i>dexamethasone sodium phosphate injection solution 120 mg/30ml</i> | Tier 2 | MO |
| <i>diflorasone diacetate external cream</i> | Tier 4 | MO; QL (180 GM per 30 days) |
| <i>diflurasone diacetate external ointment</i> | Tier 4 | MO; QL (180 GM per 30 days) |
| EMFLAZA ORAL SUSPENSION | Tier 5 | PA; MO; NEDS |
| EMFLAZA ORAL TABLET | Tier 5 | PA; MO; NEDS |
| <i>fludrocortisone acetate oral tablet</i> | Tier 2 | MO |
| <i>fluocinolone acetonide body external oil</i> | Tier 3 | MO |
| <i>fluocinolone acetonide external cream</i> | Tier 4 | MO; QL (240 GM per 30 days) |
| <i>fluocinolone acetonide external ointment</i> | Tier 4 | MO; QL (240 GM per 30 days) |
| <i>fluocinolone acetonide external solution</i> | Tier 4 | MO; QL (90 ML per 30 days) |
| <i>fluocinolone acetonide scalp external oil</i> | Tier 3 | MO |
| <i>fluocinonide emulsified base external cream</i> | Tier 4 | MO; QL (120 GM per 30 days) |
| <i>fluocinonide external cream 0.05 %</i> | Tier 2 | MO; QL (60 GM per 30 days) |
| <i>fluocinonide external gel</i> | Tier 4 | MO; QL (60 GM per 30 days) |
| <i>fluocinonide external ointment</i> | Tier 4 | MO; QL (60 GM per 30 days) |
| <i>fluocinonide external solution</i> | Tier 4 | MO; QL (60 ML per 30 days) |
| <i>fluticasone propionate external cream</i> | Tier 2 | MO; QL (150 GM per 30 days) |
| <i>fluticasone propionate external lotion</i> | Tier 4 | MO; QL (240 ML per 30 days) |
| <i>fluticasone propionate external ointment</i> | Tier 2 | MO; QL (150 GM per 30 days) |
| <i>halcinonide external cream</i> | Tier 3 | MO |
| <i>halobetasol propionate external cream</i> | Tier 4 | MO; QL (150 GM per 30 days) |
| <i>halobetasol propionate external ointment</i> | Tier 4 | MO; QL (150 GM per 30 days) |

| Drug | Status | Requirements/Limits |
|---|---------------|-----------------------------|
| HALOG EXTERNAL OINTMENT | Tier 4 | MO |
| <i>hydrocortisone butyrate external cream</i> | Tier 4 | MO; QL (180 GM per 30 days) |
| <i>hydrocortisone butyrate external ointment</i> | Tier 4 | MO; QL (180 GM per 30 days) |
| <i>hydrocortisone external cream 1 %, 2.5 %</i> | Tier 2 | MO; QL (240 GM per 30 days) |
| <i>hydrocortisone external lotion 2.5 %</i> | Tier 2 | MO; QL (240 ML per 30 days) |
| <i>hydrocortisone external ointment 1 %, 2.5 %</i> | Tier 2 | MO; QL (240 GM per 30 days) |
| <i>hydrocortisone valerate external cream</i> | Tier 4 | MO; QL (180 GM per 30 days) |
| <i>hydrocortisone valerate external ointment</i> | Tier 4 | MO; QL (180 GM per 30 days) |
| MEDROL ORAL TABLET 2 MG | Tier 4 | MO |
| <i>methylprednisolone oral tablet</i> | Tier 2 | MO |
| <i>methylprednisolone oral tablet therapy pack</i> | Tier 2 | MO |
| <i>methylprednisolone sodium succ injection solution reconstituted 1000 mg, 125 mg, 40 mg, 500 mg</i> | Tier 2 | MO |
| <i>mometasone furoate external cream</i> | Tier 2 | MO; QL (150 GM per 30 days) |
| <i>mometasone furoate external ointment</i> | Tier 2 | MO; QL (150 GM per 30 days) |
| <i>mometasone furoate external solution</i> | Tier 2 | MO |
| <i>prednicarbate external cream</i> | Tier 4 | MO; QL (180 GM per 30 days) |
| <i>prednicarbate external ointment</i> | Tier 2 | MO; QL (180 GM per 30 days) |
| <i>prednisolone oral solution</i> | Tier 1 | MO |
| <i>prednisolone sodium phosphate oral solution 25 mg/5ml, 6.7 (5 base) mg/5ml</i> | Tier 2 | MO |
| <i>prednisolone sodium phosphate oral tablet dispersible</i> | Tier 2 | MO |
| PREDNISONE INTENSOL ORAL CONCENTRATE | Tier 4 | MO |
| <i>prednisone oral solution</i> | Tier 2 | MO |
| <i>prednisone oral tablet</i> | Tier 1 | MO |
| <i>prednisone oral tablet therapy pack</i> | Tier 2 | MO |
| <i>taperdex 7-day oral tablet therapy pack 1.5 mg (27)</i> | Tier 2 | MO |
| TEXACORT EXTERNAL SOLUTION | Tier 4 | MO |
| <i>triamcinolone acetonide external aerosol solution</i> | Tier 4 | MO |
| <i>triamcinolone acetonide external cream 0.025 %, 0.1 %</i> | Tier 1 | MO; QL (160 GM per 30 days) |
| <i>triamcinolone acetonide external cream 0.5 %</i> | Tier 1 | MO; QL (150 GM per 30 days) |
| <i>triamcinolone acetonide external lotion</i> | Tier 2 | MO; QL (180 ML per 30 days) |
| <i>triamcinolone acetonide external ointment 0.025 %, 0.1 %</i> | Tier 1 | MO; QL (160 GM per 30 days) |
| <i>triamcinolone acetonide external ointment 0.5 %</i> | Tier 1 | MO; QL (150 GM per 30 days) |

| Drug | Status | Requirements/Limits |
|--|---------------|--------------------------------------|
| <i>triderm external cream 0.1 %</i> | Tier 1 | MO; QL (160 GM per 30 days) |
| <i>triderm external cream 0.5 %</i> | Tier 1 | MO; QL (150 GM per 30 days) |
| Hormonal Agents, Stimulant/Replacement/Modifying (Pituitary) | | |
| Hormonal Agents, Stimulant/Replacement/Modifying (Pituitary) | | |
| <i>desmopressin ace spray refrig nasal solution</i> | Tier 2 | MO |
| <i>desmopressin acetate injection solution</i> | Tier 2 | MO |
| <i>desmopressin acetate oral tablet</i> | Tier 2 | MO |
| <i>desmopressin acetate spray nasal solution</i> | Tier 2 | MO |
| GENOTROPIN MINIQUICK SUBCUTANEOUS SOLUTION RECONSTITUTED 0.2 MG | Tier 4 | PA; MO |
| GENOTROPIN MINIQUICK SUBCUTANEOUS SOLUTION RECONSTITUTED 0.4 MG, 0.6 MG, 0.8 MG, 1 MG, 1.2 MG, 1.4 MG, 1.6 MG, 1.8 MG, 2 MG | Tier 5 | PA; MO; NEDS |
| GENOTROPIN SUBCUTANEOUS SOLUTION RECONSTITUTED 12 MG | Tier 5 | PA; MO; NEDS |
| GENOTROPIN SUBCUTANEOUS SOLUTION RECONSTITUTED 5 MG | Tier 4 | PA; MO |
| INCRELEX SUBCUTANEOUS SOLUTION | Tier 5 | PA; MO; NEDS |
| STIMATE NASAL SOLUTION | Tier 5 | MO; NEDS |
| VYNDAMAX ORAL CAPSULE | Tier 5 | PA; MO; QL (1 EA per 1 day); NEDS |
| VYNDAQEL ORAL CAPSULE | Tier 5 | PA; MO; QL (4 EA per 1 day); NEDS |
| ZORBTIVE SUBCUTANEOUS SOLUTION RECONSTITUTED | Tier 5 | PA; MO; NEDS |
| Hormonal Agents, Stimulant/Replacement/Modifying (Prostaglandins) | | |
| Hormonal Agents, Stimulant/Replacement/Modifying (Prostaglandins) | | |
| KORLYM ORAL TABLET | Tier 5 | PA; MO; NEDS |

| Drug | Status | Requirements/Limits |
|---|---------------|----------------------------|
| Hormonal Agents, Stimulant/Replacement/Modifying (Sex Hormones/Modifiers) | | |
| Anabolic Steroids | | |
| <i>oxandrolone oral tablet</i> | Tier 2 | PA; MO |
| Androgens | | |
| ANDRODERM TRANSDERMAL PATCH 24 HOUR | Tier 4 | PA; MO |
| <i>danazol oral capsule</i> | Tier 2 | MO |
| <i>testosterone cypionate intramuscular solution 100 mg/ml, 200 mg/ml, 200 mg/ml (1 ml)</i> | Tier 2 | MO |
| <i>testosterone enanthate intramuscular solution</i> | Tier 2 | MO |
| <i>testosterone transdermal gel 10 mg/act (2%), 50 mg/5gm (1%)</i> | Tier 2 | PA; MO |
| Estrogens | | |
| ALORA TRANSDERMAL PATCH TWICE WEEKLY | Tier 4 | MO; QL (8 EA per 28 days) |
| <i>altavera oral tablet</i> | Tier 2 | MO |
| <i>amabelz oral tablet</i> | Tier 2 | MO |
| <i>amethia oral tablet</i> | Tier 2 | MO |
| <i>amethyst oral tablet</i> | Tier 2 | MO |
| ANGELIQ ORAL TABLET 0.5-1 MG | Tier 4 | MO |
| <i>apri oral tablet</i> | Tier 2 | MO |
| <i>aranelle oral tablet</i> | Tier 2 | MO |
| <i>aviane oral tablet</i> | Tier 2 | MO |
| <i>balziva oral tablet</i> | Tier 2 | MO |
| <i>briellyn oral tablet</i> | Tier 2 | MO |
| CLIMARA PRO TRANSDERMAL PATCH WEEKLY | Tier 4 | MO |
| COMBIPATCH TRANSDERMAL PATCH TWICE WEEKLY | Tier 4 | MO |
| <i>cryselle-28 oral tablet</i> | Tier 2 | MO |
| <i>cyclafem 1/35 oral tablet</i> | Tier 2 | MO |
| <i>cyclafem 7/7/7 oral tablet</i> | Tier 2 | MO |
| <i>cyred eq oral tablet</i> | Tier 2 | MO |
| <i>desogestrel-ethinyl estradiol oral tablet 0.15-30 mg-mcg</i> | Tier 2 | MO |
| <i>dolishale oral tablet</i> | Tier 2 | MO |
| <i>dotti transdermal patch twice weekly</i> | Tier 2 | MO; QL (8 EA per 28 days) |

| Drug | Status | Requirements/Limits |
|--|---------------|----------------------------|
| <i>drospirenone-ethinyl estradiol oral tablet 3-0.03 mg</i> | Tier 2 | MO |
| <i>eluryng vaginal ring</i> | Tier 2 | MO |
| <i>emoquette oral tablet</i> | Tier 2 | MO |
| <i>enpresse-28 oral tablet</i> | Tier 2 | MO |
| <i>enskyce oral tablet 0.15-30 mg-mcg</i> | Tier 2 | MO |
| <i>estarrylla oral tablet</i> | Tier 2 | MO |
| <i>estradiol oral tablet</i> | Tier 1 | MO |
| <i>estradiol transdermal patch twice weekly</i> | Tier 2 | MO; QL (8 EA per 28 days) |
| <i>estradiol transdermal patch weekly</i> | Tier 2 | MO |
| <i>estradiol vaginal tablet</i> | Tier 2 | MO |
| <i>estradiol-norethindrone acet oral tablet</i> | Tier 2 | MO |
| ESTRING VAGINAL RING | Tier 4 | MO |
| <i>etonogestrel-ethinyl estradiol vaginal ring</i> | Tier 2 | MO |
| FEMRING VAGINAL RING | Tier 4 | MO |
| <i>fyavolv oral tablet</i> | Tier 2 | MO |
| <i>hailey 24 fe oral tablet</i> | Tier 2 | MO |
| <i>iclevia oral tablet</i> | Tier 2 | MO |
| <i>introvale oral tablet</i> | Tier 2 | MO |
| <i>jinteli oral tablet</i> | Tier 2 | MO |
| <i>junel 1.5/30 oral tablet</i> | Tier 2 | MO |
| <i>junel 1/20 oral tablet</i> | Tier 2 | MO |
| <i>junel fe 1.5/30 oral tablet</i> | Tier 2 | MO |
| <i>junel fe 1/20 oral tablet</i> | Tier 2 | MO |
| <i>junel fe 24 oral tablet</i> | Tier 2 | MO |
| <i>kariva oral tablet</i> | Tier 2 | MO |
| <i>kelnor 1/35 oral tablet</i> | Tier 2 | MO |
| <i>kelnor 1/50 oral tablet</i> | Tier 2 | MO |
| <i>kurvelo oral tablet</i> | Tier 2 | MO |
| <i>leena oral tablet</i> | Tier 2 | MO |
| <i>lessina oral tablet</i> | Tier 2 | MO |
| <i>levonorgest-eth estrad 91-day oral tablet 0.15-0.03 &0.01 mg</i> | Tier 2 | MO |
| <i>levonorgestrel-ethinyl estrad oral tablet 0.15-30 mg-mcg, 90-20 mcg</i> | Tier 2 | MO |
| <i>levora 0.15/30 (28) oral tablet</i> | Tier 2 | MO |
| <i>low-ogestrel oral tablet</i> | Tier 2 | MO |
| <i>lutera oral tablet</i> | Tier 2 | MO |
| <i>lyllana transdermal patch twice weekly</i> | Tier 2 | MO; QL (8 EA per 28 days) |

| Drug | Status | Requirements/Limits |
|---|---------------|----------------------------|
| MENEST ORAL TABLET 0.3 MG, 0.625 MG, 1.25 MG | Tier 4 | MO |
| MENOSTAR TRANSDERMAL PATCH WEEKLY | Tier 4 | MO |
| <i>microgestin 1.5/30 oral tablet</i> | Tier 2 | MO |
| <i>microgestin 1/20 oral tablet</i> | Tier 2 | MO |
| <i>microgestin fe 1.5/30 oral tablet</i> | Tier 2 | MO |
| <i>microgestin fe 1/20 oral tablet</i> | Tier 2 | MO |
| <i>mili oral tablet</i> | Tier 2 | MO |
| <i>mimvey oral tablet</i> | Tier 2 | MO |
| <i>necon 0.5/35 (28) oral tablet</i> | Tier 2 | MO |
| <i>necon 1/35 (28) oral tablet</i> | Tier 2 | MO |
| <i>norethin ace-eth estrad-fe oral tablet 1-20 mg-mcg</i> | Tier 2 | MO |
| <i>norethindrone-eth estradiol oral tablet</i> | Tier 2 | MO |
| <i>norgestim-eth estrad triphasic oral tablet 0.18/0.215/0.25 mg-25 mcg</i> | Tier 2 | MO |
| <i>nortrel 0.5/35 (28) oral tablet</i> | Tier 2 | MO |
| <i>nortrel 1/35 (21) oral tablet</i> | Tier 2 | MO |
| <i>nortrel 1/35 (28) oral tablet</i> | Tier 2 | MO |
| <i>nortrel 7/7/7 oral tablet</i> | Tier 2 | MO |
| <i>nylia 7/7/7 oral tablet</i> | Tier 2 | MO |
| <i>nymyo oral tablet</i> | Tier 2 | MO |
| <i>ocella oral tablet</i> | Tier 2 | MO |
| <i>orsythia oral tablet</i> | Tier 2 | MO |
| <i>portia-28 oral tablet</i> | Tier 2 | MO |
| <i>prefest oral tablet</i> | Tier 2 | MO |
| PREMARIN ORAL TABLET | Tier 4 | MO |
| PREMARIN VAGINAL CREAM | Tier 3 | MO |
| PREMPHASE ORAL TABLET | Tier 4 | MO |
| PREMPRO ORAL TABLET | Tier 4 | MO |
| <i>previfem oral tablet</i> | Tier 2 | MO |
| <i>reclipsen oral tablet</i> | Tier 2 | MO |
| <i>sprintec 28 oral tablet</i> | Tier 2 | MO |
| <i>sronyx oral tablet</i> | Tier 2 | MO |
| <i>syeda oral tablet</i> | Tier 2 | MO |
| <i>tarina 24 fe oral tablet</i> | Tier 2 | MO |
| <i>tilia fe oral tablet</i> | Tier 2 | MO |
| <i>tri-estarrylla oral tablet</i> | Tier 2 | MO |

| Drug | Status | Requirements/Limits |
|---------------------------------------|---------------|----------------------------|
| <i>tri-legest fe oral tablet</i> | Tier 2 | MO |
| <i>tri-mili oral tablet</i> | Tier 2 | MO |
| <i>trinessa (28) oral tablet</i> | Tier 2 | MO |
| <i>tri-nymyo oral tablet</i> | Tier 2 | MO |
| <i>tri-previfem oral tablet</i> | Tier 2 | MO |
| <i>tri-sprintec oral tablet</i> | Tier 2 | MO |
| <i>trivora (28) oral tablet</i> | Tier 2 | MO |
| <i>tri-vylibra lo oral tablet</i> | Tier 2 | MO |
| <i>tri-vylibra oral tablet</i> | Tier 2 | MO |
| <i>velivet oral tablet</i> | Tier 2 | MO |
| <i>vylibra oral tablet</i> | Tier 2 | MO |
| <i>wymzya fe oral tablet chewable</i> | Tier 2 | MO |
| <i>yuvafem vaginal tablet</i> | Tier 2 | MO |
| <i>zovia 1/35 (28) oral tablet</i> | Tier 2 | MO |

**Hormonal Agents,
Stimulant/Replacement/Modifying (Sex
Hormones/Modifiers)**

| | | |
|--|--------|------------------------------|
| BIJUVA ORAL CAPSULE | Tier 4 | MO |
| <i>estradiol vaginal cream</i> | Tier 1 | MO |
| Progestins | | |
| <i>camila oral tablet</i> | Tier 2 | MO |
| CRINONE VAGINAL GEL | Tier 4 | PA; MO |
| DEPO-SUBQ PROVERA 104 SUBCUTANEOUS SUSPENSION PREFILLED SYRINGE | Tier 3 | MO; QL (0.65 ML per 90 days) |
| <i>errin oral tablet</i> | Tier 2 | MO |
| <i>hydroxyprogesterone caproate intramuscular solution</i> | Tier 5 | MO; NEDS |
| <i>incassia oral tablet</i> | Tier 2 | MO |
| <i>lyleq oral tablet</i> | Tier 2 | MO |
| <i>medroxyprogesterone acetate intramuscular suspension</i> | Tier 2 | MO; QL (1 ML per 90 days) |
| <i>medroxyprogesterone acetate oral tablet</i> | Tier 1 | MO |
| <i>megestrol acetate oral suspension 40 mg/ml, 625 mg/5ml</i> | Tier 2 | PA NS; MO |
| <i>megestrol acetate oral tablet</i> | Tier 2 | PA NS; MO |
| <i>nora-be oral tablet</i> | Tier 2 | MO |
| <i>norethindrone acetate oral tablet</i> | Tier 2 | MO |
| <i>norethindrone oral tablet</i> | Tier 2 | MO |

| Drug | Status | Requirements/Limits |
|---|---------------|----------------------------|
| Selective Estrogen Receptor Modifying Agents | | |
| OSPHENA ORAL TABLET | Tier 4 | PA; MO |
| <i>raloxifene hcl oral tablet</i> | Tier 2 | MO; QL (1 EA per 1 day) |
| Hormonal Agents, Stimulant/Replacement/Modifying (Thyroid) | | |
| Hormonal Agents, Stimulant/Replacement/Modifying (Thyroid) | | |
| <i>euthyrox oral tablet</i> | Tier 1 | MO |
| <i>levo-t oral tablet</i> | Tier 1 | MO |
| <i>levothyroxine sodium oral tablet</i> | Tier 1 | MO |
| <i>levoxyl oral tablet</i> | Tier 1 | MO |
| <i>liothyronine sodium oral tablet</i> | Tier 2 | MO |
| SYNTHROID ORAL TABLET | Tier 4 | MO |
| <i>thyroid oral tablet 65 mg</i> | Tier 2 | MO |
| <i>unithroid oral tablet</i> | Tier 1 | MO |
| Hormonal Agents, Suppressant (Adrenal) | | |
| Hormonal Agents, Suppressant (Adrenal) | | |
| ISTURISA ORAL TABLET | Tier 5 | PA; MO; NEDS |
| LYSODREN ORAL TABLET | Tier 5 | MO; NEDS |
| Hormonal Agents, Suppressant (Pituitary) | | |
| Hormonal Agents, Suppressant (Pituitary) | | |
| <i>cabergoline oral tablet</i> | Tier 2 | MO; QL (32 EA per 30 days) |
| ELIGARD SUBCUTANEOUS KIT | Tier 4 | MO |
| <i>leuprolide acetate injection kit</i> | Tier 5 | MO; NEDS |
| LUPRON DEPOT (1-MONTH) INTRAMUSCULAR KIT | Tier 5 | MO; NEDS |
| LUPRON DEPOT (3-MONTH) INTRAMUSCULAR KIT | Tier 5 | MO; NEDS |
| LUPRON DEPOT (4-MONTH) INTRAMUSCULAR KIT | Tier 5 | MO; NEDS |
| <i>octreotide acetate injection solution 100 mcg/ml, 1000 mcg/ml, 200 mcg/ml, 50 mcg/ml</i> | Tier 2 | MO |

| Drug | Status | Requirements/Limits |
|---|---------------|---------------------------------------|
| <i>octreotide acetate injection solution 500 mcg/ml</i> | Tier 5 | MO; NEDS |
| SIGNIFOR LAR INTRAMUSCULAR SUSPENSION RECONSTITUTED ER 20 MG, 40 MG, 60 MG | Tier 5 | MO; NEDS |
| SIGNIFOR SUBCUTANEOUS SOLUTION | Tier 5 | PA; MO; NEDS |
| SOMATULINE DEPOT SUBCUTANEOUS SOLUTION 120 MG/0.5ML | Tier 5 | PA NS; MO; NEDS |
| SOMATULINE DEPOT SUBCUTANEOUS SOLUTION 60 MG/0.2ML, 90 MG/0.3ML | Tier 5 | PA; MO; NEDS |
| SOMAVERT SUBCUTANEOUS SOLUTION RECONSTITUTED | Tier 5 | MO; NEDS |
| SYNAREL NASAL SOLUTION | Tier 5 | MO; NEDS |
| Hormonal Agents, Suppressant (Thyroid) | | |
| Antithyroid Agents | | |
| <i>methimazole oral tablet</i> | Tier 2 | MO |
| <i>propylthiouracil oral tablet</i> | Tier 2 | MO |
| Immunological Agents | | |
| Angioedema Agents | | |
| BERINERT INTRAVENOUS KIT | Tier 6 | PA; MO; HI |
| CINRYZE INTRAVENOUS SOLUTION RECONSTITUTED | Tier 6 | PA; MO; HI |
| EMPAVELI SUBCUTANEOUS SOLUTION | Tier 5 | PA; MO; QL (200 ML per 28 days); NEDS |
| HAEGARDA SUBCUTANEOUS SOLUTION RECONSTITUTED | Tier 5 | PA; MO; NEDS |
| ICATIBANT ACETATE SUBCUTANEOUS SOLUTION | Tier 5 | PA; MO; NEDS |
| RUCONEST INTRAVENOUS SOLUTION RECONSTITUTED | Tier 6 | MO; HI |
| TAKHZYRO SUBCUTANEOUS SOLUTION | Tier 5 | PA; MO; QL (4 ML per 28 days); NEDS |
| Immune Suppressants | | |
| <i>azathioprine sodium injection solution reconstituted</i> | Tier 2 | B/D; MO |
| <i>methotrexate sodium injection solution reconstituted</i> | Tier 2 | MO |
| Immunoglobulins | | |
| BIVIGAM INTRAVENOUS SOLUTION 5 GM/50ML | Tier 6 | B/D; MO; HI |

| Drug | Status | Requirements/Limits |
|--|---------------|----------------------------|
| FLEBOGAMMA DIF INTRAVENOUS SOLUTION 5 GM/50ML | Tier 6 | B/D; MO; HI |
| GAMMAGARD INJECTION SOLUTION 2.5 GM/25ML | Tier 6 | B/D; MO; HI |
| GAMMAGARD S/D LESS IGA INTRAVENOUS SOLUTION RECONSTITUTED | Tier 6 | B/D; MO; HI |
| GAMMAKED INJECTION SOLUTION 1 GM/10ML | Tier 6 | B/D; MO; HI |
| GAMMAPLEX INTRAVENOUS SOLUTION 10 GM/100ML, 10 GM/200ML, 20 GM/200ML, 5 GM/50ML | Tier 6 | B/D; MO; HI |
| GAMUNEX-C INJECTION SOLUTION 1 GM/10ML | Tier 6 | B/D; MO; HI |
| OCTAGAM INTRAVENOUS SOLUTION 1 GM/20ML, 2 GM/20ML | Tier 6 | B/D; MO; HI |
| PANZYGA INTRAVENOUS SOLUTION | Tier 6 | B/D; MO; HI |
| PRIVIGEN INTRAVENOUS SOLUTION 20 GM/200ML | Tier 6 | B/D; MO; HI |
| Immunological Agents, Other | | |
| ACTIMMUNE SUBCUTANEOUS SOLUTION | Tier 5 | PA NS; MO; NEDS |
| ARCALYST SUBCUTANEOUS SOLUTION RECONSTITUTED | Tier 3 | PA; MO |
| COSENTYX (300 MG DOSE) SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | Tier 5 | PA; MO; NEDS |
| COSENTYX SENSOREADY (300 MG) SUBCUTANEOUS SOLUTION AUTO-INJECTOR | Tier 5 | PA; MO; NEDS |
| COSENTYX SENSOREADY PEN SUBCUTANEOUS SOLUTION AUTO-INJECTOR | Tier 5 | PA; MO; NEDS |
| COSENTYX SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 150 MG/ML | Tier 5 | PA; MO; NEDS |
| DUPIXENT SUBCUTANEOUS SOLUTION PEN-INJECTOR | Tier 5 | PA; MO; NEDS |
| DUPIXENT SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | Tier 5 | PA; MO; NEDS |
| <i>leflunomide oral tablet</i> | Tier 2 | MO |
| OLUMIANT ORAL TABLET | Tier 5 | PA; MO; NEDS |
| ORENCIA CLICKJECT SUBCUTANEOUS SOLUTION AUTO-INJECTOR | Tier 5 | PA; MO; NEDS |

| Drug | Status | Requirements/Limits |
|--|---------------|---------------------------------------|
| ORENCIA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | Tier 5 | PA; MO; NEDS |
| RIDAURA ORAL CAPSULE | Tier 5 | MO; NEDS |
| RINVOQ ORAL TABLET EXTENDED RELEASE 24 HOUR | Tier 5 | PA; MO; QL (1 EA per 1 day); NEDS |
| SILIQ SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | Tier 5 | PA; MO; NEDS |
| SKYRIZI (150 MG DOSE) SUBCUTANEOUS PREFILLED SYRINGE KIT | Tier 5 | PA; MO; QL (2 EA per 28 days); NEDS |
| SKYRIZI PEN SUBCUTANEOUS SOLUTION AUTO-INJECTOR | Tier 5 | PA; MO; QL (1 ML per 28 days); NEDS |
| SKYRIZI SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | Tier 5 | PA; MO; QL (1 ML per 28 days); NEDS |
| STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5ML | Tier 5 | PA; MO; QL (0.5 ML per 28 days); NEDS |
| STELARA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 45 MG/0.5ML | Tier 5 | PA; MO; QL (0.5 ML per 28 days); NEDS |
| STELARA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 90 MG/ML | Tier 5 | PA; MO; QL (1 ML per 28 days); NEDS |
| TALTZ SUBCUTANEOUS SOLUTION AUTO-INJECTOR | Tier 5 | PA; MO; QL (3 ML per 28 days); NEDS |
| TALTZ SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | Tier 5 | PA; MO; QL (3 ML per 28 days); NEDS |
| TREMFYA SUBCUTANEOUS SOLUTION PEN-INJECTOR | Tier 5 | PA; MO; NEDS |
| TREMFYA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | Tier 5 | PA; MO; NEDS |
| XELJANZ ORAL SOLUTION | Tier 5 | PA; MO; NEDS |
| XELJANZ ORAL TABLET | Tier 5 | PA; MO; NEDS |
| XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HOUR | Tier 5 | PA; MO; NEDS |
| XOLAIR SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | Tier 5 | PA; MO; NEDS |
| XOLAIR SUBCUTANEOUS SOLUTION RECONSTITUTED | Tier 5 | PA; MO; NEDS |
| Immunomodulators | | |
| ILARIS SUBCUTANEOUS SOLUTION | Tier 5 | PA; MO; NEDS |
| SYNAGIS INTRAMUSCULAR SOLUTION | Tier 5 | PA; MO; NEDS |
| Immunosuppressants | | |
| ACTEMRA ACTPEN SUBCUTANEOUS SOLUTION AUTO-INJECTOR | Tier 5 | PA; MO; NEDS |

| Drug | Status | Requirements/Limits |
|--|---------------|--|
| ACTEMRA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | Tier 5 | PA; MO; NEDS |
| AZASAN ORAL TABLET | Tier 4 | B/D; MO |
| <i>azathioprine oral tablet</i> | Tier 2 | B/D; MO |
| BENLYSTA SUBCUTANEOUS SOLUTION AUTO-INJECTOR | Tier 5 | PA; MO; NEDS |
| BENLYSTA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | Tier 5 | PA; MO; NEDS |
| CIMZIA PREFILLED SUBCUTANEOUS KIT | Tier 5 | PA; MO; NEDS |
| CIMZIA SUBCUTANEOUS KIT 2 X 200 MG | Tier 5 | PA; MO; NEDS |
| <i>cyclosporine modified oral capsule</i> | Tier 2 | B/D; MO |
| <i>cyclosporine modified oral solution</i> | Tier 2 | B/D; MO |
| <i>cyclosporine oral capsule</i> | Tier 2 | B/D; MO |
| ENBREL MINI SUBCUTANEOUS SOLUTION CARTRIDGE | Tier 5 | PA; MO; QL (8 ML per 28 days); NEDS |
| ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5ML | Tier 5 | PA; MO; QL (8.16 ML per 28 days); NEDS |
| ENBREL SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | Tier 5 | PA; MO; QL (8 ML per 28 days); NEDS |
| ENBREL SUBCUTANEOUS SOLUTION RECONSTITUTED | Tier 5 | PA; MO; QL (8 EA per 28 days); NEDS |
| ENBREL SURECLICK SUBCUTANEOUS SOLUTION AUTO-INJECTOR | Tier 5 | PA; MO; QL (8 ML per 28 days); NEDS |
| ENSPRYNG SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | Tier 5 | PA; MO; QL (3 ML per 30 days); NEDS |
| <i>everolimus oral tablet 0.25 mg</i> | Tier 2 | B/D; MO |
| <i>everolimus oral tablet 0.5 mg, 0.75 mg</i> | Tier 5 | B/D; MO; NEDS |
| <i>gengraf oral capsule 100 mg, 25 mg</i> | Tier 2 | B/D; MO |
| <i>gengraf oral solution</i> | Tier 2 | B/D; MO |
| HUMIRA PEDIATRIC CROHNS START SUBCUTANEOUS PREFILLED SYRINGE KIT 80 MG/0.8ML | Tier 5 | PA; MO; QL (3 EA per 28 days); NEDS |
| HUMIRA PEDIATRIC CROHNS START SUBCUTANEOUS PREFILLED SYRINGE KIT 80 MG/0.8ML & 40MG/0.4ML | Tier 5 | PA; MO; QL (2 EA per 28 days); NEDS |
| HUMIRA PEN SUBCUTANEOUS PEN-INJECTOR KIT 40 MG/0.4ML | Tier 5 | PA; MO; QL (6 EA per 28 days); NEDS |
| HUMIRA PEN SUBCUTANEOUS PEN-INJECTOR KIT 40 MG/0.8ML, 80 MG/0.8ML | Tier 5 | PA; MO; QL (2 EA per 28 days); NEDS |

| Drug | Status | Requirements/Limits |
|--|---------------|--|
| HUMIRA PEN-CD/UC/HS STARTER SUBCUTANEOUS PEN-INJECTOR KIT 40 MG/0.8ML | Tier 5 | PA; MO; QL (6 EA per 28 days); NEDS |
| HUMIRA PEN-CD/UC/HS STARTER SUBCUTANEOUS PEN-INJECTOR KIT 80 MG/0.8ML | Tier 5 | PA; MO; QL (3 EA per 28 days); NEDS |
| HUMIRA PEN-PEDIATRIC UC START SUBCUTANEOUS PEN-INJECTOR KIT | Tier 5 | PA; MO; QL (4 EA per 28 days); NEDS |
| HUMIRA PEN-PS/UV/ADOL HS START SUBCUTANEOUS PEN-INJECTOR KIT 40 MG/0.8ML | Tier 5 | PA; MO; QL (4 EA per 28 days); NEDS |
| HUMIRA PEN-PSOR/UVEIT STARTER SUBCUTANEOUS PEN-INJECTOR KIT | Tier 5 | PA; MO; QL (3 EA per 28 days); NEDS |
| HUMIRA SUBCUTANEOUS PREFILLED SYRINGE KIT 10 MG/0.1ML, 20 MG/0.2ML | Tier 5 | PA; MO; QL (2 EA per 28 days); NEDS |
| HUMIRA SUBCUTANEOUS PREFILLED SYRINGE KIT 40 MG/0.4ML | Tier 5 | PA; MO; QL (6 EA per 28 days); NEDS |
| HUMIRA SUBCUTANEOUS PREFILLED SYRINGE KIT 40 MG/0.8ML | Tier 5 | PA; MO; QL (4 EA per 28 days); NEDS |
| KEVZARA SUBCUTANEOUS SOLUTION AUTO-INJECTOR | Tier 5 | PA; MO; NEDS |
| KEVZARA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | Tier 5 | PA; MO; NEDS |
| KINERET SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | Tier 5 | PA; MO; NEDS |
| LUPKYNIS ORAL CAPSULE | Tier 5 | PA; MO; QL (6 EA per 1 day); NEDS |
| <i>methotrexate oral tablet</i> | Tier 2 | MO |
| <i>methotrexate sodium (pf) injection solution 1 gm/40ml, 250 mg/10ml, 50 mg/2ml</i> | Tier 2 | MO |
| <i>methotrexate sodium injection solution 250 mg/10ml, 50 mg/2ml</i> | Tier 2 | MO |
| <i>mycophenolate mofetil oral capsule</i> | Tier 2 | B/D; MO |
| <i>mycophenolate mofetil oral suspension reconstituted</i> | Tier 5 | B/D; MO; NEDS |
| <i>mycophenolate mofetil oral tablet</i> | Tier 2 | B/D; MO |
| <i>mycophenolate sodium oral tablet delayed release</i> | Tier 2 | B/D; MO |
| OTEZLA ORAL TABLET THERAPY PACK | Tier 5 | PA; MO; NEDS |
| PROGRAF ORAL PACKET 0.2 MG | Tier 4 | B/D; MO |
| PROGRAF ORAL PACKET 1 MG | Tier 5 | B/D; MO; NEDS |
| REDITREX SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | Tier 4 | MO |

| Drug | Status | Requirements/Limits |
|--|---------------|--------------------------------------|
| REZUROCK ORAL TABLET | Tier 5 | PA; MO; QL (60 EA per 30 days); NEDS |
| SANDIMMUNE ORAL SOLUTION | Tier 4 | B/D; MO |
| SIMPONI SUBCUTANEOUS SOLUTION AUTO-Injector | Tier 5 | PA; MO; NEDS |
| SIMPONI SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | Tier 5 | PA; MO; NEDS |
| <i>sirolimus oral solution</i> | Tier 5 | B/D; MO; NEDS |
| <i>sirolimus oral tablet</i> | Tier 2 | B/D; MO |
| <i>tacrolimus oral capsule</i> | Tier 2 | B/D; MO |
| <i>trexall oral tablet</i> | Tier 2 | MO |
| XATMEP ORAL SOLUTION | Tier 4 | MO |
| ZORTRESS ORAL TABLET 1 MG | Tier 5 | B/D; MO; NEDS |
| Vaccines | | |
| ACTHIB INTRAMUSCULAR SOLUTION RECONSTITUTED | Tier 6 | MO |
| ADACEL INTRAMUSCULAR SUSPENSION | Tier 6 | MO |
| <i>bcg vaccine injection injectable</i> | Tier 6 | MO |
| BEXSERO INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE | Tier 6 | MO |
| BOOSTRIX INTRAMUSCULAR SUSPENSION 5-2.5-18.5 , 5-2.5-18.5 (0.5ML SYRINGE) | Tier 6 | MO |
| DAPTACEL INTRAMUSCULAR SUSPENSION 23-15-5 | Tier 6 | MO |
| <i>diphtheria-tetanus toxoids dt intramuscular suspension</i> | Tier 6 | MO |
| ENGERIX-B INJECTION SUSPENSION | Tier 6 | B/D; MO |
| GARDASIL 9 INTRAMUSCULAR SUSPENSION | Tier 6 | MO |
| GARDASIL 9 INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE | Tier 6 | MO |
| HAVRIX INTRAMUSCULAR SUSPENSION | Tier 6 | MO |
| HIBERIX INJECTION SOLUTION RECONSTITUTED | Tier 6 | MO |
| IMOVAX RABIES INTRAMUSCULAR INJECTABLE | Tier 6 | MO |
| INFANRIX INTRAMUSCULAR SUSPENSION | Tier 6 | MO |
| IPOL INJECTION INJECTABLE | Tier 6 | MO |
| IXIARO INTRAMUSCULAR SUSPENSION | Tier 6 | MO |

| Drug | Status | Requirements/Limits |
|--|---------------|----------------------------|
| KINRIX INTRAMUSCULAR SUSPENSION | Tier 6 | MO |
| MENACTRA INTRAMUSCULAR INJECTABLE | Tier 6 | MO |
| MENQUADFI INTRAMUSCULAR INJECTABLE | Tier 6 | MO |
| MENVEO INTRAMUSCULAR SOLUTION RECONSTITUTED | Tier 6 | MO |
| M-M-R II INJECTION SOLUTION RECONSTITUTED | Tier 6 | MO |
| PEDIARIX INTRAMUSCULAR SUSPENSION | Tier 6 | MO |
| PEDVAX HIB INTRAMUSCULAR SUSPENSION | Tier 6 | MO |
| PROQUAD SUBCUTANEOUS SUSPENSION RECONSTITUTED | Tier 6 | MO |
| QUADRACEL INTRAMUSCULAR SUSPENSION | Tier 6 | MO |
| RABAVERT INTRAMUSCULAR SUSPENSION RECONSTITUTED | Tier 6 | MO |
| RECOMBIVAX HB INJECTION SUSPENSION | Tier 6 | B/D; MO |
| ROTARIX ORAL SUSPENSION RECONSTITUTED | Tier 6 | MO |
| ROTAQUE ORAL SOLUTION | Tier 6 | MO |
| SHINGRIX INTRAMUSCULAR SUSPENSION RECONSTITUTED 50 MCG/0.5ML | Tier 6 | MO; QL (2 EA per 999 days) |
| TDVAX INTRAMUSCULAR SUSPENSION | Tier 6 | MO |
| TENIVAC INTRAMUSCULAR INJECTABLE | Tier 6 | MO |
| TRUMENBA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE | Tier 6 | MO |
| TWINRIX INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE | Tier 6 | MO |
| TYPHIM VI INTRAMUSCULAR SOLUTION | Tier 6 | MO |
| VAQTA INTRAMUSCULAR SUSPENSION | Tier 6 | MO |
| VARIVAX SUBCUTANEOUS INJECTABLE | Tier 6 | MO |
| VARIZIG INTRAMUSCULAR SOLUTION | Tier 6 | MO |
| YF-VAX SUBCUTANEOUS INJECTABLE | Tier 6 | MO |

| Drug | Status | Requirements/Limits |
|---|---------------|----------------------------|
| Inflammatory Bowel Disease Agents | | |
| Aminosalicylates | | |
| <i>balsalazide disodium oral capsule</i> | Tier 2 | MO |
| DIPENTUM ORAL CAPSULE | Tier 5 | MO; NEDS |
| <i>mesalamine oral tablet delayed release 800 mg</i> | Tier 2 | MO |
| <i>mesalamine rectal enema</i> | Tier 2 | MO |
| <i>mesalamine rectal suppository</i> | Tier 2 | MO |
| <i>mesalamine-cleanser rectal kit</i> | Tier 2 | MO |
| <i>sulfasalazine oral tablet</i> | Tier 2 | MO |
| <i>sulfasalazine oral tablet delayed release</i> | Tier 2 | MO |
| Glucocorticoids | | |
| ANALPRAM HC EXTERNAL CREAM | Tier 3 | MO; NT |
| ANALPRAM-HC EXTERNAL LOTION | Tier 3 | MO; NT |
| ANUSOL-HC RECTAL SUPPOSITORY | Tier 3 | MO; NT |
| <i>budesonide er oral tablet extended release 24 hour</i> | Tier 5 | MO; NEDS |
| <i>budesonide oral capsule delayed release particles</i> | Tier 2 | MO |
| HEMMOREX-HC RECTAL SUPPOSITORY 25 MG | Tier 3 | MO; NT |
| <i>hydrocortisone acetate rectal suppository</i> | Tier 2 | MO; NT |
| <i>hydrocortisone oral tablet</i> | Tier 2 | MO |
| <i>hydrocortisone rectal enema</i> | Tier 2 | MO |
| PROCTOCORT RECTAL SUPPOSITORY | Tier 3 | MO; NT |
| Metabolic Bone Disease Agents | | |
| Metabolic Bone Disease Agents | | |
| <i>alendronate sodium oral tablet 10 mg, 5 mg</i> | Tier 1 | MO; QL (1 EA per 1 day) |
| <i>alendronate sodium oral tablet 35 mg, 70 mg</i> | Tier 1 | MO; QL (4 EA per 28 days) |
| <i>calcitonin (salmon) nasal solution</i> | Tier 2 | MO |
| <i>calcitriol oral capsule</i> | Tier 2 | MO |
| <i>calcitriol oral solution</i> | Tier 2 | MO |
| <i>cinacalcet hcl oral tablet 30 mg, 60 mg</i> | Tier 4 | MO |
| <i>cinacalcet hcl oral tablet 90 mg</i> | Tier 5 | MO; NEDS |
| FORTEO SUBCUTANEOUS SOLUTION PEN-INJECTOR 620 MCG/2.48ML | Tier 5 | PA; MO; NEDS |
| FOSAMAX PLUS D ORAL TABLET | Tier 4 | MO |
| <i>ibandronate sodium oral tablet</i> | Tier 2 | MO; QL (1 EA per 28 days) |
| MIACALCIN INJECTION SOLUTION | Tier 5 | MO; NEDS |
| <i>paricalcitol oral capsule</i> | Tier 2 | PA; MO |

| Drug | Status | Requirements/Limits |
|---|---------------|-------------------------------|
| PROLIA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | Tier 4 | PA; MO |
| risedronate sodium oral tablet 150 mg | Tier 2 | MO; QL (1 EA per 28 days) |
| risedronate sodium oral tablet 30 mg, 5 mg | Tier 2 | MO; QL (1 EA per 1 day) |
| risedronate sodium oral tablet 35 mg, 35 mg (12 pack), 35 mg (4 pack) | Tier 2 | MO; QL (4 EA per 28 days) |
| teriparatide (recombinant) subcutaneous solution pen-injector | Tier 5 | PA; MO; NEDS |
| XGEVA SUBCUTANEOUS SOLUTION | Tier 5 | PA; MO; NEDS |
| Miscellaneous | | |
| Miscellaneous | | |
| benzonatate oral capsule 150 mg, 200 mg | Tier 2 | MO; NT |
| CAVERJECT IMPULSE INTRACAVERNOSAL KIT | Tier 3 | MO; NT |
| CAVERJECT INTRACAVERNOSAL SOLUTION RECONSTITUTED | Tier 3 | MO; NT; QL (4 EA per 30 days) |
| CETACAIN EXTERNAL AEROSOL | Tier 3 | MO; NT |
| EDEX INTRACAVERNOSAL KIT 10 MCG, 20 MCG | Tier 3 | MO; NT |
| EDEX INTRACAVERNOSAL KIT 40 MCG | Tier 3 | MO; NT; QL (4 EA per 30 days) |
| GILPHEX TR ORAL TABLET | Tier 3 | MO; NT |
| HYCODAN ORAL SYRUP | Tier 4 | MO; NT |
| hydrocod polst-cpm polst er oral suspension extended release | Tier 2 | MO; NT |
| hydrocodone-homatropine oral syrup | Tier 2 | MO; NT |
| hydrocodone-homatropine oral tablet | Tier 2 | MO; NT |
| isoxsuprine hcl oral tablet | Tier 2 | MO; NT |
| maxi-tuss pe oral liquid | Tier 2 | MO; NT |
| MUSE URETHRAL PELLET | Tier 3 | MO; NT; QL (6 EA per 30 days) |
| nitroglycerin er oral capsule extended release 2.5 mg, 6.5 mg | Tier 2 | MO; NT |
| NITRO-TIME ORAL CAPSULE EXTENDED RELEASE 2.5 MG, 6.5 MG | Tier 3 | MO; NT |
| sildenafil citrate oral tablet 100 mg, 25 mg, 50 mg | Tier 2 | MO; NT; QL (4 EA per 30 days) |
| sodium fluoride mouth/throat solution | Tier 2 | MO; NT |
| STENDRA ORAL TABLET 100 MG, 200 MG | Tier 3 | MO; NT |
| tadalafil oral tablet 10 mg, 20 mg | Tier 2 | MO; NT; QL (4 EA per 30 days) |
| TUSNEL C ORAL SYRUP | Tier 3 | MO; NT |
| TUSSICAPS ORAL CAPSULE EXTENDED RELEASE 12 HOUR 10-8 MG | Tier 3 | MO; NT |

| Drug | Status | Requirements/Limits |
|---|---------------|-------------------------------|
| TUSSLIN ORAL LIQUID | Tier 3 | MO; NT |
| TUSSLIN PEDIATRIC ORAL LIQUID | Tier 3 | MO; NT |
| <i>vardenafil hcl oral tablet</i> | Tier 2 | MO; NT; QL (4 EA per 30 days) |
| <i>vardenafil hcl oral tablet dispersible</i> | Tier 2 | MO; NT; QL (4 EA per 30 days) |
| Miscellaneous Therapeutic Agents | | |
| Miscellaneous Therapeutic Agents | | |
| 1ST TIER UNIFINE PENTIPS 31G X 6 MM | Tier 4 | MO |
| 1ST TIER UNIFINE PENTIPS PLUS 31G X 6 MM | Tier 4 | MO |
| ADVOCATE INSULIN PEN NEEDLES 29G X 12.7MM | Tier 4 | MO |
| ANASPAZ ORAL TABLET DISPERSIBLE | Tier 3 | MO; NT |
| ANIMI-3 ORAL CAPSULE | Tier 3 | MO; NT |
| ANIMI-3/VITAMIN D ORAL CAPSULE | Tier 3 | MO; NT |
| ASSURE ID INSULIN SAFETY SYR 29G X 1/2" 1 ML | Tier 4 | MO |
| BD DISP NEEDLES 25G X 7/8" , 30G X 1/2" | Tier 4 | MO |
| BD PEN | Tier 4 | MO |
| BD PEN MINI | Tier 4 | MO |
| BD PEN NEEDLE MICRO U/F | Tier 4 | MO |
| BD PEN NEEDLE MINI U/F | Tier 4 | MO |
| BD PEN NEEDLE NANO 2ND GEN | Tier 4 | MO |
| BD PEN NEEDLE NANO U/F | Tier 4 | MO |
| BD PEN NEEDLE ORIGINAL U/F | Tier 4 | MO |
| BD PEN NEEDLE SHORT U/F | Tier 4 | MO |
| BD SAFETYGLIDE INSULIN SYRINGE 31G X 15/64" 1 ML | Tier 4 | MO |
| BD SYRINGE LUER-LOK 1 ML | Tier 4 | MO |
| BD VEO INSULIN SYRINGE U/F 31G X 15/64" 1 ML | Tier 4 | MO |
| <i>benzonatate oral capsule 100 mg</i> | Tier 2 | MO; NT |
| CENTRUM ADULTS ORAL TABLET | Tier 3 | MO; NT |
| COMFORT ASSIST INSULIN SYRINGE 29G X 1/2" 1 ML | Tier 4 | MO |
| COMFORT EZ PEN NEEDLES 32G X 8 MM | Tier 4 | MO |
| <i>cortic-nd otic solution</i> | Tier 2 | MO; NT |
| CORVITA ORAL TABLET | Tier 3 | MO; NT |
| CORVITE 150 ORAL TABLET | Tier 3 | MO; NT |
| <i>corvite fe oral tablet</i> | Tier 3 | MO; NT |

| Drug | Status | Requirements/Limits |
|--|---------------|----------------------------|
| COVARYX HS ORAL TABLET | Tier 3 | MO; NT |
| COVARYX ORAL TABLET | Tier 3 | MO; NT |
| CRYSVITA SUBCUTANEOUS SOLUTION | Tier 5 | PA; MO; NEDS |
| <i>cyanocobalamin injection solution 1000 mcg/ml</i> | Tier 2 | MO; NT |
| DEPLIN 15 ORAL CAPSULE | Tier 3 | MO; NT |
| DONNATAL ORAL ELIXIR | Tier 3 | MO; NT |
| DONNATAL ORAL TABLET | Tier 3 | MO; NT |
| DRISDOL ORAL CAPSULE | Tier 4 | MO; NT |
| DROPLET INSULIN SYRINGE 31G X 15/64" 1 ML | Tier 4 | MO |
| DROPLET PEN NEEDLES 32G X 8 MM | Tier 4 | MO |
| EASY TOUCH HYPODERMIC NEEDLE 26G X 3/8" , 26G X 5/8" | Tier 4 | MO |
| <i>ed-spaz oral tablet dispersible</i> | Tier 3 | MO; NT |
| EEMT HS ORAL TABLET | Tier 3 | MO; NT |
| EEMT ORAL TABLET | Tier 3 | MO; NT |
| <i>ergocalciferol oral capsule</i> | Tier 2 | MO; NT |
| EXEL COMFORT POINT PEN NEEDLE 29G X 12MM | Tier 4 | MO |
| <i>fa-vitamin b-6-vitamin b-12 oral tablet</i> | Tier 2 | MO; NT |
| FLORIVA ORAL LIQUID | Tier 3 | MO; NT |
| FOLBIC ORAL TABLET | Tier 3 | MO; NT |
| FOLGARD OS ORAL TABLET | Tier 3 | MO; NT |
| FOLGARD RX ORAL TABLET | Tier 3 | MO; NT |
| <i>folic acid oral tablet 1 mg</i> | Tier 2 | MO; NT |
| <i>folic d3 oral capsule</i> | Tier 3 | MO; NT |
| FOLTANX ORAL TABLET | Tier 3 | MO; NT |
| HEMATOGEN ORAL CAPSULE | Tier 3 | MO; NT |
| <i>hyoscyamine sulfate er oral tablet extended release 12 hour</i> | Tier 2 | MO; NT |
| <i>hyoscyamine sulfate oral tablet</i> | Tier 2 | MO; NT |
| <i>hyoscyamine sulfate oral tablet dispersible</i> | Tier 3 | MO; NT |
| <i>hyoscyamine sulfate sl sublingual tablet sublingual</i> | Tier 2 | MO; NT |
| <i>hyoscyamine sulfate sublingual tablet sublingual</i> | Tier 2 | MO; NT |
| HYPODERMIC NEEDLE 25G X 3/4" , 26G X 3/8" , 26G X 5/8" | Tier 4 | MO |
| INSUPEN SENSITIVE 32G X 8 MM | Tier 4 | MO |
| KEVEYIS ORAL TABLET | Tier 5 | PA; MO; NEDS |
| K-PHOS-NEUTRAL ORAL TABLET | Tier 3 | MO; NT |

| Drug | Status | Requirements/Limits |
|--|---------------|----------------------------|
| <i>levocarnitine oral solution</i> | Tier 2 | MO |
| <i>levocarnitine oral tablet</i> | Tier 2 | MO |
| LEVSIN ORAL TABLET | Tier 3 | MO; NT |
| LEVSIN/SL SUBLINGUAL TABLET SUBLINGUAL | Tier 3 | MO; NT |
| LITETOUCH PEN NEEDLES 29G X 12.7MM | Tier 4 | MO |
| MEPHYTON ORAL TABLET | Tier 4 | MO; NT |
| METANX ORAL CAPSULE | Tier 3 | MO; NT |
| <i>methylergonovine maleate oral tablet</i> | Tier 5 | MO; NEDS |
| MONOJECT HYPODERMIC NEEDLE 18G X 1-1/2" , 20G X 1" , 21G X 1" , 22G X 1" , 23G X 1" , 23G X 3/4" , 25G X 1" , 25G X 1- 1/4" , 25G X 5/8" , 26G X 1/2" , 27G X 1/2" , 30G X 3/4" | Tier 4 | MO |
| MONOJECT INSULIN SYRINGE 28G X 1/2" 0.5 ML, 28G X 1/2" 1 ML, 29G X 1/2" 0.3 ML, 29G X 1/2" 0.5 ML, 30G X 5/16" 0.3 ML, 30G X 5/16" 0.5 ML, 30G X 5/16" 1 ML, U-100 1 ML | Tier 4 | MO |
| MULTIGEN FOLIC ORAL TABLET | Tier 3 | MO; NT |
| MYNEPHRON ORAL CAPSULE | Tier 3 | MO; NT |
| NASCOBAL NASAL SOLUTION | Tier 3 | MO; NT |
| NATPARA SUBCUTANEOUS CARTRIDGE | Tier 5 | PA; MO; NEDS |
| <i>niacin er oral tablet extended release</i> | Tier 2 | MO; NT |
| NULEV ORAL TABLET DISPERSIBLE | Tier 3 | MO; NT |
| <i>paba oral tablet</i> | Tier 2 | MO; NT |
| <i>pb-hyoscy-atropine-scopolamine oral elixir</i> | Tier 3 | MO; NT |
| <i>pb-hyoscy-atropine-scopolamine oral tablet</i> | Tier 2 | MO; NT |
| PEN NEEDLES 30G X 8 MM | Tier 4 | MO |
| <i>phenobarbital-belladonna alk oral elixir</i> | Tier 3 | MO; NT |
| <i>phenobarbital-belladonna alk oral tablet</i> | Tier 2 | MO; NT |
| PHENOHYTRO ORAL ELIXIR | Tier 3 | MO; NT |
| PHENOHYTRO ORAL TABLET | Tier 3 | MO; NT |
| <i>phytonadione oral tablet</i> | Tier 2 | MO; NT |
| POTABA ORAL CAPSULE | Tier 3 | MO; NT |
| <i>potassium aminobenzoate powder</i> | Tier 3 | MO; NT |
| PREFERRED PLUS INSULIN SYRINGE 28G X 1/2" 0.5 ML | Tier 4 | MO |
| PRESERVISION AREDS 2 ORAL CAPSULE | Tier 3 | MO; NT |
| PRESERVISION AREDS 2+MULTI VIT ORAL CAPSULE | Tier 3 | MO; NT |

| Drug | Status | Requirements/Limits |
|---|---------------|----------------------------|
| PRESERVISION AREDS ORAL CAPSULE | Tier 3 | MO; NT |
| PRESERVISION/LUTEIN ORAL CAPSULE | Tier 3 | MO; NT |
| PURE COMFORT PEN NEEDLE 32G X 8 MM | Tier 4 | MO |
| RELION INSULIN SYRINGE 31G X 15/64" 1 ML | Tier 4 | MO |
| RENAL ORAL CAPSULE | Tier 3 | MO; NT |
| SLO-NIACIN ORAL TABLET EXTENDED RELEASE | Tier 3 | MO; NT |
| SURE COMFORT PEN NEEDLES 29G X 12.7MM | Tier 4 | MO |
| SURE-FINE PEN NEEDLES 29G X 12.7MM | Tier 4 | MO |
| SYMAX-SL SUBLINGUAL TABLET SUBLINGUAL | Tier 3 | MO; NT |
| SYMAX-SR ORAL TABLET EXTENDED RELEASE 12 HOUR | Tier 3 | MO; NT |
| TECHLITE INSULIN SYRINGE 31G X 15/64" 1 ML | Tier 4 | MO |
| TECHLITE PEN NEEDLES 32G X 8 MM | Tier 4 | MO |
| TESSALON PERLES ORAL CAPSULE | Tier 4 | MO; NT |
| TRIMO-SAN VAGINAL GEL 0.025 % | Tier 3 | MO; NT |
| <i>triphrocaps oral capsule</i> | Tier 2 | MO; NT |
| TRUEPLUS 5-BEVEL PEN NEEDLES 29G X 12.7MM | Tier 4 | MO |
| ULTICARE PEN NEEDLES 29G X 12.7MM | Tier 4 | MO |
| ULTILET PEN NEEDLE 29G X 12.7MM | Tier 4 | MO |
| ULTRA-THIN II PEN NEEDLES | Tier 4 | MO |
| VENOFER INTRAVENOUS SOLUTION | Tier 3 | MO; NT |

Ophthalmic Agents

Ophthalmic Prostaglandin And Prostamide Analogs

| | | |
|--|--------|----|
| COMBIGAN OPHTHALMIC SOLUTION | Tier 3 | MO |
| <i>latanoprost ophthalmic solution</i> | Tier 2 | MO |
| LUMIGAN OPHTHALMIC SOLUTION 0.01 % | Tier 3 | MO |
| RHOPRESSA OPHTHALMIC SOLUTION | Tier 3 | MO |
| <i>travoprost (bak free) ophthalmic solution</i> | Tier 2 | MO |

Ophthalmic Agents, Other

| | | |
|--|--------|----|
| <i>ak-poly-bac ophthalmic ointment</i> | Tier 2 | MO |
|--|--------|----|

| Drug | Status | Requirements/Limits |
|--|---------------|----------------------------|
| ATROPINE SULFATE OPHTHALMIC OINTMENT | Tier 4 | MO |
| <i>atropine sulfate ophthalmic solution 1 %</i> | Tier 2 | MO |
| <i>bacitracin-polymyxin b ophthalmic ointment 500-10000 unit/gm</i> | Tier 2 | MO |
| <i>cyclopentolate hcl ophthalmic solution 1 %</i> | Tier 2 | MO |
| CYSTADROPS OPHTHALMIC SOLUTION | Tier 5 | PA; MO; NEDS |
| CYSTARAN OPHTHALMIC SOLUTION | Tier 5 | PA; MO; NEDS |
| <i>neomycin-bacitracin zn-polymyx ophthalmic ointment 5-400-10000</i> | Tier 2 | MO |
| <i>neomycin-polymyxin-gramicidin ophthalmic solution 1.75-10000-.025</i> | Tier 2 | MO |
| <i>polymyxin b-trimethoprim ophthalmic solution</i> | Tier 1 | MO |
| <i>proparacaine hcl ophthalmic solution</i> | Tier 2 | MO |
| RESTASIS OPHTHALMIC EMULSION | Tier 3 | MO |
| ROCKLATAN OPHTHALMIC SOLUTION | Tier 4 | MO |
| Ophthalmic Anti-Allergy Agents | | |
| ALOCRIL OPHTHALMIC SOLUTION | Tier 4 | MO |
| <i>azelastine hcl ophthalmic solution</i> | Tier 2 | MO |
| <i>cromolyn sodium ophthalmic solution</i> | Tier 1 | MO |
| <i>epinastine hcl ophthalmic solution</i> | Tier 2 | MO |
| <i>olopatadine hcl ophthalmic solution 0.1 %</i> | Tier 2 | MO |
| Ophthalmic Antiglaucoma Agents | | |
| <i>acetazolamide er oral capsule extended release 12 hour</i> | Tier 2 | MO |
| ALPHAGAN P OPHTHALMIC SOLUTION 0.1 % | Tier 3 | MO |
| <i>apraclonidine hcl ophthalmic solution</i> | Tier 2 | MO |
| <i>betaxolol hcl ophthalmic solution</i> | Tier 2 | MO |
| BETOPTIC-S OPHTHALMIC SUSPENSION | Tier 3 | MO |
| <i>brimonidine tartrate ophthalmic solution</i> | Tier 2 | MO |
| <i>brinzolamide ophthalmic suspension</i> | Tier 1 | MO |
| <i>carteolol hcl ophthalmic solution</i> | Tier 2 | MO |
| <i>dorzolamide hcl ophthalmic solution</i> | Tier 2 | MO |
| <i>dorzolamide hcl-timolol mal ophthalmic solution</i> | Tier 2 | MO |
| <i>dorzolamide hcl-timolol mal pf ophthalmic solution</i> | Tier 2 | MO |
| IOPIDINE OPHTHALMIC SOLUTION 1 % | Tier 3 | MO |
| <i>levobunolol hcl ophthalmic solution 0.5 %</i> | Tier 2 | MO |

| Drug | Status | Requirements/Limits |
|--|---------------|------------------------------|
| <i>pilocarpine hcl ophthalmic solution 1 %, 2 %, 4 %</i> | Tier 2 | MO |
| SIMBRINZA OPHTHALMIC SUSPENSION | Tier 3 | MO |
| <i>timolol maleate ophthalmic gel forming solution</i> | Tier 2 | MO |
| <i>timolol maleate ophthalmic solution 0.25 %, 0.5 %</i> | Tier 1 | MO |
| <i>timolol maleate ophthalmic solution 0.5 % (daily)</i> | Tier 2 | MO |
| <i>timolol maleate pf ophthalmic solution</i> | Tier 2 | MO |
| Ophthalmic Anti-Inflammatories | | |
| ALOMIDE OPHTHALMIC SOLUTION | Tier 4 | MO |
| ALREX OPHTHALMIC SUSPENSION | Tier 3 | MO |
| BLEPHAMIDE OPHTHALMIC SUSPENSION | Tier 3 | MO |
| BLEPHAMIDE S.O.P. OPHTHALMIC OINTMENT | Tier 3 | MO |
| <i>bromfenac sodium (once-daily) ophthalmic solution</i> | Tier 2 | MO |
| <i>dexamethasone sodium phosphate ophthalmic solution</i> | Tier 2 | MO |
| <i>diclofenac sodium ophthalmic solution</i> | Tier 2 | MO |
| DUREZOL OPHTHALMIC EMULSION | Tier 4 | MO |
| EYSUVIS OPHTHALMIC SUSPENSION | Tier 4 | MO; QL (16.6 ML per 30 days) |
| <i>fluorometholone ophthalmic suspension</i> | Tier 2 | MO |
| <i>flurbiprofen sodium ophthalmic solution</i> | Tier 2 | MO |
| FML FORTE OPHTHALMIC SUSPENSION | Tier 3 | MO |
| FML OPHTHALMIC OINTMENT | Tier 3 | MO |
| INVELTYS OPHTHALMIC SUSPENSION | Tier 4 | MO |
| <i>ketorolac tromethamine ophthalmic solution</i> | Tier 2 | MO |
| <i>loteprednol etabonate ophthalmic suspension</i> | Tier 2 | MO |
| MAXIDEX OPHTHALMIC SUSPENSION | Tier 3 | MO |
| <i>neomycin-polymyxin-dexameth ophthalmic ointment</i> | Tier 2 | MO |
| <i>neomycin-polymyxin-dexameth ophthalmic suspension 3.5-10000-0.1</i> | Tier 2 | MO |
| NEVANAC OPHTHALMIC SUSPENSION | Tier 4 | MO |
| PRED MILD OPHTHALMIC SUSPENSION | Tier 4 | MO |
| PRED-G OPHTHALMIC SUSPENSION | Tier 3 | MO |
| PRED-G S.O.P. OPHTHALMIC OINTMENT | Tier 3 | MO |
| <i>prednisolone acetate ophthalmic suspension</i> | Tier 2 | MO |

| Drug | Status | Requirements/Limits |
|--|---------------|----------------------------|
| PREDNISOLONE SODIUM PHOSPHATE OPHTHALMIC SOLUTION | Tier 4 | MO |
| <i>sulfacetamide-prednisolone ophthalmic solution</i> | Tier 2 | MO |
| TOBRADEX OPHTHALMIC OINTMENT | Tier 3 | MO |
| <i>tobramycin-dexamethasone ophthalmic suspension</i> | Tier 2 | MO |
| Otic Agents | | |
| Otic Agents | | |
| <i>acetasol hc otic solution</i> | Tier 2 | MO |
| <i>acetic acid otic solution</i> | Tier 2 | MO |
| <i>ciprofloxacin-dexamethasone otic suspension</i> | Tier 2 | MO |
| <i>flac otic oil</i> | Tier 2 | MO |
| <i>fluocinolone acetonide otic oil</i> | Tier 2 | MO |
| <i>hydrocortisone-acetic acid otic solution</i> | Tier 2 | MO |
| <i>neomycin-polymyxin-hc otic solution 1 %</i> | Tier 2 | MO |
| <i>neomycin-polymyxin-hc otic suspension</i> | Tier 2 | MO |
| Respiratory Tract/Pulmonary Agents | | |
| Antihistamines | | |
| ALLEGRA ALLERGY ORAL TABLET 180 MG | Tier 3 | MO; NT |
| ALLEGRA-D ALLERGY & CONGESTION ORAL TABLET EXTENDED RELEASE 12 HOUR | Tier 3 | MO; NT |
| ALLEGRA-D ALLERGY & CONGESTION ORAL TABLET EXTENDED RELEASE 24 HOUR | Tier 3 | MO; NT |
| <i>azelastine hcl nasal solution 0.1 %</i> | Tier 2 | MO |
| CLARITIN ALLERGY CHILDRENS ORAL SYRUP | Tier 3 | MO; NT |
| CLARITIN ORAL CAPSULE | Tier 3 | MO; NT |
| CLARITIN ORAL SYRUP | Tier 3 | MO; NT |
| CLARITIN ORAL TABLET | Tier 3 | MO; NT |
| CLARITIN ORAL TABLET CHEWABLE | Tier 3 | MO; NT |
| CLARITIN REDITABS ORAL TABLET DISPERSIBLE | Tier 3 | MO; NT |
| CLARITIN-D 12 HOUR ORAL TABLET EXTENDED RELEASE 12 HOUR | Tier 3 | MO; NT |
| CLARITIN-D 24 HOUR ORAL TABLET EXTENDED RELEASE 24 HOUR | Tier 3 | MO; NT |
| <i>cyproheptadine hcl oral tablet</i> | Tier 2 | MO |

| Drug | Status | Requirements/Limits |
|---|---------------|-------------------------------|
| DIMETAPP COLD/ALLERGY ORAL ELIXIR | Tier 3 | MO; NT |
| <i>diphenhydramine hcl injection solution</i> | Tier 2 | MO |
| <i>fexofenadine hcl oral tablet 180 mg</i> | Tier 2 | MO; NT |
| <i>hydroxyzine pamoate oral capsule</i> | Tier 2 | PA NS; MO |
| <i>levocetirizine dihydrochloride oral tablet</i> | Tier 2 | MO; QL (1 EA per 1 day) |
| <i>loratadine childrens oral syrup</i> | Tier 2 | MO; NT |
| <i>loratadine childrens oral tablet chewable</i> | Tier 2 | MO; NT |
| <i>loratadine oral tablet</i> | Tier 2 | MO; NT |
| NASACORT ALLERGY 24HR NASAL AEROSOL | Tier 3 | MO; NT |
| <i>olopatadine hcl nasal solution</i> | Tier 2 | ST; MO |
| <i>triamcinolone acetonide nasal aerosol</i> | Tier 2 | MO; NT |
| ZYRTEC-D ALLERGY & CONGESTION ORAL TABLET EXTENDED RELEASE 12 HOUR | Tier 3 | MO; NT |
| Anti-Inflammatories, Inhaled Corticosteroids | | |
| ARNUITY ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED | Tier 3 | MO |
| BREO ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED | Tier 2 | MO |
| <i>budesonide inhalation suspension</i> | Tier 2 | B/D; MO |
| FLOVENT DISKUS INHALATION AEROSOL POWDER BREATH ACTIVATED | Tier 3 | MO |
| FLOVENT HFA INHALATION AEROSOL | Tier 3 | MO |
| <i>flunisolide nasal solution 25 mcg/act (0.025%)</i> | Tier 2 | MO |
| <i>fluticasone propionate nasal suspension</i> | Tier 2 | MO |
| NUCALA SUBCUTANEOUS SOLUTION RECONSTITUTED | Tier 5 | PA; MO; NEDS |
| PULMICORT FLEXHALER INHALATION AEROSOL POWDER BREATH ACTIVATED | Tier 4 | MO |
| Antileukotrienes | | |
| <i>montelukast sodium oral packet</i> | Tier 2 | MO |
| <i>montelukast sodium oral tablet</i> | Tier 2 | MO |
| <i>montelukast sodium oral tablet chewable</i> | Tier 2 | MO |
| <i>zafirlukast oral tablet</i> | Tier 2 | MO; QL (2 EA per 1 day) |
| <i>zileuton er oral tablet extended release 12 hour</i> | Tier 5 | MO; QL (4 EA per 1 day); NEDS |

| Drug | Status | Requirements/Limits |
|---|---------------|----------------------------|
| Bronchodilators, Anticholinergic | | |
| ATROVENT HFA INHALATION AEROSOL SOLUTION | Tier 4 | MO |
| COMBIVENT RESPIMAT INHALATION AEROSOL SOLUTION | Tier 3 | MO |
| INCRUSE ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED | Tier 3 | MO |
| <i>ipratropium bromide inhalation solution</i> | Tier 2 | B/D; MO |
| <i>ipratropium bromide nasal solution</i> | Tier 2 | MO |
| <i>ipratropium-albuterol inhalation solution</i> | Tier 2 | B/D; MO |
| SPIRIVA HANDIHALER INHALATION CAPSULE | Tier 3 | MO |
| SPIRIVA RESPIMAT INHALATION AEROSOL SOLUTION | Tier 3 | MO |
| Bronchodilators, Sympathomimetic | | |
| <i>albuterol sulfate er oral tablet extended release 12 hour</i> | Tier 2 | MO |
| <i>albuterol sulfate hfa inhalation aerosol solution 108 (90 base) mcg/act</i> | Tier 1 | MO |
| <i>albuterol sulfate inhalation nebulization solution (2.5 mg/3ml) 0.083%, 0.63 mg/3ml, 1.25 mg/3ml, 2.5 mg/0.5ml</i> | Tier 2 | B/D; MO |
| <i>albuterol sulfate oral syrup</i> | Tier 2 | MO |
| <i>albuterol sulfate oral tablet</i> | Tier 2 | MO |
| <i>epinephrine injection solution 0.3 mg/0.3ml</i> | Tier 2 | MO |
| <i>epinephrine injection solution auto-injector 0.15 mg/0.3ml, 0.3 mg/0.3ml</i> | Tier 2 | MO |
| <i>levalbuterol hcl inhalation nebulization solution</i> | Tier 2 | B/D; MO |
| <i>levalbuterol tartrate inhalation aerosol</i> | Tier 2 | MO |
| PROAIR HFA INHALATION AEROSOL SOLUTION | Tier 3 | MO |
| PROAIR RESPICLICK INHALATION AEROSOL POWDER BREATH ACTIVATED | Tier 3 | MO |
| SEREVENT DISKUS INHALATION AEROSOL POWDER BREATH ACTIVATED | Tier 3 | MO |
| SYMJEPI INJECTION SOLUTION PREFILLED SYRINGE | Tier 3 | MO; QL (2 EA per 1 day) |
| <i>terbutaline sulfate oral tablet</i> | Tier 2 | MO |

| Drug | Status | Requirements/Limits |
|--|---------------|-----------------------------------|
| Cystic Fibrosis Agents | | |
| BRONCHITOL INHALATION CAPSULE | Tier 5 | PA; MO; NEDS |
| BRONCHITOL TOLERANCE TEST INHALATION CAPSULE | Tier 5 | PA; MO; NEDS |
| CAYSTON INHALATION SOLUTION RECONSTITUTED | Tier 5 | PA; MO; NEDS |
| KALYDECO ORAL PACKET | Tier 5 | PA; MO; NEDS |
| KALYDECO ORAL TABLET | Tier 5 | PA; MO; NEDS |
| ORKAMBI ORAL PACKET | Tier 5 | PA; MO; NEDS |
| ORKAMBI ORAL TABLET | Tier 5 | PA; MO; NEDS |
| PULMOZYME INHALATION SOLUTION | Tier 5 | B/D; MO; NEDS |
| SYMDEKO ORAL TABLET THERAPY PACK | Tier 5 | PA; MO; QL (2 EA per 1 day); NEDS |
| TOBI PODHALER INHALATION CAPSULE | Tier 5 | MO; NEDS |
| <i>tobramycin inhalation nebulization solution 300 mg/5ml</i> | Tier 5 | B/D; MO; NEDS |
| TRIKAFTA ORAL TABLET THERAPY PACK | Tier 5 | PA; MO; QL (3 EA per 1 day); NEDS |
| Mast Cell Stabilizers | | |
| <i>cromolyn sodium inhalation nebulization solution</i> | Tier 2 | B/D; MO |
| <i>cromolyn sodium oral concentrate</i> | Tier 2 | MO |
| Phosphodiesterase Inhibitors, Airways Disease | | |
| DALIRESP ORAL TABLET 250 MCG | Tier 4 | MO; QL (30 EA per 30 days) |
| DALIRESP ORAL TABLET 500 MCG | Tier 4 | MO; QL (1 EA per 1 day) |
| ELIXOPHYLLIN ORAL ELIXIR | Tier 4 | MO |
| THEO-24 ORAL CAPSULE EXTENDED RELEASE 24 HOUR | Tier 3 | MO |
| <i>theophylline er oral tablet extended release 12 hour 300 mg, 450 mg</i> | Tier 2 | MO |
| <i>theophylline er oral tablet extended release 24 hour</i> | Tier 2 | MO |
| Pulmonary Antihypertensives | | |
| ADEMPAS ORAL TABLET | Tier 5 | PA; MO; NEDS |
| ALYQ ORAL TABLET | Tier 5 | PA; MO; NEDS |
| <i>ambrisentan oral tablet</i> | Tier 5 | PA; MO; NEDS |
| <i>bosentan oral tablet</i> | Tier 5 | PA; MO; NEDS |
| OPSUMIT ORAL TABLET | Tier 5 | PA; MO; NEDS |
| ORENITRAM ORAL TABLET EXTENDED RELEASE 0.125 MG | Tier 4 | PA; MO |

| Drug | Status | Requirements/Limits |
|---|---------------|----------------------------|
| ORENITRAM ORAL TABLET EXTENDED RELEASE 0.25 MG, 1 MG, 2.5 MG, 5 MG | Tier 5 | PA; MO; NEDS |
| <i>sildenafil citrate oral suspension reconstituted</i> | Tier 5 | PA; MO; NEDS |
| <i>sildenafil citrate oral tablet 20 mg</i> | Tier 2 | PA; MO |
| <i>tadalafil (pah) oral tablet</i> | Tier 5 | PA; MO; NEDS |
| TRACLEER ORAL TABLET SOLUBLE | Tier 5 | PA; MO; NEDS |
| UPTRAVI ORAL TABLET | Tier 5 | PA; MO; NEDS |
| UPTRAVI ORAL TABLET THERAPY PACK | Tier 5 | PA; MO; NEDS |
| VENTAVIS INHALATION SOLUTION | Tier 5 | PA; MO; NEDS |
| Pulmonary Fibrosis Agents | | |
| ESBRIET ORAL TABLET | Tier 5 | PA; MO; NEDS |
| OFEV ORAL CAPSULE | Tier 5 | PA; MO; NEDS |
| Respiratory Tract Agents, Other | | |
| <i>acetylcysteine inhalation solution</i> | Tier 2 | B/D; MO |
| ANORO ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED | Tier 3 | MO |
| BEVESPI AEROSPHERE INHALATION AEROSOL | Tier 3 | MO |
| STIOLTO RESPIMAT INHALATION AEROSOL SOLUTION | Tier 3 | MO |
| SYMBICORT INHALATION AEROSOL | Tier 2 | MO |
| Respiratory Tract/Pulmonary Agents | | |
| ADVAIR DISKUS INHALATION AEROSOL POWDER BREATH ACTIVATED | Tier 2 | MO |
| ADVAIR HFA INHALATION AEROSOL | Tier 2 | MO |
| <i>biogtuss oral liquid 10-15-300 mg/5ml</i> | Tier 2 | MO; NT |
| BREZTRI AEROSPHERE INHALATION AEROSOL | Tier 3 | MO |
| DAYHIST ALLERGY 12 HOUR RELIEF ORAL TABLET | Tier 3 | MO; NT |
| <i>despec eda oral liquid</i> | Tier 2 | MO; NT |
| <i>dometuss-dmx oral liquid</i> | Tier 2 | MO; NT |
| FASENRA PEN SUBCUTANEOUS SOLUTION AUTO-INJECTOR | Tier 5 | PA; MO; NEDS |
| FASENRA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | Tier 5 | PA; MO; NEDS |
| <i>fexofenadine-pseudoephed er oral tablet extended release 12 hour</i> | Tier 2 | MO; NT |

| Drug | Status | Requirements/Limits |
|---|---------------|-----------------------------------|
| <i>fexofenadine-pseudoephed er oral tablet extended release 24 hour</i> | Tier 2 | MO; NT |
| <i>guaifenesin dac oral solution</i> | Tier 2 | MO; NT |
| <i>guaifenesin-codeine oral solution</i> | Tier 2 | MO; NT |
| <i>loratadine-d 12hr oral tablet extended release 12 hour</i> | Tier 2 | MO; NT |
| <i>loratadine-d 24hr oral tablet extended release 24 hour</i> | Tier 2 | MO; NT |
| <i>m-clear wc oral solution</i> | Tier 2 | MO; NT |
| <i>mometasone furoate nasal suspension</i> | Tier 2 | MO |
| NUCALA SUBCUTANEOUS SOLUTION AUTO-INJECTOR | Tier 5 | PA; MO; NEDS |
| NUCALA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | Tier 5 | PA; MO; NEDS |
| <i>promethazine-codeine oral solution</i> | Tier 2 | MO; NT |
| <i>promethazine-codeine oral syrup</i> | Tier 2 | MO; NT |
| <i>promethazine-dm oral syrup</i> | Tier 2 | MO; NT |
| <i>promethazine-phenyleph-codeine oral syrup</i> | Tier 2 | MO; NT |
| <i>pseudoeph-bromphen-dm oral syrup 30-2-10 mg/5ml</i> | Tier 2 | MO; NT |
| <i>pseudoeph-chlorphen-hydrocod oral solution</i> | Tier 2 | MO; NT |
| PX DAYHIST ALLERGY ORAL TABLET | Tier 3 | MO; NT |
| TRELEGY ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED | Tier 3 | MO |
| ZYRTEC ALLERGY ORAL TABLET | Tier 3 | MO; NT |
| ZYRTEC CHILDRENS ALLERGY ORAL SOLUTION 5 MG/5ML | Tier 3 | MO; NT |
| Skeletal Muscle Relaxants | | |
| Skeletal Muscle Relaxants | | |
| <i>carisoprodol oral tablet</i> | Tier 2 | PA; MO |
| <i>cyclobenzaprine hcl oral tablet 10 mg, 5 mg</i> | Tier 1 | PA; MO |
| <i>methocarbamol oral tablet</i> | Tier 1 | PA; MO |
| <i>orphenadrine citrate er oral tablet extended release 12 hour</i> | Tier 2 | MO |
| Sleep Disorder Agents | | |
| Gaba Receptor Modulators | | |
| <i>eszopiclone oral tablet</i> | Tier 2 | PA NS; MO; QL (30 EA per 30 days) |
| <i>flurazepam hcl oral capsule</i> | Tier 2 | MO; QL (30 EA per 30 days) |

| Drug | Status | Requirements/Limits |
|--|---------------|-----------------------------------|
| <i>temazepam oral capsule</i> | Tier 2 | MO; QL (30 EA per 30 days) |
| <i>zaleplon oral capsule</i> | Tier 2 | PA NS; MO; QL (1 EA per 1 day) |
| <i>zolpidem tartrate er oral tablet extended release</i> | Tier 2 | PA NS; MO; QL (30 EA per 30 days) |
| <i>zolpidem tartrate oral tablet</i> | Tier 1 | PA NS; MO; QL (1 EA per 1 day) |
| <i>zolpidem tartrate sublingual tablet sublingual</i> | Tier 2 | PA NS; MO |
| Sleep Disorders, Other | | |
| <i>doxepin hcl oral tablet</i> | Tier 2 | MO; QL (30 EA per 30 days) |
| <i>modafinil oral tablet</i> | Tier 3 | PA; MO; QL (1 EA per 1 day) |
| <i>ramelteon oral tablet</i> | Tier 2 | MO; QL (30 EA per 30 days) |
| <i>triazolam oral tablet</i> | Tier 2 | MO; QL (60 EA per 30 days) |
| XYREM ORAL SOLUTION | Tier 5 | PA; MO; NEDS |
| XYWAV ORAL SOLUTION | Tier 5 | PA; MO; NEDS |

Index

| | | | | | |
|---------------------------------------|--------|---|--------|---------------------------------------|----|
| 1ST TIER UNIFINE PENTIPS | 79 | AFINITOR | 24 | AMINOSYN-PF | 54 |
| 1ST TIER UNIFINE PENTIPS PLUS | 79 | AFINITOR DISPERZ | 24 | <i>amiodarone hcl</i> | 45 |
| <i>abacavir sulfate</i> | 33 | AGAMATRIX AMP TEST | 40 | <i>amitriptyline hcl</i> | 17 |
| <i>abacavir sulfate-lamivudine</i> | 33 | AGAMATRIX JAZZ TEST | 40 | <i>amlodipine besy-benazepril hcl</i> | 47 |
| <i>abacavir-lamivudine-zidovudine</i> | 33 | AGAMATRIX KEYNOTE TEST | 40 | <i>amlodipine besylate</i> | 47 |
| ABELCET | 18 | AGAMATRIX PRESTO TEST | 40 | <i>amlodipine besylate-valsartan</i> | 47 |
| ABILIFY MAINTENA | 30 | AIMOVIG | 21 | <i>amlodipine-olmesartan</i> | 45 |
| <i>abiraterone acetate</i> | 22 | <i>ak-poly-bac</i> | 82 | <i>amlodipine-valsartan-hctz</i> | 47 |
| ABREVA | 53 | <i>ala-cort</i> | 61 | <i>ammonium lactate</i> | 53 |
| <i>acamprosate calcium</i> | 5 | ALA-QUIN | 53 | <i>amoxapine</i> | 17 |
| <i>acarbose</i> | 36 | <i>albendazole</i> | 27 | <i>amoxicillin</i> | 10 |
| ACCU-CHEK AVIVA PLUS | 40 | <i>albuterol sulfate</i> | 87 | <i>amoxicillin-pot clavulanate</i> | 10 |
| ACCU-CHEK COMPACT PLUS | 40 | <i>albuterol sulfate er</i> | 87 | <i>amphetamine-dextroamphet er</i> | 50 |
| ACCU-CHEK GUIDE | 40 | <i>albuterol sulfate hfa</i> | 87 | <i>amphetamine-dextroamphetamine</i> | 50 |
| ACCU-CHEK SMARTVIEW | 40 | <i>alclometasone dipropionate</i> | 61 | AMPHOTERICIN B | 18 |
| ACCUTREND GLUCOSE | 40 | ALECENSA | 24 | <i>ampicillin</i> | 10 |
| <i>acebutolol hcl</i> | 46 | <i>alendronate sodium</i> | 77 | <i>ampicillin sodium</i> | 10 |
| <i>acetaminophen-codeine</i> | 4 | <i>alfuzosin hcl er</i> | 60 | <i>ampicillin-sulbactam sodium</i> | 10 |
| <i>acetaminophen-codeine #3</i> | 4 | ALINIA | 27 | <i>anagrelide hcl</i> | 44 |
| <i>acetosal hc</i> | 85 | <i>aliskiren fumarate</i> | 47 | ANALPRAM HC | 77 |
| <i>acetazolamide</i> | 48 | ALLEGRA ALLERGY | 85 | ANALPRAM-HC | 77 |
| <i>acetazolamide er</i> | 83 | ALLEGRA-D ALLERGY & CONGESTION | 85 | ANASPAZ | 79 |
| <i>acetic acid</i> | 85 | <i>allopurinol</i> | 20 | <i>anastrozole</i> | 24 |
| <i>acetylcysteine</i> | 89 | ALOCRIL | 83 | ANDRODERM | 65 |
| <i>acitretin</i> | 53 | <i>alogliptin benzoate</i> | 36 | ANGELIQ | 65 |
| ACTEMRA | 73 | ALOMIDE | 84 | ANIMI-3 | 79 |
| ACTEMRA ACTPEN | 72 | ALORA | 65 | ANIMI-3/VITAMIN D | 79 |
| ACTHAR | 61 | <i>alosetron hcl</i> | 58 | ANORO ELLIPTA | 89 |
| ACTHIB | 75 | ALPHAGAN P | 83 | ANUSOL-HC | 77 |
| ACTIMMUNE | 71 | <i>alprazolam</i> | 35 | APOKYN | 28 |
| <i>acyclovir</i> | 32, 53 | <i>alprazolam er</i> | 35 | <i>apraclonidine hcl</i> | 83 |
| <i>acyclovir sodium</i> | 32 | <i>alprazolam xr</i> | 35 | <i>aprepitant</i> | 18 |
| ADACEL | 75 | ALREX | 84 | <i>apri</i> | 65 |
| <i>adapalene</i> | 53 | <i>altavera</i> | 65 | APTIOM | 15 |
| <i>adefovir dipivoxil</i> | 31 | ALUNBRIG | 24, 25 | APTIVUS | 34 |
| ADEMPAS | 88 | ALYQ | 88 | ARALAST NP | 59 |
| ADVAIR DISKUS | 89 | <i>amabelz</i> | 65 | <i>aranelle</i> | 65 |
| ADVAIR HFA | 89 | <i>amantadine hcl</i> | 35 | ARCALYST | 71 |
| ADVANCE INTUITION TEST | 40 | AMBISOME | 18 | <i>aripiprazole</i> | 30 |
| ADVANCE MICRO-DRAW TEST | 40 | <i>ambrisentan</i> | 88 | ARNUITY ELLIPTA | 86 |
| ADVOCATE INSULIN PEN NEEDLES | 79 | <i>amcinonide</i> | 61 | <i>asenapine maleate</i> | 30 |
| ADVOCATE REDI-CODE | 40 | AMCINONIDE | 61 | ASPERCREME LIDOCAINE | 5 |
| ADVOCATE REDI-CODE+ TEST | 40 | <i>amethia</i> | 65 | <i>aspirin-dipyridamole er</i> | 44 |
| ADVOCATE TEST | 40 | <i>amethyst</i> | 65 | ASSURE 3 TEST | 40 |
| | | <i>amikacin sulfate</i> | 6 | ASSURE 4 TEST | 40 |
| | | <i>amiloride hcl</i> | 48 | ASSURE ID INSULIN SAFETY SYR | 79 |
| | | <i>amiloride-hydrochlorothiazide</i> | 48 | ASSURE II | 40 |
| | | <i>aminosyn ii</i> | 54 | ASSURE II CHECK | 40 |

| | |
|---------------------------------------|--------|
| ASSURE PLATINUM | 40 |
| ASSURE PRISM MULTI TEST | 40 |
| ASSURE PRO TEST | 40 |
| atazanavir sulfate | 34 |
| atenolol | 46 |
| atenolol-chlorthalidone | 46 |
| atomoxetine hcl | 50 |
| atorvastatin calcium | 49 |
| atovaquone | 27 |
| atovaquone-proguanil hcl | 27 |
| ATROPINE SULFATE | 83 |
| atropine sulfate | 83 |
| ATROVENT HFA | 87 |
| AUBAGIO | 52 |
| AURYXIA | 61 |
| AUSTEDO | 51 |
| aviane | 65 |
| AVONEX PEN | 52 |
| AVONEX PREFILLED | 52 |
| AVYCAZ | 8 |
| AYVAKIT | 25 |
| azacitidine | 23 |
| AZASAN | 73 |
| AZASITE | 11 |
| azathioprine | 73 |
| azathioprine sodium | 70 |
| azelaic acid | 53 |
| azelastine hcl | 83, 85 |
| azithromycin | 11 |
| aztreonam | 9 |
| bacitracin | 7 |
| bacitracin-polymyxin b | 83 |
| bacitra-neomycin-polymyxin-hc | 7 |
| baclofen | 31 |
| balsalazide disodium | 77 |
| BALVERSA | 25 |
| balziva | 65 |
| BARACLUDE | 31 |
| BAXDELA | 11 |
| bcg vaccine | 75 |
| BD DISP NEEDLES | 79 |
| BD PEN | 79 |
| BD PEN MINI | 79 |
| BD PEN NEEDLE MICRO U/F | 79 |
| BD PEN NEEDLE MINI U/F | 79 |
| BD PEN NEEDLE NANO 2ND GEN | 79 |
| BD PEN NEEDLE NANO U/F | 79 |
| BD PEN NEEDLE SHORT U/F | 79 |
| BD SAFETYGLIDE INSULIN SYRINGE | 79 |
| BD SYRINGE LUER-LOK | 79 |
| BD VEO INSULIN SYRINGE U/F | 79 |
| BELBUCA | 3 |
| benazepril hcl | 45 |
| benazepril-hydrochlorothiazide | 45 |
| BENLYSTA | 73 |
| benzonatate | 78, 79 |
| benztropine mesylate | 28 |
| BERINERT | 70 |
| BESER | 61 |
| betamethasone dipropionate | 61 |
| betamethasone dipropionate aug | 61 |
| betamethasone valerate | 61 |
| BETASERON | 52 |
| betaxolol hcl | 46, 83 |
| bethanechol chloride | 61 |
| BETOPTIC-S | 83 |
| BEVESPI AEROSPHERE | 89 |
| bexarotene | 27 |
| BEXSERO | 75 |
| bicalutamide | 22 |
| BICILLIN C-R | 10 |
| BIJUVA | 68 |
| BIKTARVY | 32 |
| biogtuss | 89 |
| BIOSCANNER GLUCOSE TEST | 40 |
| bisoprolol fumarate | 46 |
| bisoprolol-hydrochlorothiazide | 46 |
| BIVIGAM | 70 |
| bleomycin sulfate | 23 |
| BLEPHAMIDE | 84 |
| BLEPHAMIDE S.O.P. | 84 |
| BLOOD GLUCOSE TEST | 40 |
| BOOSTRIX | 75 |
| bosentan | 88 |
| BOSULIF | 25 |
| BRAFTOVI | 25 |
| BREO ELLIPTA | 86 |
| BREZTRI AEROSPHERE | 89 |
| briellyn | 65 |
| BRILINTA | 44 |
| brimonidine tartrate | 83 |
| brinzolamide | 83 |
| BRIVIACT | 12 |
| bromfenac sodium (once-daily) | 84 |
| bromocriptine mesylate | 28 |
| BRONCHITOL | 88 |
| BRONCHITOL TOLERANCE TEST | 88 |
| BRUKINSA | 25 |
| budesonide | 77, 86 |
| budesonide er | 77 |
| bumetanide | 48 |
| buprenorphine | 3 |
| buprenorphine hcl | 5 |
| buprenorphine hcl-naloxone hcl | 6 |
| bupropion hcl | 16 |
| bupropion hcl er (smoking det) | 6 |
| bupropion hcl er (sr) | 16 |
| bupropion hcl er (xl) | 16 |
| buspirone hcl | 35 |
| butorphanol tartrate | 4 |
| BYDUREON BCISE | 36 |
| BYETTA 10 MCG PEN | 36 |
| BYETTA 5 MCG PEN | 37 |
| cabergoline | 69 |
| CABLIVI | 44 |
| CABOMETYX | 25 |
| calcipotriene | 53 |
| calcitonin (salmon) | 77 |
| calcitriol | 77 |
| calcium acetate | 61 |
| calcium acetate (phos binder) | 61 |
| CALQUENCE | 25 |
| camila | 68 |
| candesartan cilexetil | 45 |
| candesartan cilexetil-hctz | 45 |
| CAPASTAT SULFATE | 21 |
| CAPEX | 61 |
| CAPLYTA | 30 |
| CAPRELSA | 25 |
| captopril | 45 |
| captopril-hydrochlorothiazide | 45 |
| CARBAGLU | 56 |
| carbamazepine | 15 |
| carbamazepine er | 15 |
| carbidopa | 28 |
| carbidopa-levodopa | 28 |
| carbidopa-levodopa er | 28 |
| carbidopa-levodopa-entacapone | 29 |
| CARDIZEM LA | 47 |
| CARDURA XL | 60 |
| CAREONE BLOOD GLUCOSE TEST | 40 |

| | | | | | |
|---------------------------------------|----|--------------------------------------|----|---------------------------------------|--------|
| CARESENS N GLUCOSE TEST | 40 | cilostazol | 44 | CLINIMIX/DEXTROSE (4.25/10) | 56 |
| CARETOUCH TEST | 40 | CILOXAN | 11 | CLINIMIX/DEXTROSE (4.25/5) | 56 |
| <i>carisoprodol</i> | 90 | CIMDUO | 33 | CLINIMIX/DEXTROSE (5/15) | 57 |
| <i>carteolol hcl</i> | 83 | <i>cimetidine</i> | 58 | CLINIMIX/DEXTROSE (5/20) | 57 |
| <i>cartia xt</i> | 47 | <i>cimetidine hcl</i> | 58 | CLINISOL SF | 54 |
| <i>carvedilol</i> | 46 | CIMZIA | 73 | <i>clobazam</i> | 13 |
| <i>carvedilol phosphate er</i> | 46 | CIMZIA PREFILLED | 73 | CLOBAZAM | 13 |
| CASPOFUNGIN ACETATE | 19 | <i>cinacalcet hcl</i> | 77 | <i>clobetasol prop emollient base</i> | 53 |
| CAVERJECT | 78 | CINRYZE | 70 | <i>clobetasol propionate</i> | 53, 62 |
| CAVERJECT IMPULSE | 78 | <i>ciprofloxacin hcl</i> | 11 | <i>clobetasol propionate e</i> | 53 |
| CAYSTON | 88 | <i>ciprofloxacin in d5w</i> | 11 | <i>clobetasol propionate emulsion</i> | 53 |
| <i>cefaclor</i> | 8 | <i>ciprofloxacin-dexamethasone</i> | 85 | <i>clo cortolone pivalate</i> | 53 |
| <i>cefaclor er</i> | 8 | <i>citalopram hydrobromide</i> | 16 | CLODAN | 53 |
| <i>cefadroxil</i> | 8 | <i>claravis</i> | 53 | <i>clomipramine hcl</i> | 17 |
| <i>cefazolin sodium</i> | 8 | <i>clarithromycin</i> | 11 | <i>clonazepam</i> | 13 |
| <i>cefdinir</i> | 8 | <i>clarithromycin er</i> | 11 | CLONIDINE | 44 |
| <i>cefeprazole hcl</i> | 9 | CLARITIN | 85 | <i>clonidine hcl</i> | 44 |
| <i>cefixime</i> | 9 | CLARITIN ALLERGY CHILDRENS | 85 | <i>clopidogrel bisulfate</i> | 44 |
| <i>cefotaxime sodium</i> | 9 | CLARITIN REDITABS | 85 | <i>clorazepate dipotassium</i> | 36 |
| <i>cefotetan disodium</i> | 9 | CLARITIN-D 12 HOUR | 85 | <i>clotrimazole</i> | 19 |
| <i>cefoxitin sodium</i> | 9 | CLARITIN-D 24 HOUR | 85 | <i>clotrimazole-betamethasone</i> | 53 |
| <i>cefpodoxime proxetil</i> | 9 | CLEOCIN | 7 | <i>clovique</i> | 56 |
| <i>cefprozil</i> | 9 | CLEVER CHEK AUTO-CODE TEST | 41 | <i>clozapine</i> | 31 |
| <i>ceftazidime</i> | 9 | CLEVER CHEK AUTO-CODE VOICE | 41 | COARTEM | 27 |
| <i>ceftriaxone sodium</i> | 9 | CLEVER CHEK TEST | 41 | <i>codeine sulfate</i> | 4 |
| <i>cefuroxime axetil</i> | 9 | CLEVER CHOICE AUTO-CODE TEST | 41 | <i>colchicine</i> | 20 |
| <i>cefuroxime sodium</i> | 9 | CLEVER CHOICE MICRO TEST | 41 | <i>colchicine-probenecid</i> | 20 |
| <i>celecoxib</i> | 3 | CLEVER CHOICE NO CODING | 41 | <i>colesevelam hcl</i> | 37, 49 |
| CELONTIN | 13 | CLEVER CHOICE TALK SYSTEM | 41 | <i>colestipol hcl</i> | 49 |
| CENTRUM ADULTS | 79 | CLIMARA PRO | 65 | <i>colistimethate sodium (cba)</i> | 7 |
| <i>cephalexin</i> | 9 | <i>clindamycin hcl</i> | 7 | COMBIGAN | 82 |
| CERDELGA | 59 | <i>clindamycin palmitate hcl</i> | 7 | COMBIPATCH | 65 |
| CETACAINE | 78 | <i>clindamycin phosphate</i> | 7 | COMBIVENT RESPIMAT | 87 |
| <i>cevimeline hcl</i> | 52 | <i>clindamycin phosphate in d5w</i> | 7 | COMETRIQ (100 MG DAILY DOSE) | 25 |
| CHANTIX | 6 | CLINIMIX E/DEXTROSE (2.75/5) | 56 | COMETRIQ (140 MG DAILY DOSE) | 25 |
| CHANTIX CONTINUING MONTH PAK | 6 | CLINIMIX E/DEXTROSE (4.25/10) | 56 | COMFORT ASSIST INSULIN SYRINGE | 79 |
| MONTH PAK | 6 | CLINIMIX E/DEXTROSE (4.25/5) | 56 | COMFORT EZ PEN NEEDLES | 79 |
| CHANTIX STARTING MONTH PAK | 6 | CLINIMIX E/DEXTROSE (5/15) | 56 | COMPLERA | 33 |
| <i>chlordiazepoxide hcl</i> | 35 | CLINIMIX E/DEXTROSE (5/20) | 56 | CONDYLOX | 53 |
| <i>chlordiazepoxide-amitriptyline</i> | 17 | | | <i>constulose</i> | 58 |
| <i>chlorhexidine gluconate</i> | 52 | | | CONTOUR NEXT TEST | 41 |
| <i>chloroquine phosphate</i> | 27 | | | CONTOUR TEST | 41 |
| CHLORPROMAZINE HCL | 29 | | | | |
| <i>chlorpromazine hcl</i> | 29 | | | | |
| <i>chlorthalidone</i> | 48 | | | | |
| <i>cholestyramine</i> | 49 | | | | |
| <i>cholestyramine light</i> | 49 | | | | |
| <i>cyclodan</i> | 19 | | | | |
| <i>cyclopirox</i> | 19 | | | | |
| <i>cyclopirox olamine</i> | 19 | | | | |

| | | | | | |
|---------------------------------------|--------|---------------------------------------|--------|---------------------------------------|----------------|
| COPIKTRA | 24 | DELSTRIGO | 33 | <i>diclofenac potassium</i> | 3 |
| CORLANOR | 47 | DEPLIN 15 | 80 | <i>diclofenac sodium</i> | 3, 53, 84 |
| CORTANE-B | 53 | DEPO-SUBQ PROVERA 104 | 68 | <i>diclofenac sodium er</i> | 3 |
| <i>cortic-nd</i> | 79 | DERMAZENE | 53 | <i>diclofenac-misoprostol</i> | 3 |
| CORVITA | 79 | DESCOVY | 33 | <i>dicloxacillin sodium</i> | 10 |
| CORVITE 150 | 79 | <i>desipramine hcl</i> | 18 | <i>dicyclomine hcl</i> | 57 |
| <i>corvite fe</i> | 79 | <i>desmopressin ace spray refrig</i> | 64 | <i>diflorasone diacetate</i> | 62 |
| COSENTYX | 71 | <i>desmopressin acetate</i> | 64 | <i>diflunisal</i> | 3 |
| COSENTYX (300 MG DOSE) | 71 | <i>desmopressin acetate spray</i> | 64 | <i>digitek</i> | 47 |
| COSENTYX SENSOREADY (300 MG) | 71 | <i>desogestrel-ethynodiol</i> | 65 | <i>digox</i> | 48 |
| COSENTYX SENSOREADY PEN | 71 | <i>desonide</i> | 62 | <i>digoxin</i> | 48 |
| COTELLIC | 23 | <i>desoximetasone</i> | 62 | <i>dihydroergotamine mesylate</i> | 20 |
| COVARYX | 80 | <i>despec eda</i> | 89 | DILANTIN | 15 |
| COVARYX HS | 80 | DESVENLAFAXINE ER | 16 | <i>diltiazem hcl</i> | 47 |
| CREON | 59 | <i>desvenlafaxine succinate er</i> | 16 | <i>diltiazem hcl er</i> | 47 |
| CRINONE | 68 | <i>dexamethasone</i> | 62 | <i>diltiazem hcl er beads</i> | 47 |
| CRIXIVAN | 34 | DEXAMETHASONE INTENSOL | 62 | <i>diltiazem hcl er coated beads</i> | 47 |
| <i>cromolyn sodium</i> | 83, 88 | <i>dexamethasone sodium phosphate</i> | 62, 84 | DIMETAPP | |
| <i>cryselle-28</i> | 65 | DEXCOM G4 PLAT PED RCV/SHARE | 41 | COLD/ALLERGY | 86 |
| CRYSVITA | 80 | DEXCOM G4 PLAT PED RECEIVER | 41 | <i>dimethyl fumarate</i> | 52 |
| CVS GAUZE STERILE | 38 | DEXCOM G4 PLATINUM RCV/SHARE | 41 | <i>dimethyl fumarate starter pack</i> | 52 |
| <i>cyanocobalamin</i> | 80 | DEXCOM G4 PLATINUM RECEIVER | 41 | DIPENTUM | 77 |
| <i>cyclafem 1/35</i> | 65 | DEXCOM G4 PLATINUM TRANSMITTER | 41 | <i>diphenhydramine hcl</i> | 86 |
| <i>cyclafem 7/7/7</i> | 65 | DEXCOM G4 SENSOR | 41 | <i>diphenoxylate-atropine</i> | 57 |
| <i>cyclobenzaprine hcl</i> | 90 | DEXCOM G5 MOB/G4 PLAT SENSOR | 41 | <i>diphtheria-tetanus toxoids dt</i> | 75 |
| <i>cyclopentolate hcl</i> | 83 | DEXCOM G5 MOBILE RECEIVER | 41 | <i>dipyridamole</i> | 44 |
| <i>cyclophosphamide</i> | 22 | DEXCOM G5 MOBILE TRANSMITTER | 41 | <i>disopyramide phosphate</i> | 46 |
| CYCLOSET | 37 | DEXCOM G6 RECEIVER | 41 | <i>disulfiram</i> | 5 |
| <i>cyclosporine</i> | 73 | DEXCOM G6 SENSOR | 41 | <i>divalproex sodium</i> | 14, 36 |
| <i>cyclosporine modified</i> | 73 | DEXCOM G6 TRANSMITTER | 41 | <i>divalproex sodium er</i> | 21 |
| <i>cyproheptadine hcl</i> | 85 | DEXILANT | 59 | <i>dofetilide</i> | 46 |
| <i>cyred eq</i> | 65 | <i>dexmethylphenidate hcl</i> | 51 | DOJOLVI | 56 |
| CYSTADANE | 59 | <i>dexmethylphenidate hcl er</i> | 50, 51 | <i>dolishale</i> | 65 |
| CYSTADROPS | 83 | <i>dextroamphetamine sulfate</i> | 50 | <i>dometuss-dmx</i> | 89 |
| CYSTAGON | 59 | <i>dextroamphetamine sulfate er</i> | 50 | <i>donepezil hcl</i> | 15 |
| CYSTARAN | 83 | <i>dextrose</i> | 57 | DONNATAL | 80 |
| <i>dalfampridine er</i> | 52 | DEXTROSE-NACL | 57 | DOPTELET | 43 |
| DALIRESP | 88 | <i>dextrose-nacl</i> | 57 | <i>dorzolamide hcl</i> | 83 |
| <i>dalvance</i> | 7 | DIACOMIT | 13 | <i>dorzolamide hcl-timolol mal</i> | 83 |
| <i>danazol</i> | 65 | <i>diazepam</i> | 13, 36 | <i>dorzolamide hcl-timolol mal pf</i> | 83 |
| <i>dantrolene sodium</i> | 31 | <i>diazoxide</i> | 38 | <i>dotti</i> | 65 |
| <i>dapsone</i> | 21 | | | DOVATO | 33 |
| DAPTACEL | 75 | | | <i>doxazosin mesylate</i> | 60 |
| <i>daptomycin</i> | 7 | | | <i>doxepin hcl</i> | 18, 35, 53, 91 |
| <i>darifenacin hydrobromide er</i> | 60 | | | <i>doxercalciferol</i> | 57 |
| DAURISMO | 25 | | | <i>doxy 100</i> | 12 |
| DAYHIST ALLERGY 12 HOUR RELIEF | 89 | | | <i>doxycycline</i> | 53 |
| <i>deferasirox</i> | 56 | | | <i>doxycycline hydiate</i> | 12 |
| <i>deferiprone</i> | 56 | | | <i>doxycycline monohydrate</i> | 12 |
| | | | | <i>doxylamine-pyridoxine</i> | 18 |
| | | | | DRISDOL | 80 |

| | | | | | |
|---------------------------------------|--------|--------------------------------------|--------|---------------------------------------|--------|
| DRIZALMA SPRINKLE | 16, 17 | <i>enalapril maleate</i> | 45 | <i>ethambutol hcl</i> | 21 |
| <i>dronabinol</i> | 18 | <i>enalapril-hydrochlorothiazide</i> | 45 | <i>ethosuximide</i> | 13 |
| DROPLET INSULIN SYRINGE | 80 | ENBREL | 73 | <i>etodolac</i> | 20 |
| DROPLET PEN NEEDLES | 80 | ENBREL MINI | 73 | <i>etodolac er</i> | 3 |
| <i>drospirenone-ethinyl estradiol</i> | 66 | ENBREL SURECLICK | 73 | <i>etonogestrel-ethinyl estradiol</i> | 66 |
| <i>droxidopa</i> | 48 | ENDARI | 59 | <i>etravirine</i> | 33 |
| <i>duloxetine hcl</i> | 17 | <i>endocet</i> | 4 | <i>euthyrox</i> | 69 |
| DUOBRII | 53 | ENGERIX-B | 75 | <i>everolimus</i> | 25, 73 |
| DUPIXENT | 71 | ENLITE GLUCOSE SENSOR | 42 | EVERSENSE SENSOR/HOLDER | 42 |
| <i>duramorph</i> | 4 | <i>enoxaparin sodium</i> | 43 | EVERSENSE SMART TRANSMITTER | 42 |
| DUREZOL | 84 | <i>enpresse-28</i> | 66 | EVOTAZ | 34 |
| <i>dutasteride</i> | 60 | <i>enskyce</i> | 66 | EVRYSDI | 51 |
| <i>dutasteride-tamsulosin hcl</i> | 60 | ENSPRYNG | 73 | EXACTECH R-S-G TEST | 42 |
| <i>e.e.s. 400</i> | 11 | <i>entacapone</i> | 28 | EXACTECH TEST | 42 |
| EASY PLUS II GLUCOSE TEST | 41 | <i>entecavir</i> | 31 | EXEL COMFORT POINT PEN NEEDLE | 80 |
| EASY STEP TEST | 41 | ENTRESTO | 45 | EXELDERM | 19 |
| EASY TALK BLOOD GLUCOSE TEST | 41 | <i>enulose</i> | 58 | <i>exemestane</i> | 24 |
| EASY TOUCH HYPODERMIC NEEDLE | 80 | EPCLUSA | 32 | EXSERVAN | 51 |
| EASY TOUCH TEST | 41 | EPIDIOLEX | 14 | EYSUVIS | 84 |
| EASY TRAK BLOOD GLUCOSE TEST | 41 | <i>epinastine hcl</i> | 83 | <i>ezetimibe</i> | 49 |
| EASYGLUCO | 41 | <i>epinephrine</i> | 87 | <i>ezetimibe-simvastatin</i> | 49 |
| EASymax 15 TEST | 41 | <i>epitol</i> | 15 | <i>famciclovir</i> | 32 |
| <i>econazole nitrate</i> | 19 | EPIVIR HBV | 32 | <i>famotidine</i> | 58 |
| EDEX | 78 | <i>eplerenone</i> | 48 | FANAPT | 30 |
| <i>ed-spaz</i> | 80 | EQUETRO | 15 | FANAPT TITRATION PACK | 30 |
| EDURANT | 33 | ERAXIS | 19 | FARXIGA | 37 |
| EEMT | 80 | <i>ergocalciferol</i> | 80 | FARYDAK | 25 |
| EEMT HS | 80 | <i>ergoloid mesylates</i> | 15 | FASENRA | 89 |
| <i>efavirenz</i> | 33 | ERGOMAR | 21 | FASENRA PEN | 89 |
| <i>efavirenz-emtricitab-tenofovir</i> | 33 | <i>ergotamine-caffeine</i> | 21 | <i>fa-vitamin b-6-vitamin b-12</i> | 80 |
| <i>efavirenz-lamivudine-tenofovir</i> | 33 | ERIVEDGE | 25 | <i>febuxostat</i> | 20 |
| ELIGARD | 69 | ERLEADA | 22 | <i>felbamate</i> | 14 |
| ELIQUIS | 43 | <i>erlotinib hcl</i> | 25 | <i>felodipine er</i> | 47 |
| ELIQUIS DVT/PE STARTER PACK | 43 | <i>errin</i> | 68 | FEMRING | 66 |
| ELIXOPHYLLIN | 88 | <i>ertapenem sodium</i> | 9 | <i>fenofibrate</i> | 49 |
| ELMIRON | 61 | ERYTHROCIN LACTOBIONATE | 11 | <i>fenofibrate micronized</i> | 49 |
| <i>eluryng</i> | 66 | <i>erythromycin</i> | 11, 53 | <i>fenoprofen calcium</i> | 3 |
| EMCYT | 22 | <i>erythromycin base</i> | 11 | <i>fentanyl</i> | 4 |
| EMEND | 18 | <i>erythromycin ethylsuccinate</i> | 11 | <i>fentanyl citrate</i> | 4 |
| EMFLAZA | 62 | <i>erythromycin stearate</i> | 11 | FERRIPROX | 56 |
| <i>emoquette</i> | 66 | ESBRIET | 89 | FETZIMA | 17 |
| EMPAVELI | 70 | <i>escitalopram oxalate</i> | 17 | FETZIMA TITRATION | 17 |
| EMSAM | 16 | <i>esomeprazole magnesium</i> | 59 | <i>fexofenadine hcl</i> | 86 |
| <i>emtricitabine</i> | 33 | <i>estarrylla</i> | 66 | <i>fexofenadine-pseudoephed er</i> | 89, 90 |
| <i>emtricitabine-tenofovir df</i> | 34 | <i>estazolam</i> | 36 | <i>finasteride</i> | 60 |
| EMTRIVA | 34 | <i>estradiol</i> | 66, 68 | FINTEPLA | 13 |
| | | <i>estradiol-norethindrone acet</i> | 66 | FIRDAPSE | 51 |
| | | ESTRING | 66 | <i>firvanq</i> | 7 |
| | | <i>eszopiclone</i> | 90 | | |
| | | <i>ethacrynic acid</i> | 48 | | |

| | | | | | |
|---------------------------------------|--------|------------------------------------|--------|------------------------------------|----|
| flac | 85 | FREESTYLE INSULINX | | GLEOSTINE | 22 |
| <i>flavoxate hcl</i> | 60 | TEST | 42 | <i>glimepiride</i> | 37 |
| FLEBOGAMMA DIF | 71 | FREESTYLE LIBRE 14 DAY | | <i>glipizide</i> | 37 |
| <i>flecainide acetate</i> | 46 | READER | 42 | <i>glipizide er</i> | 37 |
| FLORIVA | 80 | FREESTYLE LIBRE 14 DAY | | <i>glipizide-metformin hcl</i> | 38 |
| FLOVENT DISKUS | 86 | SENSOR | 42 | GLOBAL ALCOHOL PREP | |
| FLOVENT HFA | 86 | FREESTYLE LIBRE | | EASE | 7 |
| <i>fluconazole</i> | 19 | READER | 42 | GLUCAGEN HYPOKIT | 38 |
| <i>fluconazole in sodium chloride</i> | 19 | FREESTYLE LIBRE | | GLUCAGON EMERGENCY | 38 |
| <i>flucytosine</i> | 19 | SENSOR SYSTEM | 42 | <i>glyburide</i> | 37 |
| <i>fludrocortisone acetate</i> | 62 | FREESTYLE LITE TEST | 42 | <i>glyburide micronized</i> | 37 |
| <i>flunisolide</i> | 86 | FREESTYLE PRECISION | | <i>glyburide-metformin</i> | 38 |
| <i>fluocinolone acetonide</i> | 62, 85 | NEO TEST | 42 | <i>glycopyrrolate</i> | 57 |
| <i>fluocinolone acetonide body</i> | 62 | FREESTYLE TEST | 42 | GLYXAMBI | 37 |
| <i>fluocinolone acetonide scalp</i> | 62 | <i>fulvestrant</i> | 22 | <i>granisetron hcl</i> | 18 |
| <i>fluocinonide</i> | 62 | <i>furosemide</i> | 48 | <i>griseofulvin microsize</i> | 19 |
| <i>fluocinonide emulsified base</i> | 62 | FUZEON | 34 | <i>griseofulvin ultramicrosize</i> | 19 |
| <i>fluorometholone</i> | 84 | FYCOMPA | 14 | <i>guaifenesin dac</i> | 90 |
| <i>fluorouracil</i> | 53 | <i>gabapentin</i> | 14 | <i>guaifenesin-codeine</i> | 90 |
| <i>fluoxetine hcl</i> | 17 | GALAFOLD | 59 | <i>guanfacine hcl</i> | 44 |
| <i>fluoxetine hcl (pmdd)</i> | 17 | <i>galantamine hydrobromide</i> | 15, 16 | <i>guanfacine hcl er</i> | 51 |
| <i>fluphenazine decanoate</i> | 29 | <i>galantamine hydrobromide er</i> | 15 | GUANIDINE HCL | 21 |
| FLUPHENAZINE HCL | 29 | GAMMAGARD | 71 | GUARDIAN CONNECT | |
| <i>fluphenazine hcl</i> | 29 | GAMMAGARD S/D LESS | | TRANSMITTER | 42 |
| <i>flurazepam hcl</i> | 90 | IGA | 71 | GUARDIAN LINK 3 | |
| <i>flurbiprofen</i> | 20 | GAMMAKED | 71 | TRANSMITTER | 42 |
| <i>flurbiprofen sodium</i> | 84 | GAMMAPLEX | 71 | GUARDIAN REAL-TIME | |
| <i>flutamide</i> | 22 | GAMUNEX-C | 71 | REPLACE PED | 42 |
| <i>fluticasone propionate</i> | 62, 86 | GARDASIL 9 | 75 | GUARDIAN SENSOR (3) | 42 |
| <i>fluvastatin sodium</i> | 49 | <i>gatifloxacin</i> | 12 | GVOKE HYPOPEN 2-PACK | 38 |
| <i>fluvastatin sodium er</i> | 49 | GATTEX | 57 | GVOKE PFS | 38 |
| <i>fluvoxamine maleate</i> | 17 | <i>gavilyte-c</i> | 58 | HAEGARDA | 70 |
| <i>fluvoxamine maleate er</i> | 17 | <i>gavilyte-g</i> | 58 | <i>hailey 24 fe</i> | 66 |
| FML | 84 | <i>gavilyte-n with flavor pack</i> | 58 | <i>halcinonide</i> | 62 |
| FML FORTE | 84 | GAVRETO | 23 | <i>halobetasol propionate</i> | 62 |
| FOLBIC | 80 | <i>gemfibrozil</i> | 49 | HALOG | 63 |
| FOLGARD OS | 80 | <i>generlac</i> | 58 | <i>haloperidol</i> | 29 |
| FOLGARD RX | 80 | <i>gengraf</i> | 73 | <i>haloperidol decanoate</i> | 29 |
| <i>folic acid</i> | 80 | GENOTROPIN | 64 | <i>haloperidol lactate</i> | 29 |
| <i>folic d3</i> | 80 | GENOTROPIN MINIQUICK | 64 | HARVONI | 32 |
| FOLTANX | 80 | <i>gentak</i> | 6 | HAVRIX | 75 |
| <i>fondaparinux sodium</i> | 43 | <i>gentamicin in saline</i> | 6 | HEMATOGEN | 80 |
| FORTEO | 77 | <i>gentamicin sulfate</i> | 6 | HEMMOREX-HC | 77 |
| FOSAMAX PLUS D | 77 | GENVOYA | 32 | <i>heparin sodium (porcine)</i> | 43 |
| FOSAMPRENAVIR | | GILENYA | 52 | HETLIOZ | 51 |
| CALCIUM | 34 | GIOTRIF | 23 | HETLIOZ LQ | 51 |
| <i>fosfomycin tromethamine</i> | 7 | GILPHEX TR | 78 | HIBERIX | 75 |
| <i>fosinopril sodium</i> | 45 | GLASSIA | 59 | HUMALOG | 39 |
| <i>fosinopril sodium-hctz</i> | 45 | GLATIRAMER ACETATE | 52 | HUMALOG JUNIOR | |
| <i>fosphenytoin sodium</i> | 15 | <i>glatopa</i> | 52 | KWIKPEN | 38 |
| FOTIVDA | 25 | GLATOPA | 52 | HUMALOG KWIKPEN | 38 |
| FRAGMIN | 43 | | | HUMALOG MIX 50/50 | 39 |

| | | |
|---|--------|--|
| HUMALOG MIX 50/50 | | |
| KWIKPEN | 38 | |
| HUMALOG MIX 75/25 | 39 | |
| HUMALOG MIX 75/25 | | |
| KWIKPEN | 39 | |
| HUMIRA | 74 | |
| HUMIRA PEDIATRIC | | |
| CROHNS START | 73 | |
| HUMIRA PEN | 73 | |
| HUMIRA PEN-CD/UC/HS | | |
| STARTER | 74 | |
| HUMIRA PEN-PEDIATRIC | | |
| UC START | 74 | |
| HUMIRA PEN-PS/UV/ADOL | | |
| HS START | 74 | |
| HUMIRA PEN-PSOR/UVEIT | | |
| STARTER | 74 | |
| HUMULIN 70/30 | 39 | |
| HUMULIN 70/30 KWIKPEN | 39 | |
| HUMULIN N | 39 | |
| HUMULIN N KWIKPEN | 39 | |
| HUMULIN R | 39 | |
| HUMULIN R U-500 | | |
| (CONCENTRATED) | 39 | |
| HUMULIN R U-500 | | |
| KWIKPEN | 39 | |
| HYCODAN | 78 | |
| <i>hydralazine hcl</i> | 50 | |
| <i>hydrochlorothiazide</i> | 48 | |
| <i>hydrocod polst-cpm polst er</i> | 78 | |
| <i>hydrocodone-acetaminophen</i> | 4 | |
| <i>hydrocodone-homatropine</i> | 78 | |
| <i>hydrocodone-ibuprofen</i> | 4 | |
| <i>hydrocortisone</i> | 63, 77 | |
| <i>hydrocortisone (perianal)</i> | 54 | |
| <i>hydrocortisone ace-pramoxine</i> | 54 | |
| <i>hydrocortisone acetate</i> | 77 | |
| <i>hydrocortisone butyrate</i> | 63 | |
| <i>hydrocortisone valerate</i> | 63 | |
| <i>hydrocortisone-acetic acid</i> | 85 | |
| <i>hydrocortisone-iodoquinol</i> | 54 | |
| <i>hydrocort-pramoxine (perianal)</i> | 54 | |
| <i>hydromorphone hcl</i> | 4 | |
| <i>hydroxychloroquine sulfate</i> | 27 | |
| <i>hydroxyprogesterone caproate</i> | 68 | |
| <i>hydroxyurea</i> | 22 | |
| <i>hydroxyzine hcl</i> | 35 | |
| <i>hydroxyzine pamoate</i> | 86 | |
| <i>hyoscyamine sulfate</i> | 80 | |
| <i>hyoscyamine sulfate er</i> | 80 | |
| <i>hyoscyamine sulfate sl</i> | 80 | |
| HYPODERMIC NEEDLE | 80 | |
| <i>ibandronate sodium</i> | 77 | |
| IBRANCE | 23 | |
| <i>ibu</i> | 3 | |
| <i>ibuprofen</i> | 3 | |
| ICATIBANT ACETATE | 70 | |
| <i>iclevia</i> | 66 | |
| ICLUSIG | 25 | |
| <i>icosapent ethyl</i> | 49 | |
| IDHIFA | 24 | |
| ILARIS | 72 | |
| <i>imatinib mesylate</i> | 25 | |
| IMBRUVICA | 25 | |
| <i>imipenem-cilastatin</i> | 10 | |
| <i>imipramine hcl</i> | 18 | |
| <i>imiquimod</i> | 54 | |
| IMOVAX RABIES | 75 | |
| IMPAVIDO | 27 | |
| INBRIJA | 29 | |
| <i>incassia</i> | 68 | |
| INCRELEX | 64 | |
| INCRUSE ELLIPTA | 87 | |
| <i>indapamide</i> | 48 | |
| <i>indomethacin</i> | 3 | |
| <i>indomethacin er</i> | 3 | |
| INFANRIX | 75 | |
| INGREZZA | 51 | |
| INLYTA | 25 | |
| INQOVI | 22 | |
| INREBIC | 25 | |
| INSULIN LISPRO | 39 | |
| INSULIN LISPRO (1 UNIT DIAL) | 39 | |
| <i>insulin lispro junior kwikpen</i> | 39 | |
| <i>insulin lispro prot & lispro</i> | 39 | |
| INSUPEN SENSITIVE | 80 | |
| INTELENCE | 33 | |
| <i>intralipid</i> | 57 | |
| INTRALIPID | 57 | |
| INTRON A | 32 | |
| <i>introvale</i> | 66 | |
| INVEGA SUSTENNA | 30 | |
| INVEGA TRINZA | 30 | |
| INVELTYS | 84 | |
| INVIRASE | 34 | |
| <i>iodoquinol-hc-aloe polysacch</i> | 54 | |
| <i>iodoquinol-hydrocortisone-aloe</i> | 54 | |
| IOPIDINE | 83 | |
| IPOL | 75 | |
| <i>ipratropium bromide</i> | 87 | |
| <i>ipratropium-albuterol</i> | 87 | |
| <i>irbesartan</i> | 45 | |
| <i>irbesartan-hydrochlorothiazide</i> | 45 | |
| IRESSA | 25 | |
| ISENTRESS | 32, 33 | |
| ISENTRESS HD | 32 | |
| ISOLYTE-P IN D5W | 57 | |
| ISOLYTE-S PH 7.4 | 55 | |
| ISONIAZID | 21 | |
| <i>isoniazid</i> | 21 | |
| <i>isosorbide dinitrate</i> | 50 | |
| <i>isosorbide mononitrate</i> | 50 | |
| <i>isosorbide mononitrate er</i> | 50 | |
| <i>isoxyprine hcl</i> | 78 | |
| <i>isradipine</i> | 47 | |
| ISTURISA | 69 | |
| <i>itraconazole</i> | 19 | |
| <i>ivermectin</i> | 27 | |
| IXIARO | 75 | |
| JAKAFI | 25 | |
| <i>jantoven</i> | 44 | |
| JANUMET | 38 | |
| JANUMET XR | 38 | |
| JANUVIA | 37 | |
| JARDIANCE | 37 | |
| JENTADUETO | 38 | |
| JENTADUETO XR | 38 | |
| <i>jinteli</i> | 66 | |
| JULUCA | 34 | |
| <i>junel 1.5/30</i> | 66 | |
| <i>junel 1/20</i> | 66 | |
| <i>junel fe 1.5/30</i> | 66 | |
| <i>junel fe 1/20</i> | 66 | |
| <i>junel fe 24</i> | 66 | |
| JUXTAPID | 49 | |
| JYNARQUE | 56 | |
| KALYDECO | 88 | |
| <i>kariva</i> | 66 | |
| <i>kcl in dextrose-nacl</i> | 55 | |
| KCL-LACTATED RINGERS-D5W | 55 | |
| <i>kelnor 1/35</i> | 66 | |
| <i>kelnor 1/50</i> | 66 | |
| KESIMPTA | 52 | |
| <i>ketoconazole</i> | 19 | |
| <i>ketoprofen</i> | 3 | |
| <i>ketoprofen er</i> | 3 | |
| <i>ketorolac tromethamine</i> | 3, 84 | |
| KEVEYIS | 80 | |
| KEVZARA | 74 | |
| KINERET | 74 | |
| KINRIX | 76 | |
| KISQALI (200 MG DOSE) | 25 | |
| KISQALI (400 MG DOSE) | 25 | |
| KISQALI (600 MG DOSE) | 25 | |

| | | | | | |
|--|--------|--|--------|---|----|
| KISQALI FEMARA (400 MG DOSE) | 23 | <i>lessina</i> | 66 | <i>losartan potassium</i> | 45 |
| KISQALI FEMARA (600 MG DOSE) | 23 | <i>letrozole</i> | 24 | <i>losartan potassium-hctz</i> | 45 |
| KISQALI FEMARA(200 MG DOSE) | 23 | <i>leucovorin calcium</i> | 23, 27 | <i>loteprednol etabonate</i> | 84 |
| KLOXXADO | 6 | LEUKERAN | 22 | <i>lovastatin</i> | 49 |
| KORLYM | 64 | LEUKINE | 44 | <i>low-ogestrel</i> | 66 |
| KOSELUGO | 25 | <i>leuprolide acetate</i> | 69 | <i>loxapine succinate</i> | 29 |
| K-PHOS NO 2 | 55 | <i>levalbuterol hcl</i> | 87 | <i>lubiprostone</i> | 58 |
| K-PHOS-NEUTRAL | 80 | <i>levalbuterol tartrate</i> | 87 | LUCEMYRA | 6 |
| KRINTAFEL | 27 | <i>levetiracetam</i> | 13 | LUMAKRAS | 23 |
| <i>kurvelo</i> | 66 | <i>levetiracetam er</i> | 13 | LUMIGAN | 82 |
| KYNMOBI | 28 | <i>levobunolol hcl</i> | 83 | LUPKYNIS | 74 |
| <i>labetalol hcl</i> | 46 | <i>levocarnitine</i> | 81 | LUPRON DEPOT (1-MONTH) | 69 |
| <i>lactulose</i> | 58 | <i>levocetirizine dihydrochloride</i> | 86 | LUPRON DEPOT (3-MONTH) | 69 |
| <i>lamivudine</i> | 32, 34 | <i>levofloxacin</i> | 12 | LUPRON DEPOT (4-MONTH) | 69 |
| <i>lamivudine-zidovudine</i> | 34 | <i>levofloxacin in d5w</i> | 12 | <i>lutera</i> | 66 |
| <i>lamotrigine</i> | 14, 36 | <i>levonorgest-eth estrad 91-day</i> | 66 | <i>lyleq</i> | 68 |
| <i>lamotrigine starter kit-blue</i> | 14 | <i>levonorgestrel-ethinyl estrad</i> | 66 | <i>lyllana</i> | 66 |
| <i>lamotrigine starter kit-green</i> | 14 | <i>levora 0.15/30 (28)</i> | 66 | LYNPARZA | 26 |
| <i>lamotrigine starter kit-orange</i> | 14 | <i>levorphanol tartrate</i> | 4 | LYSODREN | 69 |
| <i>lansoprazole</i> | 59 | <i>levo-t</i> | 69 | <i>magnesium sulfate</i> | 55 |
| LANTUS | 39 | <i>levothyroxine sodium</i> | 69 | <i>malathion</i> | 28 |
| LANTUS SOLOSTAR | 39 | <i>levoxyl</i> | 69 | <i>maprotiline hcl</i> | 17 |
| <i>lapatinib ditosylate</i> | 26 | LEVSIN | 81 | MARPLAN | 16 |
| <i>latanoprost</i> | 82 | LEVSIN/SL | 81 | MATULANE | 22 |
| LATUDA | 30 | LEXIVA | 34 | <i>matzim la</i> | 47 |
| <i>ledipasvir-sofosbuvir</i> | 32 | <i>lidocaine</i> | 5 | MAVYRET | 32 |
| <i>leena</i> | 66 | <i>lidocaine hcl</i> | 5 | MAXIDEX | 84 |
| <i>leflunomide</i> | 71 | <i>lidocaine hcl (pf)</i> | 5 | <i>maxi-tuss pe</i> | 78 |
| LENVIMA (10 MG DAILY DOSE) | 26 | <i>lidocaine hcl urethral/mucosal</i> | 5 | <i>m-clear wc</i> | 90 |
| LENVIMA (12 MG DAILY DOSE) | 26 | <i>lidocaine viscous hcl</i> | 5 | <i>meclizine hcl</i> | 18 |
| LENVIMA (14 MG DAILY DOSE) | 26 | <i>lidocaine-prilocaine</i> | 5 | <i>meclofenamate sodium</i> | 3 |
| LENVIMA (18 MG DAILY DOSE) | 26 | <i>lindane</i> | 28 | MEDROL | 63 |
| LENVIMA (20 MG DAILY DOSE) | 26 | <i>linezolid</i> | 7 | <i>medroxyprogesterone acetate</i> | 68 |
| LENVIMA (24 MG DAILY DOSE) | 26 | LINZESS | 58 | <i>mefloquine hcl</i> | 27 |
| LENVIMA (4 MG DAILY DOSE) | 26 | <i>liothyronine sodium</i> | 69 | <i>megestrol acetate</i> | 68 |
| LENVIMA (8 MG DAILY DOSE) | 26 | <i>lisinopril</i> | 45 | MEKINIST | 26 |
| | | <i>lisinopril-hydrochlorothiazide</i> | 45 | MEKTOVI | 26 |
| | | LITETOUCH PEN NEEDLES | 81 | <i>meloxicam</i> | 3 |
| | | LITHIUM | 36 | <i>memantine hcl</i> | 16 |
| | | <i>lithium carbonate</i> | 36 | <i>memantine hcl er</i> | 16 |
| | | <i>lithium carbonate er</i> | 36 | MENACTRA | 76 |
| | | LONSURF | 22 | MENEST | 67 |
| | | <i>loperamide hcl</i> | 57 | MENOSTAR | 67 |
| | | <i>lopinavir-ritonavir</i> | 34, 35 | MENQUADFI | 76 |
| | | <i>loratadine</i> | 86 | MENVEO | 76 |
| | | <i>loratadine childrens</i> | 86 | <i>meperidine hcl</i> | 5 |
| | | <i>loratadine-d 12hr</i> | 90 | MEPHYTON | 81 |
| | | <i>loratadine-d 24hr</i> | 90 | <i>mercaptopurine</i> | 22 |
| | | <i>lorazepam</i> | 36 | <i>meropenem</i> | 10 |
| | | <i>lorazepam intensol</i> | 36 | | |
| | | LORBRENA | 26 | | |

| | | | | | |
|---------------------------------------|--------|---------------------------------------|--------|---------------------------------------|--------|
| mesalamine | 77 | modafinil | 91 | neomycin-bacitracin zn- | |
| mesalamine-cleanser | 77 | moexipril hcl | 45 | polymyx | 83 |
| MESNEX | 27 | molindone hcl | 29 | neomycin-polymyxin-dexameth | 84 |
| METANX | 81 | mometasone furoate | 63, 90 | neomycin-polymyxin-gramicidin | 83 |
| metformin hcl | 37 | mondoxyne nl | 12 | neomycin-polymyxin-hc | 7, 85 |
| metformin hcl er | 37 | MONOJECT | | NERLYNX | 26 |
| methadone hcl | 4 | HYPODERMIC NEEDLE | 81 | NEUPRO | 28 |
| methazolamide | 48 | MONOJECT INSULIN | | NEVANAC | 84 |
| methenamine hippurate | 7 | SYRINGE | 81 | nevirapine | 33 |
| methimazole | 70 | montelukast sodium | 86 | nevirapine er | 33 |
| methocarbamol | 90 | morphine sulfate | 5 | NEXAVAR | 26 |
| methotrexate | 74 | morphine sulfate (concentrate) | 5 | NEXLETOL | 48 |
| methotrexate sodium | 70, 74 | morphine sulfate (pf) | 5 | NEXLIZET | 48 |
| methotrexate sodium (pf) | 74 | morphine sulfate er | 4 | niacin er | 81 |
| methoxsalen rapid | 54 | MOTOFEN | 58 | niacin er (antihyperlipidemic) | 49 |
| methscopolamine bromide | 57 | MOVANTIK | 58 | niacor | 49 |
| methyldopa | 44 | moxifloxacin hcl | 12 | nicardipine hcl | 47 |
| methylergonovine maleate | 81 | moxifloxacin hcl in nacl | 12 | NICOTROL | 6 |
| methylphenidate hcl | 51 | MOZOBIL | 44 | nifedipine | 47 |
| methylphenidate hcl er | 51 | MULPLETA | 44 | nifedipine er | 47 |
| methylphenidate hcl er (cd) | 51 | MULTAQ | 46 | nifedipine er osmotic release | 47 |
| methylphenidate hcl er (la) | 51 | MULTIGEN FOLIC | 81 | nilutamide | 22 |
| methylprednisolone | 63 | MUSE | 78 | NINLARO | 23 |
| methylprednisolone acetate | 20 | mycophenolate mofetil | 74 | nitazoxanide | 27 |
| methylprednisolone sodium succ | 63 | mycophenolate sodium | 74 | nitisinone | 59 |
| metoclopramide hcl | 57 | MYNEPHRON | 81 | NITRO-BID | 50 |
| metolazone | 49 | MYRBETRIQ | 60 | nitrofurantoin | 8 |
| metoprolol succinate er | 46 | nabumetone | 3 | nitrofurantoin macrocrystal | 8 |
| metoprolol tartrate | 46 | nadolol | 46 | nitroglycerin monohyd macro | 8 |
| metoprolol-hydrochlorothiazide | 46 | nafcillin sodium | 10 | nitroglycerin | 50 |
| metronidazole | 7 | naftifine hcl | 19 | nitroglycerin er | 78 |
| metronidazole in nacl | 7 | naloxone hcl | 6 | NITRO-TIME | 78 |
| metyrosine | 48 | naltrexone hcl | 6 | nora-be | 68 |
| mexiletine hcl | 46 | NAMENDA XR TITRATION | | norethin ace-eth estrad-fe | 67 |
| MIACALCIN | 77 | PACK | 16 | norethindrone | 68 |
| micafungin sodium | 19 | NAMZARIC | 15 | norethindrone acetate | 68 |
| miconazole 3 | 19 | naproxen | 3 | norethindrone-eth estradiol | 67 |
| microgestin 1.5/30 | 67 | naproxen sodium | 3 | norgestim-eth estrad triphasic | 67 |
| microgestin 1/20 | 67 | NARCAN | 6 | NORPACE CR | 46 |
| microgestin fe 1.5/30 | 67 | NASACORT ALLERGY | | nortrel 0.5/35 (28) | 67 |
| microgestin fe 1/20 | 67 | 24HR | 86 | nortrel 1/35 (21) | 67 |
| midodrine hcl | 44 | NASCOBAL | 81 | nortrel 1/35 (28) | 67 |
| miglitol | 37 | NATACYN | 19 | nortrel 7/7/7 | 67 |
| miglustat | 59 | nateglinide | 37 | nortriptyline hcl | 18 |
| mili | 67 | NATPARA | 81 | NORVIR | 35 |
| mimvey | 67 | NAYZILAM | 14 | NOXAFILE | 19 |
| minitran | 50 | necon 0.5/35 (28) | 67 | NUBEQA | 22 |
| minocycline hcl | 12 | necon 1/35 (28) | 67 | NUCALA | 86, 90 |
| minoxidil | 50 | nefazodone hcl | 17 | NUEDEXTA | 51 |
| mirtazapine | 16 | neomycin sulfate | 6 | NULEV | 81 |
| misoprostol | 59 | | | NUPLAZID | 30 |
| M-M-R II | 76 | | | NUTRILIPID | 57 |

| | | | | | |
|-----------------------------------|--------|---------------------------------------|----|---------------------------------------|--------|
| NUZYRA | 12 | <i>oxacillin sodium</i> | 10 | <i>perphenazine-amitriptyline</i> | 18 |
| <i>nyamyc</i> | 19 | <i>oxacillin sodium in dextrose</i> | 10 | PERSERIS | 30 |
| <i>nylia 7/7/7</i> | 67 | <i>oxandrolone</i> | 65 | <i>phenelzine sulfate</i> | 16 |
| <i>nymyo</i> | 67 | <i>oxaprozin</i> | 3 | <i>phenobarbital</i> | 14 |
| <i>nystatin</i> | 19, 20 | OXBRYTA | 44 | <i>phenobarbital-belladonna alk.</i> | 81 |
| <i>nystatin-triamcinolone</i> | 20 | <i>oxcarbazepine</i> | 15 | PHENOHYTRO | 81 |
| <i>nystop</i> | 20 | OXISTAT | 20 | <i>phenoxybenzamine hcl</i> | 44 |
| OCALIVA | 58 | <i>oxybutynin chloride</i> | 60 | <i>phenytoin</i> | 15 |
| <i>ocella</i> | 67 | <i>oxybutynin chloride er</i> | 60 | <i>phenytoin sodium extended</i> | 15 |
| OCTAGAM | 71 | <i>oxycodone hcl</i> | 5 | <i>phytonadione</i> | 81 |
| <i>octreotide acetate</i> | 69, 70 | <i>oxycodone hcl er</i> | 4 | PIFELTRO | 33 |
| ODEFSEY | 33 | <i>oxycodone-acetaminophen</i> | 5 | <i>pilocarpine hcl</i> | 52, 84 |
| ODOMZO | 23 | <i>oxycodone-aspirin</i> | 5 | <i>pimecrolimus</i> | 54 |
| OFEV | 89 | OXYCONTIN | 4 | <i>pimozide</i> | 29 |
| <i>ofloxacin</i> | 12 | OZEMPIC (0.25 OR 0.5 MG/DOSE) | 37 | <i>pindolol</i> | 46 |
| <i>olanzapine</i> | 30 | <i>paba</i> | 81 | <i>pioglitazone hcl</i> | 37 |
| <i>olanzapine-fluoxetine hcl</i> | 36 | <i>paliperidone er</i> | 30 | <i>pioglitazone hcl-glimepiride</i> | 38 |
| <i>olmesartan medoxomil</i> | 45 | PANRETIN | 27 | <i>pioglitazone hcl-metformin hcl</i> | 38 |
| <i>olmesartan medoxomil-hctz</i> | 45 | <i>pantoprazole sodium</i> | 59 | <i>piperacillin sod-tazobactam so</i> | 11 |
| <i>olopatadine hcl</i> | 83, 86 | PANZYGA | 71 | PIQRAY (200 MG DAILY DOSE) | 24 |
| OLUMIANT | 71 | <i>paricalcitol</i> | 77 | PIQRAY (250 MG DAILY DOSE) | 24 |
| <i>omega-3-acid ethyl esters</i> | 49 | <i>paramomycin sulfate</i> | 6 | PIQRAY (300 MG DAILY DOSE) | 24 |
| <i>omeprazole</i> | 59 | <i>paroxetine hcl</i> | 36 | <i>piroxicam</i> | 3 |
| ONCASPAR | 23 | <i>paroxetine hcl er</i> | 17 | PLASMA-LYTE 148 | 55 |
| <i>ondansetron</i> | 18 | PASER | 21 | PLASMA-LYTE A | 55 |
| <i>ondansetron hcl</i> | 18 | PAXIL | 17 | PLENAMINE | 55 |
| ONETOUCH ULTRA 2 | 42 | <i>pb-hyoscy-atropine-scopolamine</i> | 81 | PNV-DHA | 57 |
| ONETOUCH ULTRA MINI | 42 | PEDIARIX | 76 | <i>podofilox</i> | 54 |
| ONETOUCH ULTRALINK | 42 | PEDVAX HIB | 76 | <i>polymyxin b sulfate</i> | 8 |
| ONETOUCH VERIO | 42 | <i>peg 3350-kcl-na bicarb-nacl</i> | 58 | <i>polymyxin b-trimethoprim</i> | 83 |
| ONETOUCH VERIO FLEX SYSTEM | 42 | <i>peg-3350/electrolytes</i> | 58 | POMALYST | 22 |
| ONETOUCH VERIO IQ SYSTEM | 42 | <i>peg-3350/electrolytes/ascorbat</i> | 58 | <i>portia-28</i> | 67 |
| ONUREG | 23 | PEGASYS | 32 | <i>posaconazole</i> | 20 |
| OPSUMIT | 88 | PEGINTRON | 32 | POTABA | 81 |
| OPTION TEST | 42 | <i>peg-kcl-nacl-nasulf-na asc-c</i> | 58 | <i>potassium aminobenzoate</i> | 81 |
| OPTIUMEZ TEST | 42 | PEMAZYRE | 26 | <i>potassium chloride</i> | 55 |
| ORACIT | 55 | PEN NEEDLES | 81 | <i>potassium chloride crys er</i> | 55 |
| ORENCIA | 72 | <i>penicillamine</i> | 56 | <i>potassium chloride er</i> | 55 |
| ORENCIA CLICKJECT | 71 | <i>penicillin g pot in dextrose</i> | 10 | <i>potassium chloride in dextrose</i> | 55 |
| ORENITRAM | 88, 89 | <i>penicillin g potassium</i> | 10 | <i>potassium chloride in nacl</i> | 55 |
| ORFADIN | 59 | <i>penicillin g sodium</i> | 11 | <i>potassium citrate er</i> | 55 |
| ORGOVYXX | 23 | <i>penicillin v potassium</i> | 11 | PRADAXA | 43 |
| ORKAMBI | 88 | <i>pentamidine isethionate</i> | 28 | PRALUENT | 49 |
| ORLADEYO | 48 | <i>pentoxifylline er</i> | 48 | <i>pramipexole dihydrochloride</i> | 28 |
| <i>orphenadrine citrate er</i> | 90 | <i>perindopril erbumine</i> | 45 | PRAMOSONE | 54 |
| <i>orsythia</i> | 67 | <i>periogard</i> | 52 | <i>prasugrel hcl</i> | 43 |
| <i>oseltamivir phosphate</i> | 35 | <i>permethrin</i> | 28 | <i>pravastatin sodium</i> | 49 |
| OSMOPREP | 58 | <i>perphenazine</i> | 29 | <i>praziquantel</i> | 27 |
| OSPHENA | 69 | | | <i>prazosin hcl</i> | 45 |
| OTEZLA | 54, 74 | | | | |

| | | | | | |
|---------------------------------------|----|--------------------------------------|----|----------------------------------|----|
| PRECISION PCX | 42 | PROAIR RESPICLICK | 87 | <i>quinidine gluconate er</i> | 46 |
| PRECISION PCX PLUS | | <i>probenecid</i> | 20 | <i>quinidine sulfate</i> | 46 |
| TEST | 42 | PROCALAMINE | 57 | <i>quinine sulfate</i> | 28 |
| PRECISION POINT OF CARE TEST | 42 | <i>prochlorperazine</i> | 29 | RABAVERT | 76 |
| PRECISION QID TEST | 42 | <i>prochlorperazine maleate</i> | 29 | <i>raloxifene hcl</i> | 69 |
| PRECISION SOF-TACT TEST | | PROCTOCORT | 77 | <i>ramelteon</i> | 91 |
| | 42 | <i>procto-med hc</i> | 54 | <i>ramipril</i> | 45 |
| PRECISION XTRA BLOOD GLUCOSE | | <i>procto-pak</i> | 54 | <i>ranolazine er</i> | 48 |
| | 42 | <i>proctosol hc</i> | 54 | <i>rasagiline mesylate</i> | 29 |
| PRED MILD | 84 | <i>protozozone-hc</i> | 54 | RAVICTI | 59 |
| PRED-G | 84 | PRODIGY NO CODING | | <i>reclipsen</i> | 67 |
| PRED-G S.O.P. | 84 | BLOOD GLUC | 43 | RECOMBIVAX HB | 76 |
| <i>prednicarbate</i> | 63 | PROGRAF | 74 | RECTIV | 50 |
| <i>prednisolone</i> | 63 | PROLASTIN-C | 59 | REDITREX | 74 |
| <i>prednisolone acetate</i> | 84 | PROLIA | 78 | REGRANEX | 54 |
| <i>prednisolone sodium phosphate</i> | 63 | PROMACTA | 44 | RELENZA DISKHALER | 35 |
| PREDNISOLONE SODIUM PHOSPHATE | 85 | <i>promethazine hcl</i> | 18 | <i>relexxii</i> | 51 |
| <i>prednisone</i> | 63 | <i>promethazine-codeine</i> | 90 | RELION BLOOD GLUCOSE TEST | 43 |
| PREDNISONE INTENSOL | 63 | <i>promethazine-dm</i> | 90 | RELION CONFIRM/MICRO TEST | 43 |
| PREFERRED PLUS INSULIN SYRINGE | 81 | <i>promethazine-phenyleph-</i> | | RELION INSULIN SYRINGE | 82 |
| <i>prefest</i> | 67 | <i>codeine</i> | 90 | RELI-ON INSULIN SYRINGE | 39 |
| <i>pregabalin</i> | 52 | <i>promethegan</i> | 18 | RELION PRIME TEST | 43 |
| PREMARIN | 67 | <i>propafenone hcl</i> | 46 | RELION ULTIMA TEST | 43 |
| PREMASOL | 55 | <i>propafenone hcl er</i> | 46 | RELISTOR | 58 |
| PREMPHASE | 67 | <i>proparacaine hcl</i> | 83 | RENAL | 82 |
| PREMPRO | 67 | <i>propranolol hcl</i> | 46 | <i>repaglinide</i> | 37 |
| <i>prenatal</i> | 57 | <i>propranolol hcl er</i> | 46 | REPATHA | 50 |
| PRENATAL PLUS IRON | 57 | <i>propranolol-hctz</i> | 46 | REPATHA PUSHTRONEX SYSTEM | 49 |
| PRESERVISION AREDS | 82 | <i>propylthiouracil</i> | 70 | REPATHA SURECLICK | 50 |
| PRESERVISION AREDS 2 | 81 | PROQUAD | 76 | RESTASIS | 83 |
| PRESERVISION AREDS 2+MULTI VIT | 81 | PROSOL | 56 | RETACRIT | 44 |
| PRESERVISION/LUTEIN | 82 | <i>protriptyline hcl</i> | 18 | RETEVMO | 23 |
| <i>pretomanid</i> | 21 | <i>pseudoeph-bromphen-dm</i> | 90 | REVLIMID | 22 |
| PREVACID 24HR | 59 | <i>pseudoeph-chlorphen-hydrocod.</i> | 90 | REXULTI | 30 |
| PREVIDENT | 52 | PTS PANELS GLUCOSE TEST | | REYATAZ | 35 |
| PREVIDENT 5000 BOOSTER PLUS | 52 | PULMICORT FLEXHALER | 86 | REZUROCK | 75 |
| <i>previfem</i> | 67 | PULMOZYME | 88 | RHOPRESSA | 82 |
| PREVYMIS | 31 | PURE COMFORT PEN NEEDLE | | RIBAVIRIN | 32 |
| PREZCOBIX | 35 | PURIXAN | 23 | <i>ribavirin</i> | 32 |
| PREZISTA | 35 | PX DAYHIST ALLERGY | 90 | RIDAURA | 72 |
| PRIFTIN | 21 | <i>pyrazinamide</i> | 21 | <i>rifabutin</i> | 21 |
| <i>primaquine phosphate</i> | 28 | <i>pyridostigmine bromide</i> | 21 | <i>rifampin</i> | 21 |
| <i>primidone</i> | 14 | <i>pyridostigmine bromide er</i> | 21 | <i>riluzole</i> | 51 |
| PRIMSOL | 8 | <i>pyrimethamine</i> | 28 | <i>rimantadine hcl</i> | 35 |
| PRIVIGEN | 71 | QINLOCK | 26 | RINVOQ | 72 |
| PROAIR HFA | 87 | QUADRACEL | 76 | <i>risedronate sodium</i> | 78 |
| | | <i>quetiapine fumarate</i> | 30 | RISPERDAL CONSTA | 31 |
| | | QUICKTEK TEST | 43 | | |
| | | <i>quinapril hcl</i> | 45 | | |
| | | <i>quinapril-hydrochlorothiazide</i> | 45 | | |

| | | | | | |
|------------------------------------|--------|--------------------------------------|--------|--------------------------------------|--------|
| <i>risperidone</i> | 31 | SKYRIZI | 72 | <i>syeda</i> | 67 |
| <i>ritonavir</i> | 35 | SKYRIZI (150 MG DOSE) | 72 | SYMAX-SL | 82 |
| <i>rivastigmine</i> | 16 | SKYRIZI PEN | 72 | SYMAX-SR | 82 |
| <i>rivastigmine tartrate</i> | 16 | SLO-NIACIN | 82 | SYMBICORT | 89 |
| <i>rizatriptan benzoate</i> | 21 | <i>sodium chloride</i> | 56 | SYMDEKO | 88 |
| ROCKLATAN | 83 | <i>sodium fluoride</i> | 56, 78 | SYMJEPI | 87 |
| <i>ropinirole hcl</i> | 28 | SODIUM | | SYMLINPEN 120 | 37 |
| <i>ropinirole hcl er</i> | 28 | PHENYLBUTYRATE | 60 | SYMLINPEN 60 | 37 |
| <i>rosadan</i> | 8 | <i>sodium polystyrene sulfonate</i> | 56 | SYMPAZAN | 14 |
| <i>rosuvastatin calcium</i> | 49 | <i>sofosbuvir-velpatasvir</i> | 32 | SYMTUZA | 33 |
| ROTARIX | 76 | <i>solifenacin succinate</i> | 60 | SYNAGIS | 72 |
| ROTATEQ | 76 | SOLTAMOX | 22 | SYNAREL | 70 |
| <i>roweepra</i> | 13 | SOMATULINE DEPOT | 70 | SYNDROS | 18 |
| ROZLYTREK | 26 | SOMAVERT | 70 | SYNJARDY | 37 |
| RUBRACA | 26 | <i>sorine</i> | 46 | SYNJARDY XR | 37 |
| RUCONEST | 70 | <i>sotalol hcl</i> | 46 | SYNRIBO | 23 |
| <i>rufinamide</i> | 15 | <i>sotalol hcl (af)</i> | 46 | SYNTROID | 69 |
| RUKOBIA | 34 | SPIRIVA HANDIHALER | 87 | TABLOID | 23 |
| RUZURGI | 59 | SPIRIVA RESPIMAT | 87 | TABRECTA | 26 |
| RYDAPT | 26 | <i>spironolactone</i> | 48 | <i>tacrolimus</i> | 54, 75 |
| RYTARY | 29 | <i>spironolactone-hctz</i> | 48 | <i>tadalafil</i> | 60, 78 |
| <i>salsalate</i> | 3 | <i>sprintec 28</i> | 67 | <i>tadalafil (pah)</i> | 89 |
| SANDIMMUNE | 75 | SPRITAM | 13 | TAFINLAR | 26 |
| SANTYL | 54 | SPRYCEL | 26 | TAGRISSO | 23 |
| <i>sapropterin dihydrochloride</i> | 59 | <i>sronyx</i> | 67 | TAKHYRO | 70 |
| SAVELLA | 52 | <i>ssd</i> | 8 | TALTZ | 72 |
| SAVELLA TITRATION | | <i>stavudine</i> | 34 | TALZENNA | 26 |
| PACK | 52 | STELARA | 72 | <i>tamoxifen citrate</i> | 22 |
| <i>scopolamine</i> | 18 | STENDRA | 78 | <i>tamsulosin hcl</i> | 60 |
| SECUADO | 31 | STIMATE | 64 | <i>taperdex 7-day</i> | 63 |
| <i>selegiline hcl</i> | 29 | STIOLTO RESPIMAT | 89 | TARGRETIN | 27 |
| <i>selenium sulfide</i> | 54 | STIVARGA | 26 | <i>tarina 24 fe</i> | 67 |
| SELZENTRY | 34 | STREPTOMYCIN SULFATE | 6 | TASIGNA | 26 |
| SEREVENT DISKUS | 87 | STRIBILD | 33 | TAVALISSE | 43 |
| <i>sertraline hcl</i> | 17 | <i>sucralfate</i> | 59 | <i>tazarotene</i> | 54 |
| <i>sevelamer carbonate</i> | 61 | SULFACETAMIDE | | TAZICEF | 9 |
| <i>sevelamer hcl</i> | 61 | SODIUM | 12 | TAZORAC | 54 |
| SHINGRIX | 76 | <i>sulfacetamide sodium</i> | 12 | <i>taztia xt</i> | 47 |
| SIGNIFOR | 70 | <i>sulfacetamide sodium (acne)</i> | 54 | TAZVERIK | 26 |
| SIGNIFOR LAR | 70 | <i>sulfacetamide sodium-sulfur</i> | 54 | TDVAX | 76 |
| SIKLOS | 23 | <i>sulfacetamide-prednisolone</i> | 85 | TECHLITE INSULIN | |
| <i>sildenafil citrate</i> | 78, 89 | <i>sulfadiazine</i> | 12 | SYRINGE | 82 |
| SILIQ | 72 | <i>sulfamethoxazole-trimethoprim</i> | 12 | TECHLITE PEN NEEDLES | 82 |
| <i>silodosin</i> | 60 | <i>sulfasalazine</i> | 77 | TEFLARO | 9 |
| <i>silver sulfadiazine</i> | 8 | <i>sulindac</i> | 3 | TEGSEDI | 60 |
| SIMBRINZA | 84 | <i>sumatriptan succinate</i> | 21 | <i>telmisartan</i> | 45 |
| SIMPONI | 75 | <i>sunitinib malate</i> | 26 | <i>telmisartan-amlodipine</i> | 48 |
| <i>simvastatin</i> | 49 | SUPRAX | 9 | <i>telmisartan-hctz</i> | 45 |
| <i>sirolimus</i> | 75 | SUPREP BOWEL PREP KIT | 56 | <i>temazepam</i> | 91 |
| SIRTURO | 21 | SURE COMFORT PEN | | TEMIXYS | 34 |
| SITAVIG | 32 | NEEDLES | 82 | TENIVAC | 76 |
| SIVEXTRO | 8 | SURE-FINE PEN NEEDLES | 82 | <i>tenofovir disoproxil fumarate</i> | 34 |

| | | | | | |
|-----------------------------------|--------|--------------------------------------|------------|--------------------------------------|----|
| TEPMETKO | 26 | TRACLEER | 89 | TRUSELTIQ (100MG DAILY DOSE) | 26 |
| <i>terazosin hcl</i> | 61 | TRADJENTA | 37 | TRUSELTIQ (125MG DAILY DOSE) | 27 |
| <i>terbinafine hcl</i> | 20 | <i>tramadol hcl</i> | 5 | TRUSELTIQ (50MG DAILY DOSE) | 27 |
| <i>terbutaline sulfate</i> | 87 | <i>tramadol-acetaminophen</i> | 5 | TRUSELTIQ (75MG DAILY DOSE) | 27 |
| <i>terconazole</i> | 20 | <i>trandolapril</i> | 45 | TUKYSA | 23 |
| <i>teriparatide (recombinant)</i> | 78 | <i>trandolapril-verapamil hcl er</i> | 45 | TURALIO | 27 |
| TESSALON PERLES | 82 | <i>tranexamic acid</i> | 44 | TUSNEL C | 78 |
| <i>testosterone</i> | 65 | <i>tranylcypromine sulfate</i> | 16 | TUSSICAPS | 78 |
| <i>testosterone cypionate</i> | 65 | TRAVASOL | 56 | TUSSLIN | 79 |
| <i>testosterone enanthate</i> | 65 | <i>travoprost (bak free)</i> | 82 | TUSSLIN PEDIATRIC | 79 |
| <i>tetrabenazine</i> | 51 | <i>trazodone hcl</i> | 17 | TWINRIX | 76 |
| <i>tetracycline hcl</i> | 12 | TRECATOR | 22 | TYBOST | 34 |
| TEXACORT | 63 | TRELEGY ELLIPTA | 90 | TYPHIM VI | 76 |
| THALOMID | 22 | TREMFYA | 72 | UBRELVY | 20 |
| THEO-24 | 88 | <i>tretinoin</i> | 27, 54 | UKONIQ | 27 |
| <i>theophylline er</i> | 88 | <i>trexall</i> | 75 | ULTICARE PEN NEEDLES | 82 |
| <i>thioridazine hcl</i> | 29 | <i>triamcinolone acetonide</i> | 52, 63, 86 | ULTİLET PEN NEEDLE | 82 |
| <i>thiotepa</i> | 22 | <i>triamterene</i> | 48 | ULTRA-THIN II PEN NEEDLES | 82 |
| <i>thiothixene</i> | 29 | <i>triamterene-hctz</i> | 48 | <i>unithroid</i> | 69 |
| <i>thyroid</i> | 69 | <i>triazolam</i> | 91 | UPTRAVI | 89 |
| <i>tiadylt er</i> | 47 | <i>triderm</i> | 64 | <i>ursodiol</i> | 58 |
| <i>tiagabine hcl</i> | 14 | TRIENTINE HCL | 56 | VABOMERE | 8 |
| TIBSOVO | 24 | <i>tri-estarrylla</i> | 67 | <i>valacyclovir hcl</i> | 32 |
| <i>tigecycline</i> | 8 | <i>trifluoperazine hcl</i> | 29 | VALCHLOR | 22 |
| TIGLUTIK | 52 | <i>trifluridine</i> | 32 | <i>valganciclovir hcl</i> | 31 |
| <i>tilia fe</i> | 67 | <i>trihexyphenidyl hcl</i> | 28 | <i>valproic acid</i> | 14 |
| <i>timolol maleate</i> | 21, 84 | TRIJARDY XR | 37 | <i>valsartan</i> | 45 |
| <i>timolol maleate pf</i> | 84 | TRIKAFTA | 88 | <i>valsartan-hydrochlorothiazide</i> | 45 |
| <i>tinidazole</i> | 8 | <i>tri-legest fe</i> | 68 | VALTOCO 10 MG DOSE | 14 |
| TIVICAY | 33 | <i>trilyte</i> | 58 | VALTOCO 15 MG DOSE | 14 |
| TIVICAY PD | 33 | <i>trimethoprim</i> | 8 | VALTOCO 20 MG DOSE | 14 |
| <i>tizanidine hcl</i> | 31 | <i>tri-mili</i> | 68 | VALTOCO 5 MG DOSE | 14 |
| TOBI PODHALER | 88 | <i>trimipramine maleate</i> | 18 | <i>vancomycin hcl</i> | 8 |
| TOBRADEX | 85 | TRIMO-SAN | 82 | VANCOMYCIN HCL | 8 |
| <i>tobramycin</i> | 6, 88 | <i>trinessa (28)</i> | 68 | <i>vandazole</i> | 8 |
| <i>tobramycin sulfate</i> | 7 | TRINTELLIX | 16 | VAQTA | 76 |
| <i>tobramycin-dexamethasone</i> | 85 | <i>tri-nymyo</i> | 68 | <i>vardenafil hcl</i> | 79 |
| TOLBUTAMIDE | 37 | <i>triphocaps</i> | 82 | VARIVAX | 76 |
| <i>tolcapone</i> | 28 | <i>tri-previfem</i> | 68 | VARIZIG | 76 |
| <i>tolmetin sodium</i> | 3 | <i>tri-sprintec</i> | 68 | VASCEPA | 50 |
| <i>tolterodine tartrate</i> | 60 | TRIUMEQ | 34 | VELCADE | 23 |
| <i>tolterodine tartrate er</i> | 60 | <i>trivora (28)</i> | 68 | <i>velvet</i> | 68 |
| TOLVAPTAN | 56 | <i>tri-vylibra</i> | 68 | VELTASSA | 56 |
| <i>tolvaptan</i> | 56 | <i>tri-vylibra lo</i> | 68 | VENCLEXTA | 23 |
| <i>topiramate</i> | 14 | TROPHAMINE | 56 | VENCLEXTA STARTING PACK | 23 |
| <i>topiramate er</i> | 14 | <i>trospium chloride</i> | 60 | <i>venlafaxine hcl</i> | 36 |
| <i>toremifene citrate</i> | 22 | <i>trospium chloride er</i> | 60 | | |
| <i>torsemide</i> | 48 | TRUEPLUS 5-BEVEL PEN NEEDLES | 82 | | |
| TOUJEO MAX SOLOSTAR | 39 | TRULICITY | 37 | | |
| TOUJEO SOLOSTAR | 39 | TRUMENBA | 76 | | |
| TOVET | 54 | | | | |
| TPN ELECTROLYTES | 57 | | | | |

| | |
|--|----|
| <i>venlafaxine hcl er</i> | 17 |
| VENOFER | 82 |
| VENTAVIS | 89 |
| <i>verapamil hcl</i> | 47 |
| <i>verapamil hcl er</i> | 47 |
| VERQUVO | 48 |
| VERSACLOZ | 31 |
| VERZENIO | 24 |
| VICTOZA | 38 |
| <i>vigabatrin</i> | 14 |
| <i>vigadrone</i> | 14 |
| VIIBRYD | 17 |
| VIIBRYD STARTER PACK | 17 |
| VIMPAT | 15 |
| VIRACEPT | 35 |
| VIREAD | 34 |
| VITRAKVI | 24 |
| VIVITROL | 6 |
| VIZIMPRO | 27 |
| <i>voriconazole</i> | 20 |
| VOSEVI | 32 |
| VOTRIENT | 27 |
| <i>vp-pnv-dha</i> | 57 |
| VRAYLAR | 31 |
| <i>vylibra</i> | 68 |
| VYNDAMAX | 64 |
| VYNDAQEL | 64 |
| VYTONE | 54 |
| <i>warfarin sodium</i> | 44 |
| <i>wymzya fe</i> | 68 |
| XALKORI | 27 |
| XARELTO | 43 |
| XARELTO STARTER PACK | 43 |
| XATMEP | 75 |
| XCOPRI | 13 |
| XCOPRI (250 MG DAILY DOSE) | 13 |
| XCOPRI (350 MG DAILY DOSE) | 13 |
| XELJANZ | 72 |
| XELJANZ XR | 72 |
| XERMELO | 58 |
| XGEVA | 78 |
| XIFAXAN | 8 |
| XIGDUO XR | 38 |
| XOFLUZA (40 MG DOSE) | 35 |
| XOFLUZA (80 MG DOSE) | 35 |
| XOLAIR | 72 |
| XOSPATA | 24 |
| XPOVIO (100 MG ONCE WEEKLY) | 24 |
| XPOVIO (40 MG ONCE WEEKLY) | 24 |
| XPOVIO (40 MG TWICE WEEKLY) | 24 |
| XPOVIO (60 MG ONCE WEEKLY) | 24 |
| XPOVIO (60 MG TWICE WEEKLY) | 24 |
| XPOVIO (80 MG ONCE WEEKLY) | 24 |
| XPOVIO (80 MG TWICE WEEKLY) | 24 |
| XTANDI | 22 |
| XYREM | 91 |
| XYWAV | 91 |
| YF-VAX | 76 |
| YONSA | 22 |
| <i>yuvafem</i> | 68 |
| <i>zafirlukast</i> | 86 |
| <i>zaleplon</i> | 91 |
| ZARXIO | 44 |
| ZEJULA | 27 |
| ZELAPAR | 29 |
| ZELBORAF | 27 |
| ZEMAIRA | 60 |
| ZEMDRI | 7 |
| ZENPEP | 60 |
| ZERBAXA | 9 |
| <i>zidovudine</i> | 34 |
| <i>zileuton er</i> | 86 |
| <i>ziprasidone hcl</i> | 36 |
| <i>ziprasidone mesylate</i> | 31 |
| ZIRGAN | 31 |
| ZOLINZA | 24 |
| <i>zolpidem tartrate</i> | 91 |
| <i>zolpidem tartrate er</i> | 91 |
| <i>zonisamide</i> | 13 |
| ZORBTIVE | 64 |
| ZORTRESS | 75 |
| <i>zosyn</i> | 11 |
| <i>zovia 1/35 (28)</i> | 68 |
| ZYDELIG | 24 |
| ZYKADIA | 27 |
| ZYPREXA RELPREVV | 31 |
| ZYRTEC ALLERGY | 90 |
| ZYRTEC CHILDRENS ALLERGY | 90 |
| ZYRTEC-D ALLERGY & CONGESTION | 86 |



fallonhealth.org/medicare

This formulary was updated on 10/05/2021. For more recent information or other questions, please contact Fallon Medicare Plus Customer Service at 1-800-325-5669 (TTY users should call TRS 711), 8 a.m.–8 p.m., Monday–Friday (Oct. 1–March 31, seven days a week), or visit fallonhealth.org/medicare.

H9001_220040_E
21-670-067 Rev. 01 10/21